INDEX TO KEW BULLETIN
Volume 56

Principal references are indicated † and illustrations *

Abutilon neelgerrense 213
Acacia 38, 42, 48, 64, 68, 81, 82, 88, 90, 96, 98, 99, 102, 596, 934, 935, 937 – 942
—— *edgeworthii* 984
—— *koa* 168
—— *mellifera* 106, 936
—— *pennivenia* 984
—— *rehmanniana* 81
—— *sarcophylla* 984
—— *senegal* 62, 940
—— *seyal* 62
—— *sieberiana* 106
—— *tortilis* 62, 106, 936
—— —— subsp. *raddiana* 64
—— *welwitschii* 81
Acalypha fruticosa 213
Acanthaceae 694
Acerates Elliott 770
Aceratium 870, 871
Acorus 971
Actinoscirpus (Ohwi) R. W. Haines & Lye †258
—— *grossus* (L. f.) Goetgh. & D. A. Simpson †258
—— —— var. *kysoor* (Roxb.) Noltie †258
Actinoseris (Endl.) Cabrera 697
Adansonia 936
—— *digitata* 72
Additional notes on Pavetta (Rubiaceae: Pavetteae) from Tropical Eastern and Southern Africa, D. M. Bridson 567
Adenium obesum 984, 986
Aframomum melegueta K. Schum. 284
Afrotrilepis (Gilly) J. Raynal †259
—— *pilosa* (Boeck.) J. Raynal †259
Afzelia quanzensis 38
Agapanthaceae 971
Agathis 530
Agavaceae 617, 971
Agialid 2
—— *abyssinica* Tiegh. 56
—— *aegyptiaca* (L.) Adans. 56
—— —— var. *angolensis* (Welw.) Hiern 86, 89
—— *membranacea* Tiegh. 56
Agialida 2
—— *arabica* Tiegh. 58
—— *barteri* Tiegh. 58
—— *chevalieri* Tiegh. 58
—— *cuneifolia* Tiegh. 56
—— *ferox* (Poir.) Tiegh. 63, 66
—— *glomerata* Tiegh. 58, 66
—— *latifolia* Tiegh. 56
—— *nigra* Tiegh. 56
—— *palestinaca* Tiegh. 58
—— *rotundifolia* Tiegh. 94, 95
—— *roxburghii* (Planch.) Kuntze 46
—— *schimperi* Tiegh. 58
Agialida senegalensis Tiegh. 63
—— *timbouctensis* Tiegh. 58, 64
Agialidaceae Tiegh. 12
Agiella Tiegh. 2, 84, 104
—— *angolensis* 86
—— —— var. *superreticulata* Tiegh. 86, 88
—— *welwitschii* Tiegh. 84, 86, 89
Agihalid 55
Aglialida ferox Tiegh. 56
—— *rotundifolia* Tiegh. 56
—— *senegalensis* Tiegh. 56
Agrostocrinum 967
—— *scabrum* (R. Br.) Baill. 966
Aizoaceae 433
Alangium 38
Albizia 102, 579, 585
—— *lucida* 42
—— *lucidior* 42
Albuca 608, 610, 612, 616
—— *shawei* 605
Alhagi 50
Ali, S. I. & Sokoloff, D. D.: A new combination in Pseudolotus Rech. f. (Leguminosae: Loteae) 721
Alismatales 967, 971
Allanblackia ulugurensis 573
Allasia payos Lour. 198, 200
Alliaceae 601, 971
—— *sensu stricto* 602
—— tribe *Allieae* Hutch. 617
—— tribe *Brodiaeeae* 601, 602
Allium 620
Alluaudia 951
Aloe 68, 102, 967
—— *descoingsii* Reynolds 966, 968, *969
Alphitonia: Molecular data confirm the affinities of the south-west Australian endemic Granitites with Alphitonia (Rhamnaceae), M. F. Fay, M. D. Lledó, J. E. Richardson, B. L. Rye & S. D. Hopper 669
Alphitonia Reissek ex Endl. 669, 670, 672
—— *excelsa* Reissek 670
—— sp. aff. *incana* (Roxb.) Kurz 670, 671, 673
Alstroemeriaceae 967, 971
Amaryllidaceae: Galanthus × valentinei nothosubsp. subplicatus (Amaryllidaceae): a new Galanthus hybrid from north-western Turkey, A. P. Davis, A. Byfield, N. Özhatay & K. Taylor 639
Amaryllidaceae 601, 967, 971
Amblysperma: A new combination in Amblysperma (Compositae: Mutiseae), D. J. N. Hind 711
Amblysperma Benth. in Endlicher *et al.* 711, 712, †713
—— *scapigera* Benth. in Endlicher *et al.* 712, 713
—— *spathulata* (A. Cunn. ex DC.) D. J. N. Hind †712, 713
Ampeloziziphus amazonicus Ducke 671, 673

Amphinema

Amphinema angustispora: a new corticoid fungus from the Conservation Area at Kew, P. Roberts 761
Amphinema P. Karst. 761, 762
A. angustispora P. Roberts †761, *762
Anagallis arvensis L. 727, 728
Andropogon dulce Burm. f. 312
Androsace spinulifera Kunth 727, 728
Androstephium Torre 602, 603, 607, 609, 611, 615, 617, 618, 620
—— *coeruleum* 605, 606, 608, 610, 612, 614, 616
Anemarrhenaceae 617, 971
Anh, T. P. & Evans, T. D.: A new species of Calamus (Arecaceae: Calamoideae) from Vietnam 731
Aningeria 594
Anisotes diversifolius 986
Annonaceae: The fruit of Sanrafaelia rufonammari Verdc. (Annonaceae), B. Verdcourt 755
Annonaceae: A new species of Polyalthia (Annonaceae) from Peninsular India, M. B. Viswanathan & U. Manikandan 217
Annonaceae 755
Anogeissus latifolia 213
Anomochloa 965, 967
Anon.: Investigations into the systematic botany and phylogenetic relationships of Takhtajania perrieri (Capuron) Baranova & J.-F. Leroy (Winteraceae), The "Takhtajania issue", Ann. Missouri Bot. Gard 87 (3) (Rev.) 764
Anona reticulata 174
Anthericaceae 603, 617, 620, 967, 971
Anthericum 608, 610, 612, 616
—— *liliago* 605
Anthyllis 722
Aphyllanthaceae 615, 617, 971
Aphyllanthes 602, 615
Apis mellifera 778
Aplonis panayensis 864
Apocynaceae: Brachystelma swarupa (Apocynaceae): a new species from India, K. Kishore Kumar & D. J. Goyder 209
Apocynaceae: The identity of Hickenia Lillo (Apocynaceae subfam. Asclepiadoideae), D. J. Goyder 162
Apocynaceae: A revision of Gomphocarpus R. Br. (Apocynaceae: Asclepiadeae), D. J. Goyder & A. Nicholas 769
Apocynaceae: A revision of the tropical African genus Trachycalymma (K. Schum.) Bullock (Apocynaceae: Asclepiadoideae), D. J. Goyder 129
Apocynaceae sensu lato 210, 340
—— subfam. *Asclepiadoideae* 210
—— subfam. *Periplocoideae* 210
—— subfam. *Secamonoideae* 210
—— tribe *Asclepiadeae* 770
—— tribe *Ceropegieae* 209, 210
—— tribe *Stapelieae* 210
Araucaria 168
Arbor rediviva Rumph. 870, 871
—— —— *Eyparehu* Rumph. 865, 870
Archichlamydeae Geraniales 13
Arctotis ? 1020
Ardisia crenata Roxb. 727, 728

Areca

Areca catechu L. 343
Arecaceae: A new species of Calamus (Arecaceae: Calamoideae) from Vietnam, T. D. Evans & T. P. Anh 731
Arecaceae: Two new species of Daemonorops (Arecaceae) from Vietnam, J. Dransfield 661
Arecaceae 343
Argyrocome Gaertn. 1014
—— *bracteata* (Vent.) B. D. Jacks. 1014
—— *retorta* (L.) Gaertn. 1014
Aristolochia phetchaburiensis (Aristolochiaceae), a new species from Thailand, W. Chuakul & P. Saralamp 741
Aristolochia 741
—— *longiracemosa* B. Hansen & Phuph. 741, 743
—— *phetchaburiensis* W. Chuakul & P. Saralamp †741, *742, 743
Arthropodium 971
Artocarpus 455
Ascelpias tenuifolia N. E. Br. 801
Asclepiadaceae 129, 210
Asclepias L. 129 – 132, 769 – 773
—— *sensu lato* 772
—— subgen. *Asclepias* 772
—— subgen. —— ser. *Fruticosae* 772
—— *abyssinica* (Decne.) N. E. Br. 793, 794
—— *affinis* De Wild. 146
—— *albida* N. E. Br. 796
—— *ameliae* S. Moore 150, 152
—— *amoena* L. 152
—— ? *angustifolia* Schweigg. 782, 784
—— *arborea* Salisb. 770, 804
—— *arborescens* L. 770, 804
—— *aurea* (Schltr.) Schltr. 132
—— *brasiliensis* (E. Fourn.) Schltr. 788
—— *brevipes* (Schltr.) Schltr. 132
—— *buchenaviana* Schinz 771, 802, 803
—— *buchwaldii* (Schltr. & K. Schum.) De Wild. 146
—— —— var. *angustifolia* De Wild. 146
—— *burchellii* Schltr. 808
—— *cancellata* Burm. f. 770, 803
—— *cornuta* (Decne.) Cordem. 783
—— *crinita* (G. Bertol.) N. E. Br. 783
—— *crispa* 770
—— *cristata* S. Moore 134
—— *cucullata* (Schltr.) Schltr. 130, 132, †157, 159
—— —— subsp. *cucullata* †157, 158, 159
—— —— subsp. *scabrifolia* (S. Moore) Goyder 158, †159
—— *decipiens* N. E. Br. 785
—— *denticulata* Schltr. 791, 792
—— *endotrachys* Schltr. 160
—— *euphorbioides* A. Chev. 793, 794
—— *filiformis* (E. Mey.) Benth. & Hook. f. 802
—— —— (E. Mey.) Kuntze 802, 803
—— —— var. *buchenaviana* (Schinz) N. E. Br. 802
—— *fimbriata* Weim. 137
—— *flagellaris* Bolus ex Schltr. 802
—— *flavida* N. E. Br. 787
—— *foliosa* (K. Schum.) Hiern 153
—— *frederici* Hiern 809
—— *friesii* Schltr. in Fries 815

Asclepias

Asclepias fruticosa L. 769, 770, 782, 783
—— —— var. *angustissima* (Engl.) Schltr. 794, 795
—— *glabra* Mill. 769, 782
—— *glaucophylla* (Schltr.) Schltr. 813
—— *gossweileri* S. Moore 152
—— *hastata* 770
—— *incarnata* 783
—— *integra* N. E. Br. 797
—— *kaessneri* N. E. Br. 792
—— *katangensis* De Wild. 815
—— —— S. Moore 815
—— *kyimbilae* Schltr. 134
—— *lanata* (E. Mey.) Druce 808
—— *lepida* S. Moore 152, 153
—— *leucocarpa* Schltr. 799
—— *lilacina* Weim. 813
—— *litocarpa* Chiov. 799
—— *minuta* A. Chev. 155
—— *modesta* N. E. Br. 153
—— —— var. *foliosa* N. E. Br. 153
—— *moorei* De Wild. 815
—— *munonquensis* S. Moore 812
—— *negrii* Chiov. 797
—— ? *nutans* (Klotzsch) N. E. Br. 808
—— *nyikana* Schltr. 811
—— *palustris* (K. Schum.) Schltr. 134
—— *phillipsiae* N. E. Br. 794, 795
—— *physocarpa* (E. Mey.) Schltr. 788
—— *praticola* S. Moore 815
—— *pubescens* L. 770, 803
—— *pubiseta* N. E. Br. 796
—— *pulchella* (Decne.) N. E. Br. 150
—— *pygmaea* N. E. Br. 157, 158, †159
—— *randii* S. Moore 132, 159
—— *rhodesica* Weim. 801
—— *rivularis* (Schltr.) Schltr. 805
—— *roseus* Roxb. 160
—— *rostrata* N. E. Br. 786
—— *rotundifolia* Mill. 770, 803
—— *rubella* N. E. Br. 160
—— *salicifolia* Salisb. 770, 782
—— *scabrifolia* S. Moore 157, 159
—— *schumanniana* Hiern 152
—— *semiamplectens* (K. Schum.) Hiern 816
—— *semilunata* (A. Rich.) N. E. Br. 791
—— *setosa* Forssk. 770, 787
—— *sinaica* (Boiss.) Muschl. 807
—— *stenophylla* A. Gray 799
—— *stolzii* Schltr. 811
—— *swynnertonii* S. Moore 810
—— *vestita* Hook. 804
—— group *cucullata* 130, 131
Ascolepis Nees ex Steud. †259
—— *capensis* (Kunth) Ridl. †259
Ascomycetes 179
Asparagaceae 971
Asparagales 602, 615, 617, 620, 966, 967, *968, *969, 970, 971
Asphodelaceae 967, 971
Aspidoglossum E. Mey. 770
Asteliaceae 967, 971

Asteraceae

Asteraceae: Xerochrysum Tsevelev, a pre-existing generic name for Bracteantha Anderb. & Haegi, Randall J. Bayer 1013
Auricularia 165
—— *cornea* Ehrenb. 164, †165
—— *delicata* (Fr.) Henn. 164, †166
—— *hunteri* Lloyd 166
—— *nigra* 165
—— *polytricha* (Mont.) Sacc. 165
—— —— Mont. 164
—— *tenuis* (Lév.) Farl. 165
—— *tremellosa* (Fr.) Pat. 166
Auriculariales 164, 165
Avetra H. Perrier 361
Ayparebu 872
Ayparia crenata Raf. 870, 871

Baikiaea insignis 584
Balanitaceae Endl. †12, 13
Balanites: The Desert Date and its relatives: a revision of the genus Balanites, Martin J. S. Sands 1
Balanites Delile 2, 3, *4, 5, *6, *8, 9, *11, †12, 13 – 16, 18, 37, 42, 49 – 51, 55, 58, 64, 66, 70, 84, 94
—— sect. *Agiella* Mildbr. & Schltr. 104
—— sect. *Daweophytum* Mildbr. & Schltr. 24
—— ser. *Aegyptiaceae* Sprague 2
—— ser. *Angolenses* Sprague 2
—— ser. *Roxburghianae* Sprague 2, 24, 50
—— "Omo valley" *6, *8, 14, 16, 103, †105
—— *aegyptiaca* (L.) Delile 2, 3, 5, *6, *8, 9, 10, *11, 12 – 16, 18, 32, 34, 37, 49, 50, †51, 54 – 58, 61 – 64, 66, 68 – 70, 72, 74, 81
—— —— Oliv. 68
—— —— *sensu* Chevalier 63
—— —— *sensu* Cufod. 95
—— —— *sensu* Drake-Brockman 100
—— —— *sensu* M. N. Nair 39
—— —— *sensu* Wall. 46
—— —— var. *aegyptiaca* *6, 53, 55, †56, 57, 58, *59, 61, 64, 70, 72, 74
—— —— var. *angolensis* Welw. 83, 86, 88
—— —— var. *arborea* Royle 47
—— —— var. *ferox* 3, 6, 16, 53, 55 – 57, 62, †63, 64, *65, 66, 67, 72
—— —— var. *indica* Voigt 46
—— —— var. *microphylla* Guill. & Perr. in Guillemin *et al.* 63
—— —— var. *pallida* Sands 3, *6, *8, 53, 55 – 57, 61, 62, *65, 66 – 69, 72
—— —— var. *quarrei* (De Wild.) G. Gilbert 3, *6, 7, *8, 53, 55 – 57, 61, 64, †69, 70, *71, 72 – 74
—— —— var. *rigida* Royle 46, 47
—— —— var. *roxburghiana* Sprague 46
—— —— var. *roxburghii* (Planch.) Duthie 46, 51
—— —— var. *tomentosa* (Mildbr. & Schltr.) Sands 3, *6, *11, 53, 55 – 57, 61, 64, 70, *71, †72, 73, 74
—— *angolensis* (Welw.) Welw. ex Mildbr. & Schltr. 5, *6, 7, *8, 9, 10, *11, 12, 14, 15, 17, 78, †83, 84, 86, 105
—— —— Welw. ex Tiegh. 86, 89, 104
—— —— subsp. *angolensis* *8, 15, 17, *85, †86, 87, 88, 90

Balanites

Balanites angolensis subsp. *welwitschii* Sands *8, 15, 17, 78, *85, 86 – 88, †89, 90, 104
—— *arabica* (Tiegh.) Blatt. 58
—— *arborea* B. D. Jacks. 47
—— *australis* Bremek. 76, 80
—— *dawei* Sprague 18, 24, 29, 34, 35
—— *ferox* Don 63
—— *fischeri* Mildbr. & Schltr. 58, 81
—— *gillettii* Cufod. 10, 95, 97
—— —— var. *renifolia* Cufod. 95, 97
—— *glabra* Mildbr. & Schltr. 5, *6, 7, *8, 9, 10, *11, 12, 14 – 17, 37, 56, 84, 94, 95, 98, †99, *101, 102 – 105
—— *horrida* Mildbr. & Schltr. 56, 76, 80, 81
—— *indica* Tiegh. 46, 48, 50, 51
—— *jacquemontii* Tiegh. 46, 51
—— *latifolia* (Tiegh.) Chiov. 58
—— *maughamii* Sprague 5, *6, 7, *8, 10, *11, 12, 14 – 16, 18 – 20, 24, 28, †29, 32 – 37, 50, 76
—— —— subsp. *acuta* Sands *8, *11, 15, 17, 18, 26, *31, 32 – 34, 36, †37, 38, 39, 81
—— —— subsp. *maughamii* *8, *11, 15, 17, *31, 32, 33, 34, †35, 36 – 39
—— *mayumbensis* Exell 24, 25, 28, 29
—— *orbicularis sensu* Greenway 99
—— —— Sprague 5, 56, 94, 95
—— *patriziana* Lusina 10, 56, 94, 95
—— *pedicellaris* Mildbr. & Schltr. 5, *6, 7, *8, 9, 10, *11, 12, 14, 15, 17, 36, 56, 72, †74, 75, 76, 78, 80, 81, 83
—— ? —— 80
—— —— subsp. *pedicellaris* *8, 15, 18, *77, †78, 79, 82
—— —— subsp. *somalensis* Sands *8, 15, 18, 75, *77, 78, 79, †81, 82, 83
—— *quarrei* De Wild. 56, 69
—— *racemosa* Chiov. 56, 66, 68, 69
—— *rigida* B. D. Jacks. 46, 50
—— *rotundifolia* (Tiegh.) Blatt. 3, *6, 7, *8, 9, 10, *11, 12, 15 – 17, 56, 78, 81, 83, †90, 92, 94 – 99, 104 – 106
—— —— var. *rotundifolia* 15, 17, *91, 93, †95, 97 – 99
—— —— var. *scillin* (Chiov.) Sands 15, 16, 18, *91, 93, 94, 95, †97, 98, 99, 105
—— —— var. *setulifera* Sands 15, 16, 18, 81, *91, 93, 95, †99, 105
—— *roxburghii* Planch. 5, *6, *8, 9, 10, *11, 12, 14, 15, 17, 18, 42, 43, †44, *45, 48 – 51, 54, 55
—— —— *sensu* Bennett in Hook. f. 39
—— —— var. ß *gracilis* Kurz 39, 42
—— *scillin* Chiov. 56, 94, 95, 97, 98
—— *somalensis* Mildbr. & Schltr. 56, 76, 78, 81, 82, 94
—— —— var. *cinereo-corticata* Fiori ex Chiov. 82, 83
—— *suckertii* Chiov. 58
—— *tieghemii* A. Chev. 25 – 27
—— *tomentosa* Mildbr. & Schltr. 56, 72, 74
—— *triflora* Tiegh. 3, 5, *6, 7, *8, 9, 10, *11, 12 – 16, 18, 24, †39, *41, 42 – 44, 50, 105
—— *welwitschii* (Tiegh.) Exell & Mendonça 86, 89
—— *wilsoniana* Dawe & Sprague 5, *6, 7, *8, 9, 10, *11, 12 – 14, 16, 18, 19, †20, 22 – 28, 38, 39, 50
—— —— *sensu* Aubréville 28

Balanites

Balanites wilsoniana sensu Hutchinson & Dalziel 37
—— —— *sensu* Kennedy 29
—— —— var. *glabripetala* Sands 9, 14, 15, *21, 23, 25, 27, †29
—— —— var. *mayumbensis* (Exell) Sands 15, *21, 22, 23, 25, †28, 29
—— —— var. *wilsoniana* 15, *21, 23, †25, 28, 29
—— *zizyphoides* Mildbr. & Schltr. 58
—— sp. Drake-Brockman 95
—— sp. Oliv. 35
—— sp. Welw. 86
—— sp. 1 White 35
Balanophoraceae 999
Balgooy, M. M. J. van: Malesian Seed Plants. Volume 1 — Spot Characters. An aid for identification of families and genera (Also received) 511
Balkwill, K. & Paton, A.: Hemizygia stalmansii (Labiatae), a new species from Mpumalanga, South Africa and Swaziland 491
Ballochia amoena 984, 986
Bambusa 627
Barnadesia: A new species of Barnadesia (Compositae: Barnadesieae) from Bolivia, D. J. N. Hind 705
Barnadesia Mutis 705, 707, 709
—— subgen. *Bacasia* 709
—— subgen. *Barnadesia* 709
—— subgen. —— sect. *Pauciflora* 709
—— subgen. —— sect. *Penthea* 709
—— subgen. *Penthea* (D. Don) I. C. Chung sect. *Penthea* 705
—— *caryophylla* (Vell.) S. F. Blake 705, 707, 709
—— *corymbosa* (Ruiz & Pav.) D. Don 707, 709
—— *glomerata* Kuntze 705, 709
—— *macrocephala* 709
—— *odorata* 709
—— *parviflora* Spruce ex Benth & Hook. f. 707
—— *polyacantha* Wedd. 705 – 707, 709
—— *pycnophylla* 709
—— *woodii* D. J. N. Hind †705, 707, *708, 709
Basidiodendron 170
—— *cinereum* 170, 171
—— *deminutum* 168, 169
—— *excentrispora* P. Roberts †*168, 169
—— *eyrei* (Wakef.) Luck-Allen 169
—— *farinaceum* (D. P. Rogers) P. Roberts †169, *170
—— *nodosum* Luck-Allen 170, 171
—— *radians* (Rick) P. Roberts †170, 171
—— *spinosum* (L. S. Olive) Wojewoda †171
Basidiomycetes 164
Bathiorhamnus cryptophorus Capuron 671, 673
Baumea mariscoides Gaudich. in Freyc. 327
Bayer, Randall J.: Xerochrysum Tsevelev, a pre-existing generic name for Bracteantha Anderb. & Haegi 1013
Beentje, Henk. *Reviewer*: Cambridge Illustrated Glossary of Botanical Terms, by Michael Hickey & Clive King 505
Beentje, Henk. *Reviewer*: Floristics in the New Millenium: Proceedings of the Flora of the Southeast US Symposium. Sida Bot. Misc. 18, by Barney L. Lipscombe, John J. Pipoly III & Roger W. Sanders (eds.) 253

Begonia

Begonia albo-coccinea 218
Behnia 608, 610, 612, 616
—— *reticulata* 605
Behniaceae 603, 617, 620, 971
Bequaertiodendron 582
Berry, P. E., Savolainen, V., Sytsma, K. J., Hall, J. C. & Chase, M. W.: Lissocarpa is sister to Diospyros (Ebenaceae) 725
Bessera Schult. f. 602, 607, 609, 611, 617
—— *elegans* 605, 606, 608 – 610, 612 – 614, 616
—— *tenuiflora* 605, 606, 608, 610, 612, 614, 616
Blachia Baill. 658
Blackallia C. A. Gardner 669
Blandfordia 965, 967
—— *punicea* Sweet 966, *969
Blandfordiaceae 967, 971
Bloomeria Kellogg 315, 602, 603, 607, 609, 611, 617 – 620
—— *crocea* 605, 606, 608, 610, 612, 614, 616
Bolboschoenus (Asch.) Palla †259
—— *caldwellii* (V. J. Cook) Soják †259
—— *fluviatilis* (Torr.) Soják †259
—— *maritimus* (L.) Palla †259
—— *paludosus* (A. Nelson) Soó †260
—— *yagara* (Ohwi) Y. C. Yang & M. Zhan †260
Bolivia: A new species of Barnadesia (Compositae: Barnadesieae) from Bolivia, D. J. N. Hind 705
Bolivia: A new species of Vigna (Leguminosae-Papilionoideae) from Bolivia, B. Verdcourt 229
Bomarea 967
—— *hirtella* Herb. 966, 970

Book Reviews & Notices:-
Asteraceas de la Flora de Colombia. Senecioneae — 1, Géneros Dendrophorbium y Pentacalia. Academia Colombiana de Ciencias Exactas, Físicas y Naturales Coleccion. Jorge Alvarez Lleras No. 12, by Santiago Díaz-Piedrahita & José Cuatrecasas 503
Biodiversity and sustainable conservation, by Har Darshan Kumar 252
Botanical results of the Sessé & Moçino expedition (1787 – 1803). VII. A Guide to Relevant Scientific Names of Plants, by Rogers McVaugh 508
The Cambridge Illustrated Glossary of Botanical Terms, by Michael Hickey & Clive King 505
Cassini on Compositae II. Collected from the 'Bulletin des Sciences par la Societé Philomatique de Paris'. Monogr. Syst. Bot. Missouri Bot. Gard. 54, by Robert M. King, Paul C. Janaske & David B. Lellinger 464
Cassini on Compositae III. Collected from the 'Journal de Physique, de Chimie, d'Histoire Naturelle et des Arts' and from the 'Annales des Sciences Naturelles'. Monogr. Syst. Bot. Missouri Bot. Gard. 55, by Robert M. King, Paul C. Janaske & David B. Lellinger 464
Consequences of cultivar diffusion. Ethnology Monogr. 17, by Leonard Plotnicov & Richard Scaglion (eds.) 511
Dioscorides, De Materia Medica. A new indexed version in modern English, by T. A. Osbaldson & R. P. A. Wood 763

Book Reviews

Floodplain Flora. A flora of the coastal floodplains of the Northern Territory, Australia. (Flora of Australia Supplementary Series No. 10), by I. D. Cowie, P. S. Short & M. Osterkamp Madsen 249
Flora of Bhutan including a record of plants from Sikkim and Darjeeling. Vol. 2 Part 3. Families 171 – 187, by A. J. C. Grierson, D. G. Long, L. S. Springate (ed.), M. Bates, Yo-Jiun Chen, C. Oliver, G. Rodrigues & M. Tebbs (illustrators) 916
Flora of Egypt Volume 1 (Azollaceae – Oxalidaceae). Volume 2 (Geraniaceae – Boraginaceae), by Loutfy Boulos 944
Flora of Ethiopia and Eritrea. Volume 2, Part 2. Magnoliaceae to Flacourtiaceae, by S. Edwards, Mesfin Tadesse, Sebsebe Demissew & Inga Hedberg 490
Flora of the District Garhwal North West Himalaya (with ethnobotanical notes), by R. D. Gaur 251
Flora Iberica Plantas Vasculares de la Península Ibérica e Islas Baleares. Vol. VII (II). Leguminosae (partim), by S. Castroviejo (Coordinador general), S. Talavera, C. Aedo, S. Castroviejo, A. Herrero, C. Romero Zarco, F. J. Salgueiro & M. Velayos (eds.) 247
Floristics in the New Millenium: Proceedings of the Flora of the Southeast US Symposium. Sida Bot. Misc. 18, by Barney L. Lipscombe, John J. Pipoly III & Roger W. Sanders (eds.) 253
Generic Conspectus of the tribe Astereae (Asteraceae) in North America, Central America, the Antilles and Hawaii. Sida Bot. Misc. 20, by Guy L. Nesom 509
Icones Pleurothallidinarum XX. Systematics of Jostia, Andinia, Barbosella, Barbrodria, Pleurothallis subgen. Antilla, subgen. Effusia, subg. Restrepiodia. Addenda to Lepanthes, Masdevallia, Platystele, Pleurothallis, Restrepiopsis, Scaphosepalum and Teagueia. Monogr. Syst. Bot. Missouri Bot. Gard. 79, by Carlyle A. Luer 507
Intermountain Flora. Vascular Plants of the Intermountain West, U.S.A. Volume 5. Asterales, by Arthur Cronquist (volume author), Arthur H. Holmgren, Noel H. Holmgren, James L. Reveal & Patricia K. Holmgren 478
Investigations into the systematic botany and phylogenetic relationships of Takhtajania perrieri (Capuron) Baranova & J.-F. Leroy (Winteraceae), The "Takhtajania issue", Ann. Missouri Bot. Gard 87 (3), Anon. 764
Madder red. A history of luxury and trade, by R. Chenciner 765
Nature's Government. Science, Imperial Britain and the 'Improvement' of the World, by Richard Drayton 249
Plant Systematics, by Gurchuran Singh 648
Reproductive Biology in systematics, conservation and economic botany, by S. J. Owens & P. J. Rudall (eds.) 255
Sea Beans and Nickar Nuts. BSBI Handbook No. 10. A handbook of exotic seeds and fruits stranded on beaches in north-western Europe, by E. Charles Nelson 254

Book Reviews

Succulent Flora of Southern Africa. Revised Edition, by Doreen Court 247

Wildflowers of Saudi Arabia, by Sheila Collenette 1021

Borderea Miégev. 361

Borya 967

—— *sphaerocephala* R. Br. 966, *968

Boryaceae 967, 971

Boscia angustifolia subsp. *corymbosa* 70

—— *minimifolia* 98

—— *senegalensis* 64

Boswellia: Two new species of frankincense trees (Boswellia, Burseraceae) from Socotra, Mats Thulin 983

Boswellia 938, 983, 986

—— *ameero* 984

—— *bullata* Thulin †983, 984, *985

—— *dioscoridis* Thulin 984, 986, *987, 988

—— *elongata* 984

—— *frereana* 984, 986, 988

—— *sacra* 983, 984

—— *socotrana* 984

—— sp. 984

Botryobasidium Donk sp. 183

Boulos, Loutfy: Flora of Egypt Volume 1 (Azollaceae – Oxalidaceae). Volume 2 (Geraniaceae – Boraginaceae) (Rev.) 944

Bourdotia cinerea 170

—— *cinerella* var. *trachyspora* Bourdot & Galzin 171

—— *eyrei* (Wakef.) Bourdot & Galzin 169

—— *radians* (Rick) Ginns 170

—— *spinosa* (L. S. Olive) K. Wells 171

Brachystegia 81, 146, 378, 399, 401, 769, 778, 816

—— *boehmii* 577

—— *microphylla* 575

Brachystelma swarupa (Apocynaceae): a new species from India, K. Kishore Kumar & D. J. Goyder 209

Brachystelma Sims 209, 210, 213, 215

—— *attenuatum* Hook. f. 213

—— *ciliatum* Arekal & T. M. Ramakrishna 210, 213 – 215

—— *laevigatum* Hook. f. 210, 213 – 215

—— *lankana* 213

—— *nepalense* 209

—— *parviflorum* Hook. f. 213

—— *swarupa* Kishore & Goyder †210, *212, 213 – 215

Bracteantha: Xerochrysum Tsevelev, a pre-existing generic name for Bracteantha Anderb. & Haegi, Randall J. Bayer 1013

Bracteantha Anderb. & Haegi 1013, 1014

—— *acuminata* Anderb. & Haegi 1015

—— *bicolor* (Lindl.) Anderb. & Haegi 1014

—— *bracteata* (Vent.) Anderb. & Haegi 1014

—— *palustris* Flann 1013, 1014

—— *papillosa* (Labill.) Anderb. & Haegi 1015

—— *subundulata* (Sch. Bip.) Paul G. Wilson 1015

—— *viscosa* (DC.) Anderb. & Haegi 1015

Brazil: Merostachys Spreng. (Poaceae, Bambusoideae, Bambuseae): a new species from Brazil and critical notes on "group speciosa", T. Sendulsky 627

Brazil

Brazil: A new calcicolous Hyptis (sect. Leucocephala, Labiatae) from the Irecê region of Bahia, Brazil, R. M. Harley 685

Brazil: A new species of Tibouchina Aubl. (Melastomataceae) from Espírito Santo, Brazil, Paulo José Fernandes Guimarães & Renato Goldenberg 903

Brazil: Rudgea crassifolia (Rubiaceae) — a new species from the coast of Eastern Brazil, D. C. Zappi & E. Lucas 745

Brazil: Swartzia Schreb. (Leguminosae: Papilionoideae: Swartzieae): a taxonomic study of the Swartzia acutifolia complex including a new name and a new species from southeastern Brazil, Vidal de Freitas Mansano & Ana Maria Goulart de Azevedo Tozzi 917

Brazil: Two new species of Richterago Kuntze emend. Roque (Compositae, Mutisieae) from Minas Gerais and Goiás, Brazil, N. Roque & J. N. Nakajima 697

Breteler, F. J.: A new species of Strombosiopsis (Olacaceae) from Liberia 751

Bridson, D. M.: Additional notes on Pavetta (Rubiaceae: Pavetteae) from Tropical Eastern and Southern Africa 567

Brodiaea complex 602, 603, 609, 611, 615, 617, 618, 620

—— *sensu lato* 602, 611, 615, 618, 620

—— *sensu stricto* 602, 603, 611, 613 – 615

—— Sm. 601, 602, 604, 607, 609, 613 – 615, 617 – 620

—— *coronaria* 605, 606, 608, 610, 612, 614, 616

—— *ixioides* (W. T. Ait.) S. Watson 603

—— *jolonensis* 605, 606, 608, 610, 612, 614, 616

Bulbine 971

Bulbophyllum humblotii Rolfe 501

Bulbostylis: New combinations in Bulbostylis (Cyperaceae) from South America, Ana Paula Prata M., Gabriela López & David A. Simpson 1007

Bulbostylis Kunth †260, 1007

—— *barbata* (Rottb.) C. B. Clarke in Hook. f. †260

—— *capillaris* (L.) C. B. Clarke †260

—— *densa* (Wall.) Hand.-Mazz. †260

—— *edwalliana* (Boeck.) Prata & M. G. López †1007

—— *francaënsis* Palla 1008

—— *hispidula* (Vahl) R. W. Haines & Lye †261

—— *junciformis* (Kunth) C. B. Clarke ex S. Moore †261

—— *lagoensis* (Boeck.) Prata & M. G. López †1008

—— *lanata* C. B. Clarke †261

—— *loefgrenii* (Boeck.) Prata & M. G. López †1008

—— *metralis* Cherm. 261

—— *pilosa* (Willd.) Cherm. †261

Bulbostylis puberula (Poir.) C. B. Clarke †261

Burmanniaceae 971

Burseraceae: Two new species of frankincense trees (Boswellia, Burseraceae) from Socotra, Mats Thulin 983

Butomaceae 967

Butomus 967

Byfield, A., Davis, A. P., Özhatay, N. & Taylor, K.: Galanthus ×valentinei nothosubsp. subplicatus (Amaryllidaceae): a new Galanthus hybrid from north-western Turkey 639

Cactaceae

Cactaceae: A new combination in Tephrocactus Lam. (Cactaceae), Wolfgang Stuppy 1003
Cactaceae 685, 749
—— subfam. *Opuntioideae* 1003
Cadaba rotundifolia 96
Cafferty, Steve, Simpson, David A. & Muasya, A. Muthama: Typification of Scirpus fluitans and Scirpus setaceus (Cyperaceae) 1011
Calamus: A new species of Calamus (Arecaceae: Calamoideae) from Vietnam, T. D. Evans & T. P. Anh 731
Calamus pauciflorus T. Evans *et al.* non Ridl. renamed Calamus oligostachys T. Evans *et al.*, T. Evans, K. Sengdala, O. V. Viengkham, B. Thammavong & J. Dransfield 242
Calamus 731
—— *arborescens* 731
—— *dongnaiensis* 731
—— *erectus* 731
—— *filipendulus* Becc. 242
—— *harmandii* 731
—— *modestus* T. Evans & T. P. Anh †731, *733, 734
—— *oligostachys* T. Evans *et al.* †242
—— *oxycarpus* 731
—— *pauciflorus* T. Evans *et al.* 242
—— *radulosus* Becc. 731
—— —— *sensu* Magalon 731
—— *rhabdocladus* 731, 734
Callicysthus volubilis Endl. 223
Calliprora ixioides (W. T. Ait.) Greene 603
Calocera cornea (Batsch) Fr. †167
Calochortus 967
—— *venustus* Douglas ex Benth. 966, *970
Calotropis R. Br. 770, 772
Calvaria cornea Batsch 167
Cameroon: Heterobasidiomycetes from Korup National Park, Cameroon, Peter Roberts 163
Camonea Raf. 931
Campynemataceae 971
Canarium 870, 871
—— *decumanum* 871
Cannamois 468, 471
Canthium coromandelicum 213
Capparideae 90
Capparis 48, 88
—— *diversifolia* 218
Carex L. 257, †262
—— *ablata* L. H. Bailey 271
—— *acuta* L. †262
—— —— var. *nigra* L. 273
—— *acutiformis* Ehrh. †262
—— *alba* Scop. †262
—— *albonigra* Mack. in Rydb. †262
—— *alboviridis* C. B. Clarke †262
—— *albula* Allan †262
—— *amplifolia* Boott in Hook. †262
—— *appressa* R. Br. †262
—— —— var. *secta* (Boott) Kük. †262
—— *aquatilis* Wahl. †262
—— *arenaria* L. †263
—— *athrostachya* Olney †263
—— *atrata* L. †263

Carex

Carex baccans Nees in Wight †263
—— *baldensis* L. †263
—— *bella* L. H. Bailey †263
—— *berggrenii* Petrie †263
—— *bigelowii* Torr. †263, 271
—— *breviculmis* R. Br. †263
—— *brevior* (Dewey) Mack. †264
—— *brevipes* W. Boott in S. Watson †264
—— *brizoides* L. †264, *265
—— *brunnea* Thunb. †264
—— *buchananii* Berggr. †264
—— *canescens* L. †264
—— *caryophyllea* Latourr. †264
—— *cernua* Boott †264
—— *chalciolepis* Holm 269
—— *chlorosaccus* C. B. Clarke †264
—— *comans* Berggr. †264
—— *conica* Boott ex A. Gray †265
—— *coriacea* Hamlin †265
—— *cryptocarpa* C. A. Mey. 271
—— *curvula* All. †266
—— *demissa* Hornem. †266
—— *diandra* Schrank. †266
—— *digitata* L. †266
—— *dipsacea* Berggr. †266
—— *dispalata* Boott ex A. Gray †266
—— *dissita* Sol. ex Boott †266
—— *disticha* Huds. †266
—— *divulsa* Stokes †266
—— —— subsp. *leersii* (Kneuck.) W. Koch †266
—— *douglasii* Boott in Hook. †267
—— *drummondiana* Dewey 277
—— *ebenea* Rydb. †267
—— *egglestonii* Mack. †267
—— *elata* All. †267
—— *eleocharis* L. H. Bailey †267
—— *elynoides* Holm †267
—— *epapillosa* Mack. in Rydb. 269
—— *eurycarpa* Holm †267
—— *exserta* Mack. †267
—— *festivella* Mack. †267
—— *filicina* Nees in Wight †268
—— *filifolia* Nutt. †268
—— *firma* Host †268
—— *flacca* Schreb. †268
—— *flagellifera* Colenso †268
—— *foenea* Willd. †268
—— *fraseri* Andrews 281
—— *gaudichaudiana* Kunth †268
—— *geyeri* Boott †268
—— *grayi* J. Carey †268
—— *hachijoensis* Akiyama †268
—— *haydeniana* Olney in S. Watson †269
—— *helophila* Mack. †269
—— *hepburnei* Boott in Hook. †269
—— *heteroneura* S. Watson †269
—— —— var. *brevisquama* F. J. Herm. †269
—— —— var. *chalciolepis* (Holm) F. J. Herm. †269
—— —— var. *epapillosa* (Mack.) F. J. Herm. †269
—— *hirta* L. †269
—— *hoodii* Boott in Hook. †269
—— *hudsonii* A. Benn. in Watson 267

Carex

Carex humilis Leyss. †270
—— *idahoa* L. H. Bailey †270
—— *illota* L. H. Bailey †270
—— *intumescens* Rudge †270
—— *inversa* R. Br. †270
—— *inyx* Nelmes †270
—— *jonesii* L. H. Bailey †270
—— *kaloides* Petrie †270
—— *kelloggii* W. Boott in S. Watson †270
—— *laevirostris* Blytt ex Blytt & Fr. 277
—— *lanuginosa* Michx. †270
—— *lasiocarpa* Ehrh. †271
—— *leporinella* Mack. †271
—— *leprina* auct. non L. 274
—— *limosa* var. *rariflora* Wahlenb. 276
—— *longebrachiata* Boeck. †271
—— *luzulaefolia* S. Watson var. *ablata* (L. H. Bailey) Kük. in Engl. 271
—— *luzulina* Olney †271
—— —— var. *ablata* (L. H. Bailey) F. J. Herm. †271
—— *lyngbyei* Hornem. †271
—— —— subsp. *cryptocarpa* (C. A. Mey.) Hultén †271
—— *macrocephala* Willd. ex Spreng. †271
—— *maorica* Hamlin †271
—— *media* R. Br. in Franklin †272
—— *mertensii* Prescott †272
—— *microptera* Mack. †272
—— *miserabilis* Mack. †272
—— *montana* L. †272
—— *morrowii* Boott ex A. Gray †272
—— *multicostata* Mack. †272
—— *muricata* L. var. *leesii* Kneuck. in Seubert 266
—— *muskingumensis* Schwein. †272
—— *nebraskensis* Dewey †272
—— *nelsonii* Mack. in Rydb. †273
—— *nigra* (L.) Reichard 271, †273
—— *nigricans* C. A. Mey. †273
—— *nivalis* Boott †273
—— *nova* L. H. Bailey †273
—— *obtusata* Lilj. 273
—— *oreocharis* Holm †273
—— *ornithopoda* Willd. †273
—— *oshimensis* Nakai †273
—— *ovalis* Gooden. †274
—— *ovata* Burm. f. 318
—— *pachystachya* Cham. ex Steud. †274
—— *pachystylis* J. Gay †274
—— *panicea* L. †274
—— *paniculata* L. *265, †274, *275
—— *pelocarpa* F. J. Herm. †274
—— *pendula* Huds. †274
—— *petasata* Dewey †274
—— *petriei* Cheeseman †274
—— *phaeocephala* Piper †275
—— *phyllocephala* T. Koyama †275
—— *physodes* M. Bieb. †275
—— *pilulifera* L. †275
—— *pityophila* Mack. †276
—— *plantaginea* Lam. †276
—— *praegracilis* W. Boott †276
—— *praticola* Rydb. †276
—— *preslii* Steud. †276

Carex

Carex pseudocyperus L. †276
—— *pseudoscirpoides* Rydb. †276
—— *pyrenaica* Wahlenb. †276
—— *rariflora* (Wahlenb.) Sm. in Sowerby †276
—— *raynoldsii* Dewey †276
—— *rhynchophysa* Fisch., C. A. Mey. & Avé-Lall. †277
—— *rigida* 271
—— *riparia* †277
—— *rossii* Boott 277
—— *rostrata* Stokes †277
—— *rupestris* Bellardi ex All. †277
—— —— var. *drummondii* (Dewey) L. H. Bailey †277
—— *saxatilis* L. †277
—— —— var. *major* Olney †277
—— *scaposa* C. B. Clarke †277
—— *scopulorum* Holm †277
—— —— var. *bracteosa* (L. H. Bailey) F. J. Herm. †278
—— *secta* Boott 262
—— *siderosticta* Hance †278
—— *simulata* Mack. †278
—— *spectabilis* Dewey †278
—— *sprengelii* Dewey †278
—— *subfusca* W. Boott in S. Watson †278
—— *subnigricans* Stacey †278
—— *sychnocephala* J. Carey †278
—— *sylvatica* Huds. †278
—— *teneraeformis* Mack. †279
—— *testacea* Sol. ex Boott in Hook. f. †279
—— *tolmiei* Boott in Hook. †279
—— *trifida* Cav. †279
—— *umbrosa* Host †279
—— *uncifolia* Cheeseman †279
—— *unciniata* L. f. 344
—— *uruguiensis* Boeck. †279
—— *vallicola* Dewey †279
—— *vernacula* L. H. Bailey †279
—— *vesicaria* L. †279
—— *vulgaris* Fr. var. *bracteosa* L. H. Bailey 278
—— *vulpina* L. †280
—— *vulpinoidea* Michx. †280
—— *xerantica* L. H. Bailey †280
—— sp. *275
Carpinus betulus 646
Carter, Susan. *Reviewer*: Succulent Flora of Southern Africa. Revised Edition, by Doreen Court 247
Cassia 98
—— *alata* L. 316
Cassipourea 594
Castanopsis 681
Castroviejo, S. (Coordinador general), Talavera, S., Aedo, C., Castroviejo, S., Herrero, A., Romero Zarco, C., Salgueiro, F. J. & Velayos, M. (eds.). Flora Iberica Plantas Vasculares de la Península Ibérica e Islas Baleares. Vol. VII (II). Leguminosae (partim) (Rev.) 247
Cattleya labiata 245, 246
Catunaregam Wolf 945, 948
Caustis R. Br. †280
—— *dioica* R. Br. †280
Ceanothus 673
—— *coeruleus* Lag. 671
—— *sanguineus* Nutt. 671

Celastraceae

Celastraceae 302
Celmisia spathulata A. Cunn. ex DC. 712
Celtis 38
Centaurium sp. 718
Centrifixed anther attachment in monocotyledons, Paula J. Rudall 965
Cephalosphaeria 573
Ceratobasidiales 164, 166
Ceratobasidium obscurum D. P. Rogers 166
Ceratocaryum Nees ex Kunth 465, 468 – 471
—— *argenteum* Nees ex Kunth 465, 466, *467, 468, 470 – 473, †474, 476
—— —— *sensu lato* 470
—— —— *sensu stricto* 470, 476
—— *caespitosum* H. P. Linder 466, *467, 468, 470, 471, †472, 473, 474
—— *decipiens* (N. E. Br.) H. P. Linder 465, 468, 471, 472
—— *fimbriatum* (Kunth) H. P. Linder 465, 468, 471, 472
—— *fistulosum* Mast. 465, 466, 468, 470, 471
—— *persistens* H. P. Linder 466, *467, 468, 470 – 472, †473, 474, 476
—— *pulchrum* H. P. Linder 465, *467, 468, 470 – 472
—— *xerophilum* (Pillans) H. P. Linder 465, 468, 471, 472
Ceropegia 209, 210
—— *abyssinica* A. Rich. 210
—— *loranthiflora* A. Rich. 210
Chaetospora pauciflora Hook. f. 338
Chase, M. W., Berry, P. E., Savolainen, V., Sytsma, K. J. & Hall, J. C.: Lissocarpa is sister to Diospyros (Ebenaceae) 725
Chase, M. W., Pires, J. C., Fay, M. F., Davis, W. S., Hufford, L., Rova, J. & Sytsma, K. J.: Molecular and morphological phylogenetic analyses of Themidaceae (Asparagales) 601
Chayamarit, K. & Welzen, P. C. van: Two new Mallotus species and two new Sauropus species (Euphorbiaceae) endemic to Thailand 649
Cheirostylis 501, 502
—— *gymnochiloides* (Ridl.) Rchb. f. 501
Chenciner, R.: Madder red. A history of luxury and trade (Rev.) 765
Chionanthus ghaeri Gaertn. 338
Chlorophytum 967
—— sp. aff. *nyassae* (Rendle) S. Kativu 966
Chrysophyllum 594
Chuakul, W.: Clitoria chanondii W. Chuakul (Leguminosae-Papilionoideae), a new species from Thailand 737
Chuakul, W. & Saralamp, P.: Aristolochia phetchaburiensis (Aristolochiaceae), a new species from Thailand 741
Cintractia axicola (Berk.) Cornu f. *peribebuyensis* (Sawada) Zambett. 284
—— *limitata* G. P. Clinton 284, 303
Cissus aphylla 986
—— *quadrangularis* 106
—— *unguiformifolius* 35
Cistanthera parvifolia 38

Citronella

Citronella D. Don 234
Citrus macrophylla 213
Cladium P. Browne †280
—— *gunnii* Hook. f. 327
—— *jamaicense* Crantz 280
—— *mariscus* (L.) Pohl †280
—— —— subsp. *jamaicense* (Crantz) Kük. †280
—— *sinclairii* Hook. f. 327
Clavija eggersiana Mez 727, 728
Cleistanthus polystachyus 581
Clethra alnifolia L. 727, 728
—— *arborea* Sol. 727, 728
Clethraceae 728
Clitoria chanondii W. Chuakul (Leguminosae-Papilionoideae), a new species from Thailand, W. Chuakul 737
Clitoria L. 737
—— subgen. *Neurocarpum* (Desv.) Baker sect. *Tanystyloba* Fantz 738
—— *australis* Benth. 738
—— *chanondii* W. Chuakul †737, 738, *739
—— *cordiformis* Fantz 737, 738
—— *hanceana* Hemsl. 737, 738
—— —— var. *hanceana* 737
—— —— var. *laureola* Gagnep. 737
—— —— var. *thailandica* Fantz 737
—— *javanica* Miq. 738
—— *laurifolia* Poir. 737
—— *linearis* Gagnep. 738
—— *macrophylla* Wall. ex Benth. 737, 738
—— *marina* L. 737
—— *ternatea* L. 737
Cobaea scandens Cav. 727, 728
Cocculus villosus DC. 934
Cocos nucifera 169
Codiocarpus R. A. Howard 233
Coffea L. 479, 488
—— *kianjavatensis* J.-F. Leroy 488
—— *montis-sacri* A. P. Davis 479, 481, 484, †485, *487, 488
—— *rakotonasoloi* A. P. Davis 479, †481, *483, 484, 485, 488
—— *resinosa* (Hook. f.) Radlk. 479, *480, 481, 484, 485, 488
—— *spathulifolia* J.-F. Leroy in sched. 485, 488
—— *vatovavyensis* J.-F. Leroy 488
Colchicaceae 971
Coleus africanus Benth. 980
—— *ghindanus* Schweinf. ex Baker in Dyer 695
—— *tenuiflorus* Vatke 695
—— *zatarhendi* Benth. 693, 695
Collenette, Sheila: Wildflowers of Saudi Arabia (Rev.) 1021
Colletia ulicina Gill. & Hook. 671, 673
Colobocarpos, a new genus of South-East Asian Euphorbiaceae, H. J. Esser & P. C. van Welzen 657
Colobocarpos Esser & Welzen †657, 658, 659
—— *nanus* (Gagnep.) Esser & Welzen †658, 659
Colophospermum mopane 81, 90
Colubrina asiatica Brongn. 671, 673
—— *reclinata* (L'Hér.) Brongn. 671, 673
Combretum 36, 70, 81, 88, 96, 596, 933 – 935, 942

Combretum

Combretum glutinosum 64
Commelinales 613
Commelinoids 967, 971
Commiphora 38, 68, 72, 81, 82, 96, 98, 99, 102, 934 – 938, 940 – 942
—— *socotrana* 984
Compositae: Lectotypification of Erythrocephalum Benth. (Compositae: Mutisieae), D. J. N. Hind 1019
Compositae: A new combination in Amblysperma (Compositae: Mutiseae), D. J. N. Hind 711
Compositae: A new species of Barnadesia (Compositae: Barnadesieae) from Bolivia, D. J. N. Hind 705
Compositae: Two new species of Richterago Kuntze emend. Roque (Compositae, Mutisieae) from Minas Gerais and Goiás, Brazil, N. Roque & J. N. Nakajima 697
Compositae 705, 711
—— tribe *Barnadesieae* (Benth.) K. Bremer & R. K. Jansen 705
—— tribe *Cardueae* subtribe *Carduinae* 1014
—— tribe *Gnaphalieae* subtribe *Angianthinae* 1013
—— tribe —— subtribe *Cassiniinae* 1013
—— tribe —— subtribe *Gnaphaliinae* 1013
—— tribe *Mutisieae* Cass. 697, 711, 1019
Conanthera 971
Coniophorella radians Rick 170
Convallariaceae 971
Convolvulaceae: A synopsis of the genus Merremia (Convolvulaceae) in the Flora of Ethiopia and Eritrea, Sebsebe Demissew 931
Convolvulaceae 931
Convolvulus gangeticus L. 934
—— *pentaphyllus* L. 935
—— *pterygocaulos* Steud. 940
Coode, M. J. E.: Elaeocarpus in New Guinea — new taxa in the Debruynii subgroup of the Monocera group 449
Coode, M. J. E.: Elaeocarpus for Flora Malesiana — the Coilopetalum group in the Lesser Sunda Islands 875
Coode, M. J. E.: Elaeocarpus for Flora Malesiana — the E. stipularis complex, E. nitidus group & E. barbulatus 513
Coode, M. J. E.: Elaeocarpus for Flora Malesiana — the Fissipetalum group in central Malesia 461
Coode, M. J. E.: Elaeocarpus for Flora Malesiana — the Verticellatae subgroup of the Monocera group and a new Philippine species 885
Coode, M. J. E.: Elaeocarpus for Flora Malesiana: the Coilopetalum group in Sulawesi & Maluku 837
Cordia 938
—— *africana* Lam. 261
—— *gharaf* 106
—— *rothii* 213
Cordyla africana 72
Cordylogyne E. Mey. 770
Corsia 971
Cortaderia selloana 476
Cortusa matthioli L. 727, 728
Corylus avellana 646
Corymborkis 501

Corynotheca

Corynotheca sp. 966, *969
Court, Doreen: Succulent Flora of Southern Africa. Revised Edition. (Rev.) 247
Courtoisia assimilis (Steud.) C. B. Clarke 280
—— *cyperoides* (Roxb.) Nees in Wight 281
Courtoisina Soják †280
—— *assimilis* (Steud.) P. Marquet †280
—— *cyperoides* (Roxb.) Soják †281
Cowie, I. D., Short, P. S. & Osterkamp Madsen, M. Floodplain Flora. A flora of the coastal floodplains of the Northern Territory, Australia. (Flora of Australia Supplementary Series No. 10) (Rev.) 249
Craspedum tectorium 433
Cribb, P. J. & Ormerod, P.: Goodyera R. Br. (Orchidaceae): a new generic record for tropical Africa 501
Cribb, Phillip. *Reviewer*: Flora of Bhutan including a record of plants from Sikkim and Darjeeling. Vol. 2 Part 3. Families 171 – 187, by A. J. C. Grierson, D. G. Long, L. S. Springate (ed.), M. Bates, Yo-Jiun Chen, C. Oliver, G. Rodrigues & M. Tebbs (illustrators) 916
Cronquist, Arthur (vol. author), Holmgren, Arthur H., Holmgren, Noel H., Reveal, James L. & Holmgren, Patricia K.: Intermountain Flora. Vascular Plants of the Intermountain West, U.S.A. Volume 5. Asterales (Rev.) 478
Crosby, Marshall R.: Index of Mosses 1996 – 1998. Monogr. Syst. Bot. Missouri Bot. Gard. 80 (Also received) 766
Crotalaria schweinfurthii Deflers 715
Croton 657, 659
—— *angolensis* 88
—— *colobocarpus* Airy Shaw 657, 658
—— *iteophyllus* Radcl.-Sm. & Govaerts 658, 659
—— *nanus* Gagnep. 657, 658
—— *salicifolius* Gagnep. 658
—— *socotranus* 984, 986
Crumenaria erecta Reiss. 671, 673
Cryptandra Sm. 669, 672
—— *myriantha* Diels 670, 671
—— *petraea* S. Moore 669
—— sp. aff. *spyrioides* 670
Cussonia zimmermannii 591
Cyclops 32, 55
Cymophyllus Mack. †281
—— *fraseri* Mack. in Britton & Brown †281
Cynometra webberi 757
Cyperaceae: New combinations in Bulbostylis (Cyperaceae) from South America, Ana Paula Prata M., Gabriela López & David A. Simpson 1007
Cyperaceae of economic, ethnobotanical and horticultural importance: a checklist, David A. Simpson & Cecilia A. Inglis 257
Cyperaceae: Typification of Scirpus fluitans and Scirpus setaceus (Cyperaceae), David A. Simpson, A. Muthama Muasya & Steve Cafferty 1011
Cyperaceae 257, 258, 1007
—— tribe *Albidgaardieae* 1007
—— tribe *Scirpeae* 1007
Cyperus L. 257, †281

Cyperus

Cyperus aggregatus (Willd.) Endl. †281
—— *albosanguineus* Kük. in Engl. †281
—— *albostriatus* Schrad. †281
—— *alopecuroides* Rottb. †281
—— *alterniflorus* R. Br. †282
—— *alternifolius* L. *265, †282
—— —— subsp. *flabelliformis* (Rottb.) Kük. 282
—— *amabilis* Vahl †282
—— *amauropus* Steud. †283
—— *arenarius* Retz. †283
—— *aromaticus* (Ridl.) Mattf. & Kük. in Engl. 324
—— *articulatus* L. †283
—— *assimilis* Steud. 280
—— *aucheri* Jaub. & Spach. †285
—— *auricomis* Sieber ex Spreng. 290
—— *bifax* C. B. Clarke †285
—— *boreohemisphaericus* Lye †285
—— *brevifolius* (Rottb.) Hassk. 322
—— —— var. *gracillimus* (Miq.) Kük. in Engl. 323
—— *bulbosus* Vahl †285
—— *camphoratus* Liebm. †286
—— *canus* C. Presl in J. Presl & C. Presl. †286
—— *capitatus* Vand. †286
—— *castaneus* Willd. †286
—— *chororrhizus* Chiov. †286
—— *clarus* S. T. Blake †286
—— *commixtus* Kük. †286
—— *compactus* Retz. †287
—— *compressus* L. †287
—— *congestus* Vahl †287
—— *conglomeratus* Rottb. †287
—— —— var. *effusus* (Rottb.) Kük. in Engl. †288
—— —— var. *multiculmis* (Boeck.) Kük. in Engl. 297
—— *corymbosus* Rottb. †288, *293
—— —— var. *longispiculatus* (Kuntze) Kük. †288
—— —— var. *scariosus* (R. Br.) Kük. in Engl. †288
—— *crassipes* Vahl †288
—— *cuspidatus* Kunth †289
—— *cyperinus* (Retz.) J. V. Suringar †289
—— *cyperoides* (L.) Kuntze †289
—— *densicaespitosus* (Ridl.) Mattf. & Kük. in Engl. 324
—— *denudatus* L. f. †289
—— *dichroöstachyus* A. Rich. †289
—— *difformis* L. †289
—— *diffusus* Vahl †297
—— —— var. *macrostachys* Boeck. †298
—— *digitatus* Roxb. †290
—— —— subsp. *auricomus* (Sieber ex Spreng.) Kük. †290
—— *dilatatus* Schum. & Thonn. †290
—— *distans* L. f. †290
—— *dives* Delile †291
—— *dubius* Rottb. †291
—— *effusus* Rottb. 288
—— *elatus* L. †291
—— *elegans* L. †291
—— *elegantulus* Steud. 329
—— *eleusinoides* Kunth 301
—— *enodis* Boeck. var. *longispiculatus* Kuntze 288
—— *entrerianus* Boeck. †291
—— *eragrostis* Lam. †291

Cyperus

Cyperus erectus (Schumach.) Mattf. & Kük. in Engl. 323
—— *erythrorrhizos* Muhl. †292
—— *esculentus* L. †292, *293
—— *exaltatus* Retz. †294
—— *fastigiatus* Rottb. 294
—— *ferax* Rich. †301
—— *fertilis* Boeck. †294
—— *filicinus* Vahl 330
—— *fischerianus* A. Rich. †294
—— *flabelliformis* Rottb. 282
—— *flavidus* Retz. 330
—— *flavus* (Vahl) Nees †294
—— *foliaceus* C. B. Clarke †294
—— *fulgens* C. B. Clarke †294
—— *fuscus* L. †294
—— *giganteus* Vahl †295
—— *gioli* Chiov. †295
—— *glomeratus* L. †295
—— *gracilinux* C. B. Clarke 290
—— *gracilis* R. Br. †295
—— *grandibulbosus* C. B. Clarke †295
—— *grandis* C. B. Clarke †295
—— *gymnocaulos* Steud. 310
—— *haspan* L. †295, 303
—— *hemisphaericus* Boeck. †296
—— *hyalinus* Vahl 331
—— *imbricatus* Retz. †296
—— *immensus* C. B. Clarke †296
—— *inundatus* Roxb. 307
—— *involucratus* Rottb. 282
—— *iria* L. †296
—— *javanicus* Houtt. †296
—— *jeminicus* Rottb. †297
—— *kyllingia* Endl. 323
—— *laevigatus* L. †297
—— *latifolius* Poir. in Lam. †297
—— *laxus* Lam. †297
—— —— var. *laxus* 298
—— —— var. *macrostachyus* (Boeck.) Karth. in Karth. *et al.* †298
—— *ligularis* L. †298
—— *longibracteatus* (Cherm.) Kük. †298
—— —— var. *rubrotinctus* (Cherm.) Kük. †298
—— *longus* L. *275, *293, †298
—— —— var. *pallidior* Kük. in Engl. †299
—— —— var. *pallidus* Boeck. †299
—— —— var. *tenuiflorus* (Rottb.) Boeck. †299
—— *luzulae* (L.) Retz. †299
—— *macrostachyos* Lam. 330
—— *maculatus* Boeck. †299
—— *malaccensis* Lam. †300
—— *mapanioides* C. B. Clarke in T. Durand & Schinz †300
—— *maranguensis* K. Schum. in Engl. †300
—— *margaritaceus* Vahl †300
—— *marginatus* Thunb. †300
—— *merkeri* C. B. Clarke 307
—— *metzii* (Steud.) Mattf. & Kük. in Engl, 325
—— *michelianus* (L.) Link †300
—— —— subsp. *pygmaeus* (Rottb.) Asch. & Graebn. †300

Cyperus

Cyperus multifolius Kunth †301
—— *mundtii* (Nees) Kunth 330
—— *muricatus* Kük. 330
—— *natalensis* Hochst. †301
—— *nitidus* Lam. 330
—— *nutans* Vahl †301
—— —— subsp. *eleusinoides* (Kunth) T. Koyama †301
—— *obtusiflorus* Vahl †301
—— *odoratus* L. †301
—— *owanii* Boeck. †302
—— *pangorei* Rottb. †302
—— *papyrus* L. *293, †302
—— —— "*nanus*" 303
—— *peruvianus* (Lam.) F. N. Williams 324
—— *pilosus* Vahl †303
—— *platyphyllus* Roem. & Schult. †303
—— *polystachyos* Rottb. 331
—— —— var. *laxiflorus* Benth. 331
—— *procerus* Rottb. †303
—— —— var. *lasiorrhachis* C. B. Clarke in Hook. f. †303
—— *prolifer* Lam. †303
—— *prolixus* Kunth in Humb., Bonpl. & Kunth †303
—— *pseudosomaliensis* Kük. in Engl. †304
—— *pulcherrimus* Willd. ex Kunth †304
—— *pustulatus* Vahl †304
—— *pygmaeus* Rottb. 300
—— *radians* Nees & Mey. ex Kunth †304
—— *reduncus* Hochst. ex Boeck. †304
—— *remotispicatus* S. S. Hooper †304
—— *renschii* Boeck. †304
—— —— var. *scabridus* Lye †304
—— *retzii* Nees in Wight 307
—— *rigidifolius* Steud. †305
—— *rotundus* L. 296, †305
—— —— subsp. *merkeri* (C. B. Clarke) Kük. in Engl. †307
—— —— subsp. *retzii* (Nees) Kük. in Engl. †307
—— —— subsp. *tuberosus* (Rottb.) Kük. in Engl. †307
—— *rubicundus* Vahl †307
—— *sanguinolentus* Vahl 331
—— *scariosus* R. Br. 288
—— *serotinus* Rottb. †307
—— —— var. *inundatus* (Roxb.) Kük. in Engl. †307
—— *sesquifolius* (Torr.) Mattf. & Kük. in Engl. 324
—— *sexangularis* Nees †308
—— *soyauxii* Boeck. †308
—— *spacelatus* Rottb. †308
—— *squarrosus* L. †308
—— *stoloniferus* Retz. †308
—— *strigosus* L. †308
—— *submacropus* Kük. in Engl. †309
—— *subumbellatus* Kük. in Engl. †309
—— *sumula* 309
—— *tenellus* L. f. †309
—— *tenuiculmis* Boeck. †309
—— *tenuiflorus* Rottb. 299
—— *tenuis* Sw. †309
—— *tenuispica* Steud. †310
—— *textilis* Thunb. †310
—— *tomaiophyllus* K. Schum. †310

Cyperus

Cyperus triceps (Rottb.) Endl. 325
—— *tuberosus* Rottb. 307
—— *usitatus* Burch. †310
—— *ustulatus* A. Rich. †310
—— *vaginatus* R. Br. †310
—— —— subsp. *gymnocaulos* (Steud.) Kük. in Engl. †310
—— *victoriensis* C. B. Clarke †310
—— *welwitschii* (Ridl.) Lye in R. W. Haines & Lye 325
—— *zollingeri* Steud. †310
Cyrtandra 886

Dacrymycetales 164, 167
Dacryopinax spathularia (Schwein.) G. W. Martin 164, †167
Daemonorops: Two new species of Daemonorops (Arecaceae) from Vietnam, J. Dransfield 661
Daemonorops 661, 665
—— sect. "*Cymbospatha*" Becc. 661
—— sect. *Daemonorops* 661
—— sect. *Piptospatha* 661
—— *geniculata* (Griff.) Mart. 661 – 663, 665
—— —— Conrard 663
—— *jenkinsiana* (Griff.) Mart. 661, 665
—— *longispatha* Becc. 662, 663
—— —— var. *longispatha* 661
—— —— Conrard var. *mollispina* Conrard in Gagnep. & Conrard 661, 662
—— *margaritae* (Hance) Becc. 661
—— *mollispina* J. Dransf. †662, 663, *664, 665
—— *pierreana* Becc. 661, 662
—— *poilanei* J. Dransf. †663, 665, *666
—— *ruptilis* Becc. 662, 663
Danaus plexippus 778
Dandya H. E. Moore 602, 603, 607, 609, 611, 617
—— *thadhowardii* 605, 606, 608, 610, 612, 614, 616
Dasyphyllum Kunth 705
Davallia sect. *Scyphularia* 869
—— *undulata* 869
Davis, A. P., Byfield, A., Özhatay, N. & Taylor, K.: Galanthus ×valentinei nothosubsp. subplicatus (Amaryllidaceae): a new Galanthus hybrid from north-western Turkey 639
Davis, Aaron P.: Two new species of Coffea L. (Rubiaceae) from eastern Madagascar 479
Davis, Aaron P. & Rakotonasolo, Franck: Hyperacanthus ambovombensis (Rubiaceae): a new species and new generic record for Madagascar 945
Davis, W. S., Pires, J. C., Fay, M. F., Hufford, L., Rova, J., Chase, M. W. & Sytsma, K. J.: Molecular and morphological phylogenetic analyses of Themidaceae (Asparagales) 601
Dendrobium violascens J. J. Sm. 869
The Desert Date and its relatives: a revision of the genus Balanites, Martin J. S. Sands 1
Desmocelis 989, 990
Desmoschoenus Hook. f. 311
—— *spiralis* (A. Rich.) Hook. f. †311
Dialium 579
Dianella 971
Dianthera α americana Forssk. 694
—— *β americana* Forssk. 693, 694

Diapensia

Diapensia lapponica L. 727, 728
Diapensiaceae 728
Díaz-Piedrahita, Santiago & Cuatrecasas, José: Asteraceas de la Flora de Colombia. Senecioneae — 1, Géneros Dendrophorbium y Pentacalia. Academia Colombiana de Ciencias Exactas, Físicas y Naturales Coleccion. Jorge Alvarez Lleras No. 12 (Rev.) 503
Dichaelia 209
Dichelostemma Kunth 602, 604, 607, 609, 611, 613 – 615, 617 – 620
—— *capitatum* 619
—— *congestum* 605 – 608, 610, 612, 614, 616
—— *ida-maia* 605 – 608, 610, 612, 614, 616
—— *multiflorum* 605 – 608, 610, 612, 614, 616
—— *pulchellum* 605 – 608, 610, 612, 614, 616, 619
—— *volubile* 605 – 608, 610, 612, 614, 616
Dichromena ciliata Vahl 333
—— *colorata* (L.) Hitchc. 332
—— *nervosa* Vahl 333
Didymospheria cf. *conoidea* Niessl 179
Dielsiothamnus 755
Dioscorea L. 361 – 363, 392, 402
—— sect. *Enantiophyllum* 380
—— *abyssinica* Kunth 392
—— *alata* L. 366, 371, *372, †374, 375, 380
—— *andongensis* Rendle 392
—— *angustiflora* Rendle 390
—— *anthropophagorum* A. Chev. 379
—— *apiculata* De Wild. 395
—— *asteriscus* Burkill 363, *364, 366, *369, 371, 373, †375, 376, 379
—— *baya* De Wild. *364, 366, 371, *372, 374, †376
—— —— var. *baya* †377
—— —— var. *kimpundi* De Wild. 377
—— —— var. *subcordata* De Wild. 377
—— *beccariana* Martelli 395
—— *brevipes* Burtt-Davy 400
—— *buchananii* Benth. *365, 366, 368, *370, 373, †377, 379
—— —— var. *ukamensis* Uline ex R. Knuth in Engl. 378
—— *buchholziana* Engl. 385
—— *bulbifera* L. 363, 366, *369, 371, 373, 376, †379, 380
—— —— var. *anthropophagorum* (A. Chev.) Summerh. 379
—— —— var. *sativa* (Thunb.) Prain 379
—— *cayenensis* Lam. 366, 371, 374, 392
—— —— var. *praehensilis* (Benth.) A. Chev. 390
—— *cochleari-apiculata* De Wild. 363, *365, 368, 373, †381, *382, 383
—— *colocasiifolia* Pax 374
—— *cotinifolia* Kunth *365, 366, *370, 371, 374, †383, 384
—— *crinita* Hook. 395, 397
—— *dinteri* Schinz 395
—— *dregeana* (Kunth) T. Durand & Schinz 363, *365, *367, 368, 373, †384
—— —— var. *hutchinsonii* Burkill 384
—— *dumetorum* (Kunth) Pax 363, *365, *367, 371, 373, 374, 383, †385
—— *elephantipes* (L'Hér.) Engl. 402
—— *excisa* R. Knuth in Engl. 395

Dioscorea

Dioscorea forbesii Baker 395
—— *fulvida* Stapf 399
—— *hirtiflora* Benth. 362, 363, *364, 371, *372, 374, †386, 393, 400
—— —— subsp. *orientalis* Milne-Redh. *372, †388
—— —— subsp. *pedicellata* Milne-Redh. *372, †388, 390
—— —— var. *grahamii* Burkill 388
—— —— var. *nyassica* Burkill 388
—— —— var. *trapnellii* Burkill 387
—— *hockii* De Wild. 399
—— *hylophila* Harms 362, 363, 393, 394
—— *japonica* Thunb. 380
—— *latifolia* Benth. in Hook. 379, 381
—— *liebrechtsiana* De Wild. 390, 392
—— *lindiensis* R. Knuth 388
—— *macroura* Harms 397
—— *malifolia* Baker 383, 384
—— *marlothii* R. Knuth in Engl. 400
—— *montana* (Eckl. & Zeyher) Spreng. 400, 402
—— —— Eckl. & Zeyher ex R. Knuth in Engl. 400
—— —— var. *glauca* R. Knuth in Engl. 401
—— —— var. *lobata* Weim. 401
—— —— var. *sagittata* Suessenguth 401
—— *odoratissima* Pax 390 – 392
—— *pentaphylla* A. Rich. 395
—— *polyantha* Rendle 387
—— *polygonoides* Humb. & Bonpl. 380
—— *praehensilis* Benth. *364, 366, 371, 374, *389, †390, 391, 392
—— *preussii* Pax 362, 363, 368, *369, 373, †392, 393
—— —— subsp. *hylophila* (Harms) Wilkin *364, *369, 393, †394
—— —— subsp. *preussii* *369, †393
—— —— var. *glabra* Burkill 392, 393
—— *quartiniana* A. Rich. 362, 363, *365, *367, 368, 373, †394, 395, 397
—— —— var. *apiculata* (De Wild.) Burkill 395
—— —— var. *dinteri* (Schinz) Burkill 395
—— —— var. *quartiniana* Milne-Redhead 394
—— —— var. *schliebenii* (Kunth) Burkill 395
—— —— var. *stuhlmannii* (R. Knuth) Burkill 395
—— —— var. *vera* Burkill 395
—— *rehmanni* Baker in Harv. 400
—— *retusa* Mast. 397
—— —— *sensu* Mogg in Macnae & Kalk 395
—— *rubiginosa* Benth. in Hook. 387
—— *rupicola* Kunth 378, 379
—— *sagittifolia* Pax 392
—— *sansibarensis* Pax *364, 366, 368, *369, 373, †397, 398
—— *sapinii* De Wild. 374
—— *sativa* L. 380
—— —— Rendle *et al.* 375
—— —— Thunb. 379, 381
—— *schimperiana* Hochst. ex Kunth 363, *364, 371, *372, 374, †398, 400
—— —— var. *vestita* Pax 398
—— *schliebenii* R. Knuth 395
—— *stellato-pilosa* De Wild. 399
—— *stolzii* R. Knuth in Engl. 381
—— *stuhlmannii* Harms in Engl. 395

Dioscorea

Dioscorea sylvatica Eckl. *365, 366, *370, 371, 374, †400, 402
—— *sylvestris* De Wild. 400
—— —— Vell. 400
—— *triphylla* Schimp. ex Kunth 385
—— —— var. *abyssinica* R. Knuth in Engl. 385
—— —— var. *dumetorum* (Kunth) R. Knuth in Engl. 385, 386
—— —— var. *rotundata* R. Knuth in Engl. 385
—— —— var. *tomentosa* Rendle 385
—— *villosa* L. 361
—— *welwitschii* Rendle 397
Dioscoreaceae of South-Central Africa, Paul Wilkin 361
Dioscoreaceae 361, 971
Dioscoreales 971
Diospyros 42, 725 – 727, 729
—— sect. *Royena* 729
—— *kaki* Thunb. ex Murray 727, 728
—— *lotus* L. 727, 728
—— *virginiana* L. 727, 728
—— *whyteana* (Hiern) F. White 727 – 729
Diplacrum R. Br. 311
—— *caricinum* R. Br. †311
Diplocaulobium aduncilobum (J. J. Sm.) P. F. Hunt & Summerh. 869
Dipterocarpus 42
Discaria chacaye (G. Don) R. D. Tortosa 671, 673
Doerpfeldia cubensis Urban 671, 673
Dolichos cylindricus Desv. ex Ham. 225
—— *emarginata* P. Beauv. 223
—— *gangeticus* Roxb. 223
—— *hastifolius* Schnitzl. 225
—— *luteolus* Jacq. 223
—— *obliquifolius* Schnitzl. 225
—— *reticulata* Schltr. 225
Dombeya rotundifolia 81
Dorr, L. J.: The identity of Westphalina A. Robyns & Bamps (Tiliaceae) 497
Doryanthaceae 967, 971
Doryanthes 965, 967, 972
—— *excelsa* Corrêa 966, *968
Dorycnium 721
—— *villosum* Blatt. & Hallb. 722
Dorycnopsis Boiss. 722
Dracaena cinnabari 986
Dragavtsev, V. A. (gen. ed.), Repjev, S. I. (vol. ed.) & Stankevich, A. K.: Flora of Cultivated plants. Volume IV. Grain Legumes. Part 2. Vetch (Also received) 511
Dransfield, J.: Two new species of Daemonorops (Arecaceae) from Vietnam 661
Dransfield, J., Evans, T., Sengdala, K., Viengkham, O. V. & Thammavong, B.: Calamus pauciflorus T. Evans *et al.* non Ridl. renamed Calamus oligostachys T. Evans *et al.* 242
Drayton, Richard: Nature's Government. Science, Imperial Britain and the 'Improvement' of the World (Rev.) 249
Drimys 514
Drypetes 594

Drypetes

Drypetes usambarica 582
Ducula concinna 864

Ebenaceae: Lissocarpa is sister to Diospyros (Ebenaceae), P. E. Berry, V. Savolainen, K. J. Sytsma, J. C. Hall & M. W. Chase 725
Ebenaceae 725, 726, 728, 729
—— *sensu stricto* 726
Ebenales 725
—— *sensu* Cronquist 726
Echeandia 603, 608, 610, 612, 616, 967, 971
—— *echeandioides* (Schltdl.) Cruden 966
—— sp. 605
Economic Botany: Cyperaceae of economic, ethnobotanical and horticultural importance: a checklist, David A. Simpson & Cecilia A. Inglis 257
Edmondia Cass. 1013
Edwards, S., Mesfin Tadesse, Sebsebe Demissew & Hedberg, Inga: Flora of Ethiopia and Eritrea. Volume 2, Part 2. Magnoliaceae to Flacourtiaceae (Rev.) 490
Elaeis guineensis 169
Elaeocarpaceae: Revision of Elaeocarpus (Elaeocarpaceae) section Elaeocarpus in Southern India and Sri Lanka, Sue Zmarzty 405
Elaeocarpaceae 449, 557
Elaeocarpus for Flora Malesiana — the Coilopetalum group in the Lesser Sunda Islands, M. J. E. Coode 875
Elaeocarpus for Flora Malesiana — the E. stipularis complex, E. nitidus group & E. barbulatus, M. J. E. Coode 513
Elaeocarpus for Flora Malesiana — the Fissipetalum group in central Malesia, M. J. E. Coode 461
Elaeocarpus for Flora Malesiana — the Verticellatae subgroup of the Monocera group and a new Philippine species, M. J. E. Coode 885
Elaeocarpus for Flora Malesiana: the Coilopetalum group in Sulawesi & Maluku, M. J. E. Coode 837
Elaeocarpus in New Guinea — new taxa in the Debruynii subgroup of the Monocera group, M. J. E. Coode 449
Elaeocarpus 405, 406, 409 – 411, 415, 437, 457, 461, 515, 518, 519, 557, 837, 849, 852, 853, 870 – 873, 885, 886, 893, 895, 898
—— sect. *Chascanthus* Schltr. 557
—— sect. *Coilopetalum* Schltr. 409, 515, 837, 852, 853, 875
—— sect. *Dicera* 557
—— sect. *Elaeocarpus* 405, 406, *407, †409, 410, 411, *412, 433, 439, 440, 514, 515, 527, 557, 561, 862
—— sect. *Fissipetalum* Schltr. 462, 519
—— sect. *Ganitrus* 405, 409, 410, 426, 515, 557
—— sect. *Monocera* 409, 458
—— sect. *Oreocarpus* Schltr. 838
—— subsect. *Calomala* 532
—— group *Acronodia* 838, 877
—— group *Coilopetalum* 837 – 839, 856, 862, 870, 872, 873, 875, 877, 882, 886
—— group *Elaeocarpus* 876
—— group *Fissipetalum* 461, 462, 876

Elaeocarpus

Elaeocarpus group *Ganitrus* 876
—— group *Monocera* 876, 886, 888
—— group —— subgroup A 888
—— group —— subgroup B 892
—— group —— subgroup *Debruynii* 449, 450, 452
—— group —— subgroup *Verticellatae* 886
—— group *Polystachyus* 455, 838
—— *acrantherus* Merr. 837
—— *acronodia* King 461
—— —— Mast. subsp. *sundarum* Coode 877, 882
—— *adenophyllus* Wall. 433
—— *amoenus sensu* auctt. 411
—— —— Thwaites *407, 410, 411, *412, 413, 414, †421, 423 – 427
—— *angustifolius* Blume 405, *407, 409 – 411, 425, 426, 515, 527, 876
—— *aristatus* Roxb. 409
—— *arnhemicus* F. Muell. †461, 876, 882
—— *balgooyi* Coode 462, 841, 843, 845, †846, 847, *848, 859
—— *bancroftii* F. Muell. & F. M. Bailey 871
—— *baramensis* auct. non R. Knuth 549
—— ? —— R. Knuth 551
—— *barbulatus* R. Knuth 514 – 518, 520, 524 – 526, †529, 532, 534, 540, 546, 547, 557
—— —— *sensu lato* 518
—— —— var. *alternifolius* Coode 516 – 518, 520, 529, †532, *533, 534, 547
—— —— var. *barbulatus* 516, 518, †529, *531, 532, 534, 540, 547
—— —— var. *kinabaluensis* Coode 516 – 518, 520, 529, †534, 535, 547, 559
—— *batjanicus* Warb. ex R. Knuth 872
—— *batudulangii* Weibel 878, †879, 880, 882
—— —— subsp. *batudulangii* 877, †879, 880
—— —— subsp. *sumbensis* Coode 878, †880
—— —— slender form 877
—— *batui* Coode †479, 841, 842, 844, †849, *850
—— *beccarii* A. DC. 538, 541
—— —— var. *sumatranus* 516, 538, 541
—— *branderhorstii* Pulle 856
—— *brevipes* Merr. 519, 551
—— *brunneo-tomentosus* Weibel 837, 838, 877, 879, †880, 882
—— *brunnescens* R. Knuth 515, 516, 559, 562
—— *burebidensis* Elmer 886
—— *burkii* 852
—— *castaneus* Merr. 557
—— *ceylanicus* (Arn.) Mast. 409
—— *coorangooloo* J. F. Bailey & C. T. White 449
—— *coriaceus* Hook. *407, 410, 411, *412, 413, 414, †415, 416, 417, 421, 426, 439, 441
—— *corneri* Weibel 515
—— *crassinervatus* R. Knuth 517, 518, 546, 547, †559
—— *crassus* Coode 449, 450, †452, *453, 454, 457, 458
—— *crenatus* (Raf.) Merr. 860, 865, †870, 871, 872
—— *crenulatus* R. Knuth 893
—— *culminicola* Warb. 838, 847, 859, 870
—— *cuniatus* Wight 434, 436
—— *debruynii* O. C. Schmidt 449, 450
—— *dewildei* Weibel 838

Elaeocarpus

Elaeocarpus dictyophlebius Merr. 515
—— *erdinii* Coode 838, 839, 842, 844, †852, *854, *866
—— *fairchildii* Merr. 873
—— *fissistipulus* Miq. 535
—— *floresii* Weibel 876, 882
—— *floribundus* Blume 436, 515, 876
—— *floridanus* Hemsl. 837, 875
—— *foxworthyi* Merr. 561
—— sp. aff. —— 561
—— *fraseri* Coode 546
—— *gambir* Becc. †561, 562, 563
—— *gaussenii* Weibel *407, 410, 411, *412, 413, 414, 429, 432, †439
—— *glaber* Blume 876, 895
—— *glanduliferus* Hook. ex Wight 409
—— *glandulosus sensu* auctt. 429
—— —— Wall. ex Merr. 432 – 434
—— *gracilipes* R. Knuth 521, 524
—— *grandiflorus* Sm. 876
—— *griffithii* A. Gray 519, 838
—— *halconensis* Merr. 886, 887, †892, 893, 896
—— *hallieri* Weibel 886, 887, †888
—— *hartleyi* Weibel 449, 450
—— *harunii* Coode 840, 842, 845, *850, †853, 855, 856
—— *hedyosmus* Zmarzty *407, 410, 411, *412, 413, 414, †423, 425 – 427, 436
—— *helferi* Kurz 543
—— *hochreutineri* Weibel 515, 532
—— *hygrophilus* Kurz 433
—— *hypadenus* Miq. 527
—— *kinabaluensis* R. Knuth 515
—— *kostermansii* Weibel 886, 887, †889
—— *lacunosus* Wall. ex Kurz 436
—— *lagunensis* R. Knuth 886, †894, 896, 900
—— —— *sensu stricto* 887
—— —— var. *coriaceus* Coode 887, †895, 900
—— —— var. *lagunensis* 888, *893, †894, 895, 896
—— *lancipetalus* Merr. †856
—— —— subsp. *lancipetalus* 856
—— —— subsp. *mediocris* Coode 840, 843, 846, †856, 857
—— —— subsp. *tuberculatus* Coode 840, 843, 846, 856, †857
—— *lingualis* R. Knuth 838
—— *longifolius* Blume 515, 516, 527, 537, 540, 544, 562
—— —— Wall. 544
—— *longipetiolatus* Merr. 555, 557, 558
—— *macrocarpus* Miq. 529
—— *macrophyllus* Blume 515, 537
—— *macropus* R. Knuth †857, 858
—— —— Warb. subsp. *thenui* Coode 462, 842, 845, 858, †859, 860
—— —— var. *macropus* 841, 844, †858
—— *mandiae* Coode 886, 888, *893, 895, †896, *897, 901
—— *merrittii* Merr. 846
—— *miegei* Weibel 449, †451, 452
—— —— subsp. *miegei* †451, 454
—— —— subsp. *rosselensis* Coode 449, †451

Elaeocarpus minahassensis R. Knuth 860
—— *mindanaensis* Merr. 551, 563
—— *miriensis* Weibel 515, 516, 532, 562
—— *moluccanus* Scheff. 860, 872
—— *monocera* Cav. 885
—— *montanus* Thwaites *407, 410, 411, *412, 413, 414, †417, 419, 429, 439, 441
—— *monticola* Ridl. 528
—— *multiflorus* (Turcz.) Fern.-Vill. 838, 840 – 845, †860, 872, 875
—— *munroii* Mast. 409
—— *musseri* Coode 838, 853
—— *neobrittanicus* Coode 449, 450, 452, 454, 457, †458, *459
—— *nigropunctatus* Merr. 521, 524
—— *nitens* 541
—— *nitidus* Jack 514 – 518, 520, †521, *523, 524, 526 – 528, 532, 537, 541, 546, 547, 557, 562
—— —— *sensu lato* 518
—— —— *sensu stricto* 517
—— —— var. *leptostachya* (Wall. ex C. Muell.) King 563
—— —— var. *macrophyllus* Coode 516 – 518, 521, †526, 547
—— —— var. *nitidus* 516 – 518, †521, 526, 538, 542, 547, 562
—— —— var. *pseudovelutinus* Coode 516 – 518, 521, †525, 547
—— —— var. *salicifolius* (King) Ng 527
—— —— var. *velutinus* Ng 516 – 518, 520, 521, †525, 526, 541
—— —— var. *wrayi* (King) Ng 528
—— *nutans* R. Knuth 553, 561, 562
—— *oblongus* Gaertn. 432, 433
—— —— *sensu* auctt. 432 – 434
—— —— *sensu* Fyson 429
—— —— *sensu* Smith 433, 434
—— —— *sensu* Wight & Arn. 429, 432, 433
—— —— Wall. 433
—— *obovatus* Arn. 415 – 417, 421, 519
—— —— G. Don 415, 417
—— *octopetalus* Merr. 838, 851 – 853, 861, †862, 865, 867
—— —— subsp. *darnaedii* Coode 839, 842, 845, 862, †864, 865
—— —— subsp. *octopetalus* 839, 842, 845, †862, 864
—— —— subsp. *teruyae* Coode 839, 842, 844, 845, 853, 862, †864, 865, *866
—— *parviflorus* Gagnep. 524
—— *parvifolius* Wall. ex Müll. Berol. 521, 524, 527
—— *polydactylus* Schltr. †462
—— *pseudopaniculatus* Corner 838, 862
—— *pseudosepicanus* O. C. Schmidt 837
—— *pubescens* Hook. 419, 421
—— *rarotongensis* Hemsl. 837
—— *recurvatus* Corner 409
—— *rejangensis* R. Knuth 549
—— *renae* Coode 515
—— *robustus* Roxb. 434, 436
—— —— var. *collinus* Coode 516, 526, 528, 541, 542
—— —— var. *megacarpus* Coode 545
—— —— var. *robustus* 563

Elaeocarpus roslii Coode 515
—— —— subsp. *terajanus* Coode 515
—— *ruminatus* F. Muell. 837, 838
—— *rumphii* Merr. 838, †865, 867, 872
—— —— subsp. *rumphii* 841, 843, 845, 846, †867, 868, 869
—— —— subsp. *ternatensis* Coode 840 – 842, 845, 846, 867, †868, 869
—— *rutengii* Weibel 877, 878, †881
—— *salicifolius* King 516 – 518, 520, †527, 538, 542, 546
—— *sallehianus* Ng 516 – 518, 520, 521, †526, 541, 546
—— *savannarum* A. C. Sm. 462
—— *schmutzii* Weibel 878, †881, 882
—— *scortechinii* King 546
—— *sebastianii* Weibel 876, 882
—— *sepikanus* Schltr. 519, 870
—— *seramicus* Coode 841, 843, 844, 867, †869
—— *serratus* L. 410, 432, 433, †434, 435 – 437, 439 – 441
—— —— *sensu* Talbot 437
—— —— var. *serratus* *407, 411, *412, 414, 425, 429, 432, †434, 437
—— —— var. *weibelii* Zmarzty 411, *412, 414, †437, *438, 439
—— *sessilis* R. Knuth 894, 895
—— *siamensis* Craib 544, 545
—— *stellaris* L. S. Sm. 871, 886
—— ? *stenophyllus* Merr. 527, 538
—— *stipularis* Blume 514 – 516, 518 – 520, 526, 528, 532, †535, 536 – 538, 540, 541, 543 – 548, 553, 555, 557 – 559, 561, 562
—— —— *sensu lato* 518
—— —— *sensu stricto* 517, 538, 542
—— —— Sumatra B2 541
—— —— var. *alticola* Coode 516, 518, 538, †541
—— —— var. *atjehensis* 516 – 518, 538, †539
—— —— var. Borneo high-alt. 518
—— —— var. *brevipes* (Merr.) Coode 515 – 519, 546, 548, †551, *552, 557, 559, 563
—— —— var. *castaneus* (Merr.) Coode 516 – 518, 526, 546, 548, †557, 562
—— —— var. high-alt. Sumatra 1 517
—— —— var. high-alt. Sumatra 2 517
—— —— var. Kalimantan high-alt. 516, 518, †558
—— —— var. *latifolius* King 516 – 519, 538, 539, 542, 543, †545, 546
—— —— var. —— f. *scortechinii*? 516, 518, †546
—— —— var. *longipetiolatus* (Merr.) Coode 516 – 518, 535, 539, 546, 547, †555, *556, 557, 558, 562
—— —— var. low-alt. Sumatra 517
—— —— var. lowland Kalimantan †558
—— —— var. Malaya high-alt. 516
—— —— var. *nutans* (R. Knuth) Coode 516 – 519, 546, 548, 551, †553, 554, 558, 562, 563
—— —— var. *rejangensis* (R. Knuth) Coode 516 – 518, 539, 546, 548, †549, *550, 551, 553
—— —— var. *siamensis* (Craib) Coode 516 – 518, 542, †544, 545
—— —— var. *stipularis* 516, 518, †535, †539, 541, †542

Elaeocarpus

Elaeocarpus stipularis var. *stipularis-brunnescens* †559
—— —— var. Sumatra high-alt. 516, 518, 538, †540
—— *submonoceras* Miq, 520, 532
—— —— var. *collinus* 516
—— —— var. *lasionyx* (Ridl.) Weibel 516, 532
—— *subvillosus* Arn. *407, 410, 411, *412, 413, 414, †419, 421, 441, 442
—— *symingtonii* Ng 838
—— *takolensis* Coode 840, 842, 844, †851, 865
—— *taprobanicus* Zmarzty 410, *412, 413, 414, 416, 423, 425, †426, *428, 441
—— *tectorius* (Lour.) Poir. 429, 433, 434
—— —— *sensu* auctt. 429
—— *thorelii* Pierre 516, 545
—— *timikensis* Coode 449, 450, 452, †454, 455, *456, 457, 458, 894
—— *timorensis* R. Knuth 875, 878, †881, 882
—— *tjerengii* Weibel 838, 877, 878, †881
—— *tomentosus* Blume 535, 545
—— *tonganus* Burkill 837
—— *triflorus* Merr. 886, 888, †899, 901
—— *truncatus* Weibel 886, 887, †891, *893
—— *tuberculatus* Roxb. 409
—— *valetonii* Hochr. 515, 532
—— *variabilis* Zmarzty 407, 410, *412, 413, 414, †429, 430, *431, 432, 433, 435 – 437, 440
—— *verheijenii* Weibel 877, 879, 880, †881
—— *verticellatus* Elmer 886, 888, 895, 896, †900
—— *wallichii* Kurz 544
—— *womersleyi* Weibel 451, 871, 886
—— *wrayi* King 516, 517, 520, 526, †527, 528, 542, 546
—— —— *sensu stricto* 518, 520
—— —— eastern form 518, 520, †528, 542
—— sp. *457, 898
—— sp. A 440
—— sp. B †441
—— sp. C †441
—— sp. D †442
Eleocharis R. Br. 311
—— *acicularis* (L.) Roem. & Schult. †311
—— *acutangula* (Roxb.) Schult. in Roem. & Schult. †311
—— *atropurpurea* C. Presl in J. Presl & C. Presl †311
—— *calva* Torr. †312
—— *capillacea* Kunth. †312
—— *chaetaria* Roem. & Schult. 314
—— *congesta* D. Don †312
—— *dulcis* (Burm. f.) Hensch. †312
—— —— subsp. *tuberosa* (Roxb.) T. Koyama 312
—— *elegans* (Kunth) Roem. & Schult. †312
—— *filiculmis* Kunth †312
—— *flavescens* (Poir.) Urb. †313
—— *geniculata* (L.) Roem. & Schult. †313
—— *interstincta* (Vahl) Roem. & Schult. †313
—— *mutata* (L.) Roem. & Schult. †313
—— *ochrostachys* Steud. †313
—— *pallens* S. T. Blake †313
—— *palustris* (L.) Roem. & Schult. †313
—— *parvula* (Roem. & Schult.) Link ex Bluff, Nees & Schauer †314
—— *pellucida* C. Presl in J. Presl & C. Presl †312

Eleocharis

Eleocharis philippinensis Svenson †314
—— *pusilla* R. Br. †314
—— *retroflexa* (Poir.) Urb. †314
—— —— subsp. *chaetaria* (Roem. & Schult.) T. Koyama †314
—— *sphacelata* R. Br. †314
—— *spiralis* (Rottb.) Roem. & Schult. †314
—— *vivipara* Link †314
—— sp. *265
Elichrysum Mill. 1014
—— *bicolor* Lindl. 1014
—— *papillosum* Labill. 1015
Elingamita johnsonii G. T. S. Bayliss 727, 728
Elychrisum bracteatum (Vent.) Andrews 1014
Elychrysum staehelina 1014
Elytrospermum californicum C. A. Mey. 334
Emanuelson, Erik & Klackenberg, Jens: The occurrence of Endostemon viscosus (Lamiaceae) in Sri Lanka confirmed 999
Emmenosperma alphitonioides F. Muell. 671, 673
Endoperplexa 172
—— *subfarinacea* 172
—— cf. —— (Hauerslev) P. Roberts †171, *172
Endostemon 999
—— *albus* 1001
—— *gracilis* (Benth.) M. Ashby 1001
—— *viscosus* (Roth) M. Ashby 999, *1000, 1001
Englerophytum magalismontanum 584
—— *natalensis* 582
Entandophragma 28
Epipetrum Phil. 361
Epithele citrispora Boidin *et al.* 164
Ericales 725, 726
Eriocaulon spadiceum Lam. 329
Eriophorum L. 315
—— *angustifolium* Honck. †315
—— *chamissonis* C. A. Mey. †315
—— —— var. *albidum* (Nyl.) Fernald †315
—— *comosum* Nees in Wight †315
—— *cyperinum* L. 339
—— *hudsonianum* Michx. 343
—— *latifolium* Hoppe †315
—— —— var. *viridi-carinatum* Engelm. 315
—— *russeolum* Fries var. *albidum* Nyl. 315
—— *scheuchzeri* Hoppe †315
—— *vaginatum* L. *293, †315
—— *viridi-carinatum* (Engelm.) Fernald in Britton & Brown †315
Erymophyllum Paul G. Wilson 1013
Erythrina 98
Erythrocephalum: Lectotypification of Erythrocephalum Benth. (Compositae: Mutisieae), D. J. N. Hind 1019
Erythrocephalum Benth. 1019, †1020
—— *longifolium* Benth. ex Oliv. 1019, 1020
—— *minus* Oliv. 1019
—— *nutans* Benth. ex Oliv. 1019, 1020
—— *zambesianum* Oliv. & Hiern 1020
Erythronium 967
—— *helenae* Applegate 966
Esser, H. J. & Welzen, P. C. van: Colobocarpos, a new genus of South-East Asian Euphorbiaceae 657

Esser

Esser, H.-J.: New combinations in African Shirakiopsis (Euphorbiaceae) 1017
Ethiopia: A synopsis of the genus Merremia (Convolvulaceae) in the Flora of Ethiopia and Eritrea, Sebsebe Demissew 931
Euclea 726, 729
—— *natalensis* A. DC. 727, 728
Euclinia Salisb. 945, 948
Euphorbia 98, 951
Euphorbiaceae: Two new Mallotus species and two new Sauropus species (Euphorbiaceae) endemic to Thailand, P. C. van Welzen & K. Chayamarit 649
Euphorbiaceae 649, 657
—— subfam. *Crotonoideae* 658
—— —— tribe *Codieae* (Pax) Hutch. 658
—— —— tribe *Crotoneae* Dumort. 657
—— subfam. *Euphorbioideae* tribe Hippomaneae A. Juss. ex Bartl. 1017
Evans, T. D. & Anh, T. P.: A new species of Calamus (Arecaceae: Calamoideae) from Vietnam 731
Evans, T., Sengdala, K., Viengkham, O. V., Thammavong, B. & Dransfield, J.: Calamus pauciflorus T. Evans *et al.* non Ridl. renamed Calamus oligostachys T. Evans *et al.* 242
Evolvulus emarginatus Burm. f. 934
—— *hederaceus* Burm. f. 933
Excremis 967
—— *coarctata* Baker 966, *969
Exidia japonica Lloyd †172
—— *polytricha* Mont. 165
Exidiales 164, 168
Exidiopsis (Bref.) Møller 170, 177
—— *fuliginea* Rick †*173, 174
—— *macroacantha* K. Wells 170
—— *opalea* 174, 175
—— sp. aff. —— (Bourdot & Galzin) D. A. Reid †174, *175

Fagara chalybea 70
Fagus orientalis 646
Faurea saligna 575
Fay, M. F., Lledó, M. D., Richardson, J. E., Rye, B. L. & Hopper, S. D.: Molecular data confirm the affinities of the south-west Australian endemic Granitites with Alphitonia (Rhamnaceae) 669
Fay, M. F., Pires, J. C., Davis, W. S., Hufford, L., Rova, J., Chase, M. W. & Sytsma, K. J.: Molecular and morphological phylogenetic analyses of Themidaceae (Asparagales) 601
Ficalhoa 573
—— *laurifolia* 581
Ficinia Schrad. 315
—— *nodulosa* (Rottb.) Goetgh., Muasya & D. A. Simpson †315
Filicium decipiens 582
Fimbristylis Vahl 316, 1007
—— *acuminata* Vahl †316
—— *aestivalis* (Retz.) Vahl †316
—— *autumnalis* (L.) Roem. & Schult. †316
—— *bisumbellata* (Forssk.) Bubani †316
—— *complanata* (Retz.) Link †316

Fimbristylis

Fimbristylis cymosa R. Br. †316
—— *dichotoma* (L.) Vahl †317
—— *dura* (Zoll. & Moritzi) Merr. †317
—— *falcata* (Vahl) Kunth †317
—— *ferruginea* (L.) Vahl †317
—— *globulosa* (Retz.) Kunth 319
—— *hispidula* (Vahl) Kunth 261
—— *littoralis* Gaudich. in Freyc. 317
—— *miliacea* (L.) Vahl †317
—— *nutans* (Retz.) Vahl †318
—— *ovata* (Burm. f.) J. Kern †318
—— *pauciflora* R. Br. †318
—— *schoenoides* (Retz.) Vahl †318
—— *spadicea* Vahl 319
—— *squarrosa* Vahl †319
—— *umbellaris* (Lam.) Vahl †319
Firmiana 871
Flickengeria nodosa 218
Fritillaria 967
The fruit of Sanrafaelia rufonammari Verdc. (Annonaceae), B. Verdcourt 755
Fuirena Rottb. 319
—— *chlorocarpa* Ridl. 319
—— *ciliaris* (L.) Roxb. †319
—— *rubiginosa* Spreng. 327
—— *stricta* Steud. 319
—— —— var. *chlorocarpa* (Ridl.) Kük. in Fries & Fries †319
—— *umbellata* Rottb. †319

Gagea 967
—— *wilczekii* Braun-Blanq. & Maire 966, *970
Gahnia J. R. Forst. & G. Forst. 320
—— *aspera* (R. Br.) Spreng. †320
—— *grandis* (Labill.) S. T. Blake †320
—— *procera* J. R. Forst. & G. Forst. †320
—— *trifida* Labill. †320
—— *tristis* Nees in Hook. & Arn. †320
Galanthus ×valentinei nothosubsp. subplicatus (Amaryllidaceae): a new Galanthus hybrid from north-western Turkey, A. P. Davis, A. Byfield, N. Özhatay & K. Taylor 639
Galanthus 639, 643
—— *byzantinus* 639
—— *elwesii* Hook. f. 640
—— *gracilis* Celak. 639
—— *graecus* 639
—— ×*grandiflorus* Baker 640
—— ×*hybridus* Allen 640
—— ×*maximus* Baker 640
—— *nivalis* L. 639 – 641, 643 – 645, 647
—— *nivalis* "Valentine" J. Allen 647
—— ? —— subsp. *humboldtii* N. Zeybek 643, 645
—— —— subsp. *subplicatus* (N. Zeybek) N. Zeybek & E. Sauer 643, 645
—— *nivalo-plicatus* "Valentine" 647
—— *plicatus* M. Bieb. 640, 643, 644, 647
—— —— *sensu lato* 641
—— —— subsp. *byzantinus* (Baker) D. A. Webb 639 – 641, 643 – 645
—— —— subsp. *plicatus* 643, 644, 647
—— —— subsp. *subplicatus* N. Zeybek 640, 643, 645

Galanthus

Galanthus × *valentinei* (J. Allen) Beck 640, 641, †647
—— —— nothosubsp. *subplicatus* (N. Zeybek) A. P. Davis 640, *641, *642, 643, 644, †645, 646, 647
—— —— nothosubsp. *valentinei* 647
Galax aphylla L. 727, 728
—— *urceolata* (Poir.) Brummitt 727, 728
Garcinia 594
—— *semseii* 582
Gardenia Ellis 945, 948
—— *ambovombensis* 946
—— *rutenbergiana* (Baill. ex Vatke) J.-F. Leroy 945
Gaur, R. D.: Flora of the District Garhwal North West Himalaya (with ethnobotanical notes) (Rev.) 251
Genipa L. 945, 948
—— *sensu* Drake 945, 948
—— *americana* L. 299, 317
—— *infundibuliformis* Zappi & Semir 948
Gentianaceae 718
Gerbera L. 711
—— *hieracioides* (Kunth) Zardini 711
Germanea crassifolia (Vahl) Poir in Lam. 695
Gilia aggregata (Pursh) Spreng. 727, 728
Glossostelma Schltr. 770
Gnaphalium acuminatum Link 1015
—— *papillosum* (Labill.) Poir. 1015
—— *subundulatum* Sch. Bip. 1015
Gochnatia Kunth 697
—— sect. *Discoseris* Cabrera 697
Goldblatt, Peter & Johnson, Dale E. (eds.): Index to plant chromosome numbers 1996 – 1997. Monogr. Syst. Bot. Missouri Bot. Gard. 81 (Also received) 767
Goldenberg, Renato & Guimarães, Paulo José Fernandes: A new species of Tibouchina Aubl. (Melastomataceae) from Espírito Santo, Brazil 903
Gomphocarpus: A revision of Gomphocarpus R. Br. (Apocynaceae: Asclepiadeae), D. J. Goyder & A. Nicholas 769
Gomphocarpus R. Br. 769 – 773, *775, *777, 778, †779, 810
—— *sensu stricto* 772
—— sect. *Acroglossum* Decne. 770
—— sect. *Eugomphocarpus* Decne. 129, 770, 779
—— sect. —— subsect. *Trachycalymma* K. Schum. 129, 133
—— sect. —— subsect. *Trichocalymma* K. Schum. 129, 133
—— sect. *Pachycarpus* (E. Mey.) Decne. 770
—— sect. —— K. Schum. 129
—— subsect. *Leiocalymma* K. Schum. in Engl. & Prantl 779
—— *abyssinicus* Decne. *775, 776, *777, 778, 782, †793, 795
—— —— Hochst. 793
—— *amabilis* 772
—— *amoenus* K. Schum. 129, 152
—— ? *angustifolius* (Schweigg.) Link 782, 784
—— *arachnoideus* E. Fourn. 779
—— ? —— E. Fourn. 783
—— *arborescens* (L.) W. T. Aiton 770, 778, 804

Gomphocarpus

Gomphocarpus brasiliensis E. Fourn. 779, 788, 789
—— *buchwaldii* Schltr. & K. Schum. 146
—— *cancellatus* (Burm. f.) Bruyns 770, 774, *775, 776, *777, 778, 779, 780, †803, 805
—— —— (Burm. f.) Nicholas & P. I. Forst. 804
—— *cornutus* Decne. 779, 783
—— *crinitus* G. Bertol. 783
—— *crispus* 770
—— *cristatus* Decne. 129, 134, 135
—— *cucullatus* Schltr. 157
—— *filiformis* (E. Mey.) Dietr. 770, 771, 774, *775, 776, *777, 778, 781, 800, †802
—— *foliosus* K. Schum. 129, 153
—— *frederici* (Hiern) Bullock 810
—— *frutescens* E. Mey. 770, 783
—— *fruticosus* (L.) W. T. Aiton 769 – 774, *775, 776, 778, 779, 781, †782, 783, 784, 786, 787, 789, 790, 810
—— —— subsp. *decipiens* (N. E. Br.) Goyder & Nicholas 784, †785, 786
—— —— subsp. *flavidus* (N. E. Br.) Goyder 784, 785, †787, 788, 810
—— —— subsp. *fruticosus* *777, †784, 785 – 787
—— —— subsp. *rostratus* (N. E. Br.) Goyder & Nicholas 776, *777, 779, 784, 785, †786, 787
—— —— subsp. *setosus* (Forssk.) Goyder & Nicholas 770, 784, 785, †787, 807
—— —— var. *angustissimus* Engl. 794, 796
—— —— var. *purpureus* Schweinf. 796
—— —— var. *setosus* (Forssk.) O. Schwartz 788
—— —— var. *tomentosus* (Burch.) K. Schum. 808
—— —— f. *brasiliensis* (E. Fourn.) Briq. 788
—— *glaucophyllus* Schltr. 771, 773, 774, *775, 776, *777, 778 – 781, 810, 812, †813, 814, 818
—— *hastatus* Mey. 770
—— *integer* (N. E. Br.) Bullock *775, *777, 778, 782, †797, 800, 801
—— *kaessneri* (N. E. Br.) Goyder & Nicholas *775, 776, *777, 781, 790, †792, 793
—— *kamerunensis* 772
—— *lanatus* E. Mey. 770, 807, 808
—— *longifolius* (Michx.) Spreng. 770
—— *longissimus* 772
—— *munonquensis* (S. Moore) Goyder & Nicholas *775, 780, †812
—— ? *nutans* Klotzsch in Peters 808
—— *paluster* K. Schum. 129
—— *palustris* K. Schum. 134
—— *phillipsiae* (N. E. Br.) Goyder *775, 776, *777, 778, 781, 782, 787, 793, †794, 795, 797
—— *physocarpus* E. Mey. 770, 774, *775, 776, *777, 778, 779, 781, 783, 787, †788, 789 – 791, 793, 810
—— *praticolus* (S. Moore) Goyder & Nicholas *775, 776, 781, 814, †815, *817, 818
—— *pulchellus* Decne. 129, 135, 150
—— *purpurascens* A. Rich. 771, 774, *775, 776, *777, 779, 781, 794, 795, †796, *798
—— *rivularis* Schltr. 774, *775, 776, *777, 778 – 781, †805, 806
—— *robustus* A. Rich. 771
—— *roseus* K. Schum. 129, 160

Gomphocarpus

Gomphocarpus rostratus (N. E. Br.) Bullock 779, 786, 787, 799
—— *schimperi* C. Presl 806
—— *semiamplectens* K. Schum. 771, *775, *777, 781, 814, †816, 818
—— *semilunatus* A. Rich. 771, *775, 776, *777, 781, 790, †791, 793
—— *setosus* (Forssk.) R. Br. ex Roem. & Schult. 788
—— —— Hochst. ex Oliv. 793
—— *sinaicus* Boiss. 774, *775, 777, 778, 782, †806, 808
—— *solstitialis* 772
—— *stenophyllus* Oliv. 771, *775, 776, *777, 778, 779, 782, 787, †799, 800 – 802
—— *swynnertonii* (S. Moore) Goyder & Nicholas *775, 780, †810, 812 – 814, 818
—— *tanganyikensis* 772
—— *tenuifolius* (N. E. Br.) Bullock *775, 776, *777, 778, 779, 782, 800, †801
—— *tomentosus* (Torr.) A. Gray 807
—— —— Burch. 770, *775, 776, 778, 782, 786, †807, 808, 810
—— —— subsp. *frederici* (Hiern) Goyder & Nicholas 774, 776, *777, 808, †809, 810
—— —— subsp. *tomentosus* 774, *777, 808, †809, 810
—— *verticillatus* Turcz. 793
—— *viridiflorus* (Raf.) Spreng. 770
—— *viridis* (Walter) Spreng. 770
Goodyera R. Br. (Orchidaceae): a new generic record for tropical Africa, P. J. Cribb & P. Ormerod 501
Goodyera R. Br. 501, 502
—— *afzelii* Schltr. 501, †502
Gossweilerodendron 28
Gouania mauritiana Lam. 671, 673
Goyder, D. J.: The identity of Hickenia Lillo (Apocynaceae subfam. Asclepiadoideae) 162
Goyder, D. J.: A revision of the tropical African genus Trachycalymma (K. Schum.) Bullock (Apocynaceae: Asclepiadoideae) 129
Goyder, D. J. & Kishore Kumar, K.: Brachystelma swarupa (Apocynaceae): a new species from India 209
Goyder, D. J. & Nicholas, A.: A revision of Gomphocarpus R. Br. (Apocynaceae: Asclepiadeae) 769
Granitites: Molecular data confirm the affinities of the south-west Australian endemic Granitites with Alphitonia (Rhamnaceae), M. F. Fay, M. D. Lledó, J. E. Richardson, B. L. Rye & S. D. Hopper 669
Granitites Rye 669, 670, 672, 674
—— *intangendus* (F. Muell ex F. Muell.) Rye 669 – 673
Great Britain: Amphinema angustispora: a new corticoid fungus from the Conservation Area at Kew, P. Roberts 761
Green, P. S.: Studies in the genus Jasminum, XVII: sections Trifoliolata and Primulina 903
Grewia 38, 68, 81, 88, 102
—— *bicolor* 64
—— *fallax* 106
—— *hirsuta* 213

Grierson

Grierson, A. J. C., Long, D. G., Springate, L. S. (ed.), Bates, M., Chen, Yo-Jiun, Oliver, C., Rodrigues, G. & Tebbs, M. (illustrators): Flora of Bhutan including a record of plants from Sikkim and Darjeeling. Vol. 2 Part 3. Families 171 – 187 (Rev.) 916
Guepinia fissa Berk. 164, 167, 168
—— *spathularia* (Schwein.) Fr. 167
Guimarães, Paulo José Fernandes & Goldenberg, Renato: A new species of Tibouchina Aubl. (Melastomataceae) from Espírito Santo, Brazil 903
Guinea: A new rheophytic species of Plectranthus L'Hér. (Labiatae) from the Gulf of Guinea, B. J. Pollard & A. Paton 975
Gyrocarpus americanus 213

Hagenia 594
Halesia carolina L. 727, 728
Hall, J. C., Berry, P. E., Savolainen, V., Sytsma, K. J. & Chase, M. W.: Lissocarpa is sister to Diospyros (Ebenaceae) 725
Harley, R. M.: A new calcicolous Hyptis (sect. Leucocephala, Labiatae) from the Irecê region of Bahia, Brazil 685
Harley, Ray & Paton, Alan: Leonurus japonicus Houtt. (Labiatae): the correct name for a common tropical weed 243
Harrisonia bennettii 42
—— *perforata* 42
Hartleya Sleumer 233
Haydonia juncea (Milne-Redh.) Maréchal 226
Helichrysum Mill. 1013, 1014
—— *sensu lato* 1013
—— *sensu stricto* 1013
—— *acuminatum* (Link) Sweet 1015
—— —— DC. 1015
—— —— var. *angustifolium* DC. 1015
—— *bicolor* Lindl. 1014
—— *bracteanthum* (Vent.) Andrews 1013, 1014
—— *bracteatum* (Vent.) Andrews 1014
—— —— var. *viscosum* DC. 1015
—— *chrysanthum* Pers. 1014
—— *lucidum* Henckel 1014
—— *orientale* Gaertn. 1013, 1014
—— *papillosum* Labill. 1015
—— *retortum* (L.) Willd. 1014
—— *viscosum* Sieb. ex Spreng. 1015
Helinus integrifolius Kuntze 671, 673
Helmia 362
—— *bulbifera* (L.) Kunth 379
—— *dregeana* Kunth 384
—— *dumetorum* Kunth 385
Hemerocallidaceae 967, 971
Hemizygia stalmansii (Labiatae), a new species from Mpumalanga, South Africa and Swaziland, A. Paton & K. Balkwill 491
Hemizygia 495
—— *ramosa* Codd 492, 495
—— *stalmansii* A. J. Paton & K. Balkwill 491, †492, *494, 495
—— *transvaalensis* (Schltr.) Ashby 491, 492, 495

Hepper

Hepper, F. Nigel. *Reviewer*: Flora of Egypt Volume 1 (Azollaceae – Oxalidaceae). Volume 2 (Geraniaceae – Boraginaceae), by Loutfy Boulos 944
Herreriaceae 617, 971
Hesperocallidaceae 615
Hetaeria 501
Heteroacanthella acanthophysa (Burds.) Oberw. 175
—— *variabile* Oberw. & Langer 175
Heterobasidiomycetes from Korup National Park, Cameroon, Peter Roberts 163
Heterochaete Pat. 164
—— *dubia* Bourdot & Galzin 177
—— *shearii* (Burt) Burt †175, *176, 177
Hevea brasiliensis 649
Hickenia: The identity of Hickenia Lillo (Apocynaceae subfam. Asclepiadoideae), D. J. Goyder 162
Hickenia Lillo 162
—— *scalae* (Hicken) Lillo 162
Hickey, Michael & King, Clive: Cambridge Illustrated Glossary of Botanical Terms (Rev.) 505
Higinbothamia Uline 361
Hind, D. J. N.: Lectotypification of Erythrocephalum Benth. (Compositae: Mutisieae) 1019
Hind, D. J. N.: A new combination in Amblysperma (Compositae: Mutiseae) 711
Hind, D. J. N.: A new species of Barnadesia (Compositae: Barnadesieae) from Bolivia 705
Hind, D. J. N. *Reviewer*: Asteraceas de la Flora de Colombia. Senecioneae — 1, Géneros Dendrophorbium y Pentacalia. Academia Colombiana de Ciencias Exactas, Físicas y Naturales Coleccion. Jorge Alvarez Lleras No. 12, by Santiago Díaz-Piedrahita & José Cuatrecasas 503
Hind, D. J. N. *Reviewer*: Cassini on Compositae II. Collected from the 'Bulletin des Sciences par la Societé Philomatique de Paris'. Monogr. Syst. Bot. Missouri Bot. Gard. 54, by Robert M. King, Paul C. Janaske & David B. Lellinger 464
Hind, D. J. N. *Reviewer*: Cassini on Compositae III. Collected from the 'Journal de Physique, de Chimie, d'Histoire Naturelle et des Arts' and from the 'Annales des Sciences Naturelles'. Monogr. Syst. Bot. Missouri Bot. Gard. 55, by Robert M. King, Paul C. Janaske & David B. Lellinger 464
Hind, D. J. N. *Reviewer*: Generic Conspectus of the tribe Astereae (Asteraceae) in North America, Central America, the Antilles and Hawaii. Sida Bot. Misc. 20, by Guy L. Nesom 509
Hind, D. J. N. *Reviewer*: Intermountain Flora. Vascular Plants of the Intermountain West, U.S.A. Volume 5. Asterales, by Arthur Cronquist (volume author), Arthur H. Holmgren, Noel H. Holmgren, James L. Reveal & Patricia K. Holmgren 478
Hirneola nigra Fr. 165
Hodkinson, T. & Renvoize, S.: Nomenclature of Miscanthus ×giganteus (Poaceae) 759
Hookera ixioides (W. T. Ait.) Kuntze 603
Hopper, S. D., Fay, M. F., Lledó, M. D., Richardson, J. E. & Rye, B. L.: Molecular data confirm the

Hopper

affinities of the south-west Australian endemic Granitites with Alphitonia (Rhamnaceae) 669
Horsfieldia 853
Hovenia dulcis Thunb. 671, 673
Hufford, L., Pires, J. C., Fay, M. F., Davis, W. S., Rova, J., Chase, M. W. & Sytsma, K. J.: Molecular and morphological phylogenetic analyses of Themidaceae (Asparagales) 601
Hyacinthaceae 601 – 603, 609, 611, 613, 615, 617, 620, 971
Hyacinthus 2, 55, 608, 610, 612, 616
—— *orientalis* 605
Hymenaea verrucosa 37, 38
Hymenoptera 778
—— *Formicidae* 778
Hyperacanthus ambovombensis (Rubiaceae): a new species and new generic record for Madagascar, Franck Rakotonasolo & Aaron P. Davis 945
Hyperacanthus E. Mey. ex Bridson 945, 946, 948, 950
—— *ambovombensis* Rakotonas. & A. P. Davis 946, *947, 948, †950, 951, 952
—— *amoenus* (Sims) Bridson 945, *949, 950
—— *microphyllus* (K. Schum.) Bridson 945, 948, *949, 950
Hyphene gossweileri 88
Hypodiscus 468, 470, 471
Hypolytrum Rich. ex Pers. 320
—— *compactum* Nees & Meyen ex Kunth †320
—— *heteromorphum* Nelmes †321
—— *laxum* Kunth †321
—— *poeciolepis* Nelmes †321
—— *purpurascens* Cherm. †321
Hypoporum pergracile Nees 342
Hypoxidaceae 968, 971
Hypoxylon 179
Hyptis: A new calcicolous Hyptis (sect. Leucocephala, Labiatae) from the Irecê region of Bahia, Brazil, R. M. Harley 685
Hyptis 685
—— sect. *Cyanocephala* Pohl ex Benth. 688, 689
—— sect. *Leucocephala* 685, 686, 688 – 690
—— *elongata* Benth. 688 – 690
—— *leucocephala* Mart. ex Benth. 688 – 690
—— *rugosa* Benth. 688, 689
—— *sancti-gabrieli* Harley 685, †686, *687, 688 – 690
—— *stachydifolia* Epling 686, 688 – 690

Ianthopappus Roque & D. J. N. Hind 697
Icacinaceae: A new species of Medusanthera Seem. (Icacinaceae) from New Guinea: Medusanthera inaequalis Utteridge. Contributions to the Flora of Mt Jaya, IV, T. M. A. Utteridge 233
Icacinaceae 233, 234
Ichneumonidae 778
The identity of Hickenia Lillo (Apocynaceae subfam. Asclepiadoideae), D. J. Goyder 162
The identity of Westphalina A. Robyns & Bamps (Tiliaceae), L. J. Dorr 497
India: Brachystelma swarupa (Apocynaceae): a new species from India, K. Kishore Kumar & D. J. Goyder 209

India

India: A new species of Polyalthia (Annonaceae) from Peninsular India, M. B. Viswanathan & U. Manikandan 217
India: Revision of Elaeocarpus (Elaeocarpaceae) section Elaeocarpus in Southern India and Sri Lanka, Sue Zmarzty 405
Inglis, Cecilia A. & Simpson, David A.: Cyperaceae of economic, ethnobotanical and horticultural importance: a checklist 257
Ipomoea aegyptia L. 935
—— *candei* (A. Terracc.) Chiov. 937
—— *kentrocaulos* (Steud. ex Hallier f.) C. B. Clarke in Hook. f. 941
—— *pedata* Choisy in DC. 936
—— *pterygocaulos* Choisy 940
—— *semisagitta* Peter 936
—— *stenophyton* Chiov. 937
—— *tuberosa* A. Rich. 941
Iridaceae 968, 970, 971
Isodon 979
—— *walkeri* (Arn.) H. Hara 979
Isolepis R. Br. 321, 1011
—— *cernua* (Vahl) Roem. & Schult. †321, 1012
—— *corymbosa* Roth ex Roem. & Schult. †334
—— *dioeca* Kunth 339
—— *dura* Zoll. & Moritzi 317
—— *fluitans* (L.) R. Br. 1011
—— *juncifórmis* Kunth in Humb., Bonpl. & Kunth 261
—— *lanata* Humb., Bonpl. & Kunth 261
—— *nodosa* (Rottb.) R. Br. 316
—— *prolifera* (Rottb.) R. Br. †321
—— *roylei* Nees in Wight 337
—— *senegalensis* Hochst. ex Steud. 337
—— *setacea* (L.) R. Br. †321, 1011
—— *spiralis* A. Rich in Dumont d'Urville 311
Isolona 755
Ixioliriaceae 967, 971
Ixiolirion 967
—— *ledebourii* Fisch. & C. A. Mey. 966, *968
—— *tataricum* (Pallas) Herb. 966, *968
Ixora incana (Klotzsch) Kuntze 578

Jacquinia umbellata A. DC. 727, 728
Jaimehintonia B. L. Turner 602, 603, 620
Jalas, Jaakko, Suominen, Juha, Lampinen, Raino & Kurtto, Arto (eds.): Atlas Florae Europaeae. Distribution of Vascular Plants in Europe 12. Cruciferae (Resedaceae to Platanaceae) (Rev.) 767
Japonolirion 971
Jasminum: Studies in the genus Jasminum, XVII: sections Trifoliolata and Primulina, P. S. Green 903
Jasminum 903, 909, 912
—— sect. *Alternifolia* 903
—— sect. *Jasminum* 903
—— sect. *Primulina* P. S. Green †912
—— sect. *Trifoliolata* DC. †903
—— sect. *Unifoliolata* DC. 903
—— *angulare sensu* Bunge 913
—— *azoricum sensu* Hook. & Arn. 905
—— *beesianum* Forrest & Diels 903
—— *bidwillii* Vis. 907

Jasminum

Jasminum dallachii F. Muell. 904, †908
—— *degeneri* Kobuski 904, †909
—— *didymum* G. Forst. 903, †904, 905, 907, 912
—— —— subsp. *didymum* 904, †905
—— —— subsp. *lineare* (R. Br.) P. S. Green 904, †907
—— —— subsp. *racemosum* (F. Muell.) P. S. Green 904, †907
—— —— var. *dallachii* (F. Muell.) Domin 908
—— —— var. *pubescens* Benth. 908
—— —— var. *stenophyllum* Däniker 905
—— —— var. *typicum* Domin 905
—— *divaricatum* R. Br. 905
—— *domatiigerum* Lingelsh. 908, †909, 911
—— —— subsp. *australis* W. K. Harris & W. I. McDonald 908
—— —— var. *domatiigerum* 904, †910, 911
—— —— var. *orogenes* Kiew 904, †910, 911
—— *fitzgeraldii* Knobl. ex Guillaum. 905
—— *gilgianum* K. Schum. 904, †911, 912
—— *lanceolaria* Roxb. 912
—— *lineare* R. Br. 907
—— *mesnyi* Hance 912, †914
—— *micranthum* R. Br. in Sturt 907
—— *mitchellii* Lindl. in Mitchell 907
—— *nudiflorum* Lindl. 912, †913
—— —— "Aureum" 913
—— —— var. *aureum* Hort. ex Dippel 913
—— —— var. *pulvinatum* (W. W. Sm.) Kobuski 913
—— —— var. *variegatum* Mouill. 913
—— —— f. *aureum* (Dippel) Kobuski 913
—— —— f. *pulvinatum* (W. W. Sm.) P. S. Green †913
—— *parviflorum* Decne. 905
—— *pipolyi* W. N. Takeuchi 905
—— *primulinum* Hemsl. 914
—— *pulvinatum* W. W. Sm. 913
—— *punctulatum* Chiov. 903
—— *racemosum* F. Muell. 907
—— *rupestre* Blume 905
—— —— var. *contractum* Blume 905
—— *schumannii* Gilg 911, 912
—— *sieboldianum* Blume 913
—— *singuliflorum* F. M. Bailey & F. Muell. 904, †908
—— *smithianum* Kobuski 909
—— *triphyllum* Merr. 905
Jatropha unicostata 984, 986
Julbernardia unijugata 584

Kalkman, C. *et al.* (eds.): Flora Malesiana Series 1 — Seed Plants, Vol. 13 Rafflesiaceae, Boraginaceae, Daphniphyllaceae, Illiciaceae, Schisandraceae, Loranthaceae & Viscaceae (Also received) 511
Kanahia R. Br. 770, 806
Karg, Anita L., Tomasic, Sharon, Walker, Margot, Bridson, Gavin D. R., Burdet, Hervé M., Chautems, Marie-Martine & Moruzzi-Bayo, Tina (compilers): Catalogue of Portraits of Naturalists, mostly Botanists in the collections of the Hunt Institute, The Linnean Society of London and the Conservatoire et Jardin Botaniques de la Ville de Genève. Part 3 Portraits of Individuals, E – H (Also received) 767

Kiger

Kiger, Robert W., Tancin, Charlotte A. & Bridson, Gavin D. R.: Index to scientific names of organisms cited in the Linnean Dissertations together with a Synoptic Bibliography of the Dissertations and a Concordance for Selected Editions (Also received) 767
King, Robert M., Janaske, Paul C. & Lellinger, David B.: Cassini on Compositae II. Collected from the 'Bulletin des Sciences par la Societé Philomatique de Paris'. Monogr. Syst. Bot. Missouri Bot. Gard. 54, (Rev.) 464
King, Robert M., Janaske, Paul C. & Lellinger, David B.: Cassini on Compositae III. Collected from the 'Journal de Physique, de Chimie, d'Histoire Naturelle et des Arts' and from the 'Annales des Sciences Naturelles'. Monogr. Syst. Bot. Missouri Bot. Gard. 55, (Rev.) 464
Kishore Kumar, K. & Goyder, D. J.: Brachystelma swarupa (Apocynaceae): a new species from India 209
Kjellbergiodendron 853
Klackenberg, Jens & Emanuelson, Erik: The occurrence of Endostemon viscosus (Lamiaceae) in Sri Lanka confirmed 999
Knema 853
Kniphofia 967
Kobresia Willd. 321
—— *capillifolia* C. B. Clarke †322
—— *pygmaea* C. B. Clarke in Hook. f. †321
—— *schoenoides* Boeck. †321
Kumar, Har Darshan: Biodiversity and sustainable conservation (Rev.) 252
Kyllinga Rottb. 321
—— *brevifolia* Rottb. †322
—— —— var. *gracillima* (Miq.) Kük. †323
—— *cyperina* Retz. 289
—— *cyperoides* Roxb. 281
—— *erecta* Schumach. †323
—— *gracillima* Miq. 323
—— *monocephala* Rottb. 323
—— *nemoralis* (J. R. & G. Forst) Dandy ex Hutch. & Dalziel †323
—— *odorata* Vahl †324
—— *peruviana* Lam. †324
—— *polyphylla* Willd. ex Kunth †324
—— —— var. *elatior* Kük. †324
—— *pumila* Michx. †324
—— *squamulata* Thonn. ex Vahl †325
—— *triceps* Rottb. †325
—— *welwitschii* Ridl. †325

Labiatae: Hemizygia stalmansii (Labiatae), a new species from Mpumalanga, South Africa and Swaziland, A. Paton & K. Balkwill 491
Labiatae: Leonurus japonicus Houtt. (Labiatae): the correct name for a common tropical weed, Ray Harley & Alan Paton 243
Labiatae: A new calcicolous Hyptis (sect. Leucocephala, Labiatae) from the Irecê region of Bahia, Brazil, R. M. Harley 685
Labiatae: A new rheophytic species of Plectranthus

Labiatae

L'Hér. (Labiatae) from the Gulf of Guinea, B. J. Pollard & A. Paton 975
Labiatae: Plectranthus aegyptiacus, the correct name for P. tenuiflorus and Forsskål's Ocimum α Zatarhendi (Labiatae), O. Ryding & A. Paton 691
Labiatae 979
Lablab purpureus (L.) Sweet 229
Lack, Andrew. *Reviewer*: Reproductive Biology in systematics, conservation and economic botany, by S. J. Owens & P. J. Rudall (eds.) 255
Lagarinthus E. Mey. 770
—— *filiformis* E. Mey. 770, 802
Lagenocarpus Nees 326
—— *admantinus* Nees in Mart. †326
Lamiaceae: The occurrence of Endostemon viscosus (Lamiaceae) in Sri Lanka confirmed, Erik Emanuelson & Jens Klackenberg 999
Lamiaceae 999
Lampocarya aspera R. Br. 320
Lanaria 968
Lanariaceae 968, 971
Lannea 934
Laschia delicata Fr. 166
—— *tremellosa* Fr. 166
Lasiodiscus mildbraedii Engl. 671, 673
Lawrencella Lindl. 1013
Laxmanniaceae 601, 971
Lectotypification of Erythrocephalum Benth. (Compositae: Mutisieae), D. J. N. Hind 1019
Lectotypification of two species of Passiflora (Passifloraceae), T. S. Nunes, D. C. Zappi & L. P. de Queiroz 245
Leguminosae: Clitoria chanondii W. Chuakul (Leguminosae-Papilionoideae), a new species from Thailand, W. Chuakul 737
Leguminosae: A new combination in Pseudolotus Rech. f. (Leguminosae: Loteae), S. I. Ali & D. D. Sokoloff 721
Leguminosae: New records of Lotus (Leguminosae: Papilionoideae: Loteae) from Africa and southwest Asia, D. D. Sokoloff 715
Leguminosae: A new species of Stylosanthes Sw. (Leguminosae-Papilionoideae) from Guerrero, Mexico, Nuno M. Sousa Costa & Cassio van den Berg 239
Leguminosae: A new species of Vigna (Leguminosae-Papilionoideae) from Bolivia, B. Verdcourt 229
Leguminosae: Notes on the genus Vigna (Leguminosae-Papilionoideae), R. S. Pasquet 223
Leguminosae: Swartzia Schreb. (Leguminosae: Papilionoideae: Swartzieae): a taxonomic study of the Swartzia acutifolia complex including a new name and a new species from southeastern Brazil, Vidal de Freitas Mansano & Ana Maria Goulart de Azevedo Tozzi 917
Leguminosae 316, 341
—— subfam. *Caesalpinoideae* 37
—— subfam. *Papilionoideae* 50, 223
—— subfam. —— tribe *Phaseoleae* 229
—— subfam. —— tribe *Swartzieae* 917
—— tribe *Loteae* 721

Leibnitzia
Leibnitzia 711
Leonotis leonurus 694
Leontochir 967
—— *ovallei* Phil. 966, *970
Leonurus japonicus Houtt. (Labiatae): the correct name for a common tropical weed, Ray Harley & Alan Paton 243
Leonurus 244
—— *heterophyllus* Sweet 243, 244
—— *japonicus* Houtt. †244
—— *macranthus* Maxim. 244
—— *sibericus* auctt. non L. 244
—— —— L. 243
Lepidoptera 778
Lepidosperma Labill. 326
—— *gladiatum* Labill. *293, †326
—— *squamatum* Labill. *275, †326
Lepironia Rich. 326
—— *articulata* (Retz.) Domin *275, †326
—— *bancana* Miq. 328
—— *cuspidata* Miq. 328
—— *sumatrana* Miq. 328
Leucocrinum 608, 610, 612, 616
—— *montanum* 605
Lignosae Malphigiales 13
Liliaceae 601, 967, 971
Liliales 966, 967, 969, *970, 971
Linales 13
Linder, H. P.: Two new species of Ceratocaryum (Restionaceae) 465
Lipocarpha R. Br. 326
—— *chinensis* (Osbeck) J. Kern †326
—— *kernii* (Raymond) Goetgh. †327
—— *squarrosa* (L.) Goetgh. †327
Lipscombe, Barney L., Pipoly III, John J. & Sanders, Roger W. (eds.): Floristics in the New Millenium: Proceedings of the Flora of the Southeast US Symposium. Sida Bot. Misc. 18 (Rev.) 253
Lissocarpa is sister to Diospyros (Ebenaceae), P. E. Berry, V. Savolainen, K. J. Sytsma, J. C. Hall & M. W. Chase 725
Lissocarpa 725 – 727, 729
—— *benthamii* Gürke 725, 727, 728
Lissocarpaceae 725, 726, 728
Lledó, M. D., Fay, M. F., Richardson, J. E., Rye, B. L. & Hopper, S. D.: Molecular data confirm the affinities of the south-west Australian endemic Granitites with Alphitonia (Rhamnaceae) 669
Lock, J. M. *Reviewer*: Floodplain Flora. A flora of the coastal floodplains of the Northern Territory, Australia. (Flora of Australia Supplementary Series No. 10), by I. D. Cowie, P. S. Short & M. Osterkamp Madsen 249
Lock, J. M. *Reviewer*: Flora of the District Garhwal North West Himalaya (with ethnobotanical notes), by R. D. Gaur 251
Lock, J. M. *Reviewer*: Flora of Ethiopia and Eritrea. Volume 2, Part 2. Magnoliaceae to Flacourtiaceae, by S. Edwards, Mesfin Tadesse, Sebsebe Demissew & Inga Hedberg 490
Lock, J. M. *Reviewer*: Flora Iberica Plantas Vasculares de la Península Ibérica e Islas Baleares. Vol. VII (II). Leguminosae (partim), by S. Castroviejo (Coordinador general), S. Talavera, C. Aedo, S. Castroviejo, A. Herrero, C. Romero Zarco, F. J. Salgueiro & M. Velayos (eds.) 247
Lonchocarpus 933, 934
López, Gabriela, Prata M., Ana Paula & Simpson, David A.: New combinations in Bulbostylis (Cyperaceae) from South America 1007
Lotus: New records of Lotus (Leguminosae: Papilionoideae: Loteae) from Africa and southwest Asia, D. D. Sokoloff 715
Lotus 715, 721
—— subgen. *Canaria* 721
—— *arabicus* L. 717 – 719
—— —— group 718
—— sp. aff. —— L. 717
—— —— var. *glabrescens* Schweinf. 716
—— *deserti* Täckh. & Boulos 716
—— *discolor* E. Mey. subsp. *discolor* 715
—— —— subsp. *mollis* J. B. Gillett †715
—— *garcinii* DC. †715
—— *gebelia* Vent. †716
—— —— var. *hirsutissimus* (Ledeb.) Dinsm. 716
—— *goetzei* Harms 717
—— *hebecarpus* J. B. Gillett 718
—— *hebranicus* Hochst. ex Brand †716, 718, 719, 721
—— *lalambensis* Schweinf. †716, 717 – 719
—— *lanuginosus* Vent. 716 – 719
—— *laricus* Rech. f., Aellen & Esfand. †717, 718, 719
—— *makranicus* Rech. f. & Esfand 721, 722
—— *quinatus* (Forssk.) J. B. Gillett 717 – 719
—— —— *sensu lato* 717
—— sp. aff. —— (Forssk.) J. B. Gillett 717
—— —— var. *brachycarpus* (Hochst. ex A. Rich.) J. B. Gillett 719
—— —— var. *quinatus* 719
—— *torulosus* (Chiov.) Fiori †718, 719
—— sp. A *sensu* J. R. I. Wood 716
Loudetia simplex 493
Lucas, E. & Zappi, D. C.: Rudgea crassifolia (Rubiaceae) — a new species from the coast of Eastern Brazil 745
Luer, Carlyle A.: Icones Pleurothallidinarum XX. Systematics of Jostia, Andinia, Barbosella, Barbrodria, Pleurothallis subgen. Antilla, subgen. Effusia, subg. Restrepiodia. Addenda to Lepanthes, Masdevallia, Platystele, Pleurothallis, Restrepiopsis, Scaphosepalum and Teagueia. Monogr. Syst. Bot. Missouri Bot. Gard. 79 (Rev.) 507
Lulia Zardini 711
Luzuriagaceae 971
Lycium 2, 55

Macaranga 182, 650, 652
—— *capensis* 594
Machaerina Vahl 327
—— *angustifolia* (Gaudich.) T. Koyama †327
—— *gunnii* (Hook. f.) J. Kern †327
—— *mariscoides* (Gaudich.) J. Kern †327
—— *rubiginosa* (Spreng.) T. Koyama *265, †327
—— *sinclairii* (Hook. f.) T. Koyama †327
Macropetalum 209

Madagascar

Madagascar: Hyperacanthus ambovombensis (Rubiaceae): a new species and new generic record for Madagascar, Franck Rakotonasolo & Aaron P. Davis 945
Madagascar: Two new species of Coffea L. (Rubiaceae) from eastern Madagascar, Aaron P. Davis 479
Maerua 96, 102
—— *oblongifolia* 106
—— *socotrana* 986
—— *somalensis* 96
Maesa: Two new species of Maesa (Maesaceae) from New Guinea, T. M. A. Utteridge 677
Maesa Forssk. 677, 678
—— *amplexicaulis* Utteridge †678, *679, 680
—— *calcarea* Sleumer 677
—— *denticulata* Mez 680, 681
—— *gracilis* Utteridge †680, 681, *682, 683
—— *haplobotrys* F. Muell. 683
—— *hooglandii* Sleumer 677
—— *junghuhniana* Scheff. 683
—— *loloruensis* Sleumer 677
—— *muelleri* Mez 680
—— *myrsinoides* H. Lév. 727, 728
—— *procumbens* Utteridge 677
—— *rheophytica* Sleumer 677
—— *ruficaulis* S. Moore 678, 680
—— *rufo-villosa* Mez 680
Maesaceae 677
Maesopsis eminii 584
Maihueniopsis 1003
—— *bonnieae* (D. J. Ferguson & R. Kiesling) E. F. Anderson 1005
Malesia: Elaeocarpus for Flora Malesiana — the Coilopetalum group in the Lesser Sunda Islands, M. J. E. Coode 875
Malesia: Elaeocarpus for Flora Malesiana — the E. stipularis complex, E. nitidus group & E. barbulatus, M. J. E. Coode 513
Malesia: Elaeocarpus for Flora Malesiana — the Fissipetalum group in central Malesia, M. J. E. Coode 461
Mallotus: Two new Mallotus species and two new Sauropus species (Euphorbiaceae) endemic to Thailand, P. C. van Welzen & K. Chayamarit 649
Mallotus 649, 650, 652
—— sect. *Axenfeldia* 649, 650, 652
—— sect. *Echinocroton* 649
—— sect. *Plagianthera* 649
—— sect. *Rottleropsis* 649
—— *brevipetiolatus* Gage 652
—— *calocarpus* Airy Shaw 650
—— *clellandii* Hook. f. 650, 652
—— *cuneatus* 649, 650
—— *decipiens* 649
—— *hispidospinosus* Welzen & Chayamarit †650, *651, 652
—— *lanceolatus* 649
—— *resinosus* 649, 650
—— *trichocarpa* Müll. Arg. 652
—— *viridis* Welzen & Chayamarit †652, *653
Manihot esculenta 649

Manikandan

Manikandan, U. & Viswanathan, M. B.: A new species of Polyalthia (Annonaceae) from Peninsular India 217
Manilkara cuneifolia 38
Mansano, Vidal de Freitas & Tozzi, Ana Maria Goulart de Azevedo: Swartzia Schreb. (Leguminosae: Papilionoideae: Swartzieae): a taxonomic study of the Swartzia acutifolia complex including a new name and a new species from southeastern Brazil 917
Mantalania Capuron ex J.-F. Leroy 945, 948
Mapania Aubl. 328
—— *bancana* (Miq.) Benth. & Hook. f. ex B. D. Jacks. †328
—— *cuspidata* (Miq.) Uittien †328
—— *kurzii* C. B. Clarke in Hook. f. †328
—— *linderi* Hutch. ex Nelmes †328
—— *mannii* C. B. Clarke in Th. Durand & Schinz †328
—— *palustris* (Steud.) Fern.-Vill. †328
—— *sumatrana* (Miq.) Benth. †328
Mariscus aggregatus Willd. 281
—— *albosanguineus* Napper 281
—— *amauropus* (Steud.) Cufod. 283
—— *dubius* (Rottb.) Kük. ex Fisch. in Gamble 291
—— *ferax* (Rich.) C. B. Clarke in Hook. f. 301
—— *flavus* Vahl 294
—— *longibracteatus* Cherm. 298
—— *rubrotinctus* Cherm. 298
—— *somaliensis* C. B. Clarke 304
—— *soyauxii* (Boeck.) C. B. Clarke in T. Durand & Schinz 308
Mayo, Simon. *Reviewer*: Plant Systematics, by Gurchuran Singh 648
Maytenus senegalensis 106, 302
McVaugh, Rogers: Botanical results of the Sessé & Moçino expedition (1787 – 1803). VII. A Guide to Relevant Scientific Names of Plants (Rev.) 508
Medusanthera: A new species of Medusanthera Seem. (Icacinaceae) from New Guinea: Medusanthera inaequalis Utteridge. Contributions to the Flora of Mt Jaya, IV, T. M. A. Utteridge 233
Medusanthera Seem. 233 – 235
—— *coriifolia* (Sleumer) Sleumer 233
—— *gracilis* (King) Sleumer 235, 237
—— *inaequalis* Utteridge †234, 235, †236, 237
—— *laxiflora* (Miers) R. A. Howard 233 – 235, 237
—— *papuana* (Becc.) R. A. Howard 233
—— *peekelii* (Sleumer) Sleumer 233
Melanthiaceae 971
Melastomataceae: A new species of Tibouchina Aubl. (Melastomataceae) from Espírito Santo, Brazil, Paulo José Fernandes Guimarães & Renato Goldenberg 903
Melastomataceae 989, 990
—— tribe *Melastomeae* 989
Melia 42
Melocactus azureus Buining & Brederoo subsp. *azureus* 685
—— *pachyacanthus* Buining & Brederoo 685
—— *violaceus* 749

Menispermaceae

Menispermaceae 934
Merostachys Spreng. (Poaceae, Bambusoideae, Bambuseae): a new species from Brazil and critical notes on "group speciosa", T. Sendulsky 627
Merostachys Spreng. 627, 630, 636
—— group *speciosa* 628, 629, 636
—— *brevigluma* Send. 628, †629, *631, 634
—— *claussenii* Munro 632, 636
—— *kunthii* Rupr. 627 – 629, †632, *635
—— *neesii* Rupr. 627 – 629, 632, †634, 636, *637
—— *sellowi* Munro 628
—— *speciosa* Spreng. 627 – 629, †630, 632, *633, 636
—— *ternata* Nees 628
Merremia: A synopsis of the genus Merremia (Convolvulaceae) in the Flora of Ethiopia and Eritrea, Sebsebe Demissew 931
Merremia Dennst. ex Endl. 931, †932
—— *aegyptia* (L.) Urb. 932, †935
—— *ampelophylla* Hallier f. 932, †935
—— *candei* (A. Terracc.) Sebsebe 933, †936, 938
—— *cliffordii* Hutch. & E. A. Bruce 935
—— *convolvulacea* Hallier f. 933
—— *dimorphophylla* (Verdc.) Sebsebe 933, †938
—— —— subsp. *dimorphophylla* †939
—— —— subsp. *ogadenensis* Sebsebe †939
—— *emarginata* (Burm. f.) Hallier f. 932, †933
—— *gallabatensis* Hallier f. 932, †934
—— *gangetica* (L.) Cufod. 934
—— *gorinii* Chiov. 932, †934
—— *hederacea* (Burm. f.) Hallier f. 932, †933
—— *kentrocaulos* (Steud. ex Hallier f.) Baker & Rendle 933, †940
—— —— var. *kentrocaulos* †941
—— —— var. *pinnatifida* N. E. Br. †941
—— *lobata* Verdc. 932, †941
—— *pedata* (Choisy) Hallier f. var. *gracilis* Hallier f. 936
—— *pentaphylla* (L.) Hallier f. 935
—— *pterygocaulos* (Steud. ex Choisy) Hallier f. 932, †940, 941
—— *semisagitta* (Griseb. ex Peter) Dandy in Andrews 933, †936, 937, 939, 940
—— —— subsp. *dimorphophylla* Verdc. 938
—— —— subsp. *semisagitta* var. *gracilis* (Hallier f.) Verdc. 936
—— —— subsp. *tenuisecta* Verdc. 938
—— *subpalmata* Verdc. 933, †937
—— —— subsp. *subpalmata* 937, †938
—— *subpalmata* subsp. *tenuisecta* (Verdc.) Sebsebe †938
—— *warderensis* Sebsebe 933, †939
—— *xanthophylla* Hallier f. 933, 941, †942
—— sp. A 933, †942
Merulius spathularia Schwein. 167
Mesobrachystegion 70
Metroxylon 455
Mexico: A new species of Stylosanthes Sw. (Leguminosae-Papilionoideae) from Guerrero, Mexico, Nuno M. Sousa Costa & Cassio van den Berg 239
Miconia 990
Microlepis Miq. 989, 990

Milicia

Milicia 579
Milla Cav. 601, 602, 607, 609, 611, 617
—— complex 602, 603, 609, 611, 615, 617, 620
—— *biflora* 605, 606, 608, 610, 612, 614, 616, 617
—— *ixioides* (W. T. Ait.) Baker 603
—— *magnifica* 605, 606, 608, 610, 612, 614, 616
Millettia stuhlmannii 591
Milliganía 967
—— *stylosa* F. Muell. ex Benth. 966, *968
Mimosa pigra L. 341
Miscanthus: Nomenclature of Miscanthus × giganteus (Poaceae), T. Hodkinson & S. Renvoize 759
Miscanthus 759
—— × *giganteus* Greef & Deuter ex Hodkinson & Renvoize †759
—— *sacchariflorus* (Maxim.) Hack. 759
—— *sinensis* Anderss. 759
Molecular and morphological phylogenetic analyses of Themidaceae (Asparagales), J. C. Pires, M. F. Fay, W. S. Davis, L. Hufford, J. Rova, M. W. Chase & K. J. Sytsma 601
Molecular data confirm the affinities of the southwest Australian endemic Granitites with Alphitonia (Rhamnaceae), M. F. Fay, M. D. Lledó, J. E. Richardson, B. L. Rye & S. D. Hopper 669
Mollusca 305, 337
Monimiaceae: An unusual new species of Steganthera (Monimiaceae) from Papua New Guinea, W. Takeuchi 995
Monocera multiflora Turcz. 860
Monocotyledons: Centrifixed anther attachment in monocotyledons, Paula J. Rudall 965
Monopetalanthus richardsiae 584
Morrenia Lindl. 162
—— *brachystephana* Griseb. 162
—— *odorata* (Hook. & Arn.) Lindl. 162
—— *scalae* (Hicken) Goyder †162
—— *variegata* (Griseb.) T. Mey. 162
Mortoniodendron Standl. & Steyerm. 497, †498
—— *anisophyllum* (Standl.) Standl. & Steyerm. 497, 498
—— *guatemalense* Standl. & Steyerm. 497
—— *palaciosii* Miranda 497
—— *pentagonum* (Donn. Sm.) Miranda †498
—— *ruizi* Miranda 497
Muasya, A. Muthama, Simpson, David A. & Cafferty, Steve: Typification of Scirpus fluitans and Scirpus setaceus (Cyperaceae) 1011
Muilla S. Watson ex Benth. 602, 603, 607, 609, 611, 615, 617 – 620
—— *maritima* 605, 606, 608, 610, 612, 614, 616
Muñoz, Jesús & Pando, Francisco: World synopsis of the Genus Grimmia (Musci, Grimmiaceae). Monogr. Syst. Bot. Missouri Bot. Gard. 83 (Also received) 767
Myrianthus 573
—— *holstii* 571, 581
Myristicaceae 340, 853
Myrobalanus chebulus Vesling 58
Myrsinaceae 728
Myrtaceae 853

Nakajima

Nakajima, J. N. & Roque, N.: Two new species of Richterago Kuntze emend. Roque (Compositae, Mutisieae) from Minas Gerais and Goiás, Brazil 697

Nanarepenta Matuda 361

Nartheciaceae 971

Nectria sp. 179

Nelson, E. Charles: Sea Beans and Nickar Nuts. BSBI Handbook No. 10. A handbook of exotic seeds and fruits stranded on beaches in north-western Europe (Rev.) 254

Nemum Desv. 329

—— *spadiceum* (Lam.) Desv. ex Ham. †329

Neoboutonia 594

Neotieghemia gummifera A. Chev. ex Letouzey 22, 25

Nesiota elliptica (Roxb.) Hook. f. 671, 673

Nesom, Guy L.: Generic Conspectus of the tribe Astereae (Asteraceae) in North America, Central America, the Antilles and Hawaii. Sida Bot. Misc. 20 (Rev.) 509

Neurocalyx calycinus 218

A new calcicolous Hyptis (sect. Leucocephala, Labiatae) from the Irecê region of Bahia, Brazil, R. M. Harley 685

A new combination in Amblysperma (Compositae: Mutiseae), D. J. N. Hind 711

A new combination in Pseudolotus Rech. f. (Leguminosae: Loteae), S. I. Ali & D. D. Sokoloff 721

A new combination in Tephrocactus Lam. (Cactaceae), Wolfgang Stuppy 1003

New combinations in African Shirakiopsis (Euphorbiaceae), H.-J. Esser 1017

New combinations in Bulbostylis (Cyperaceae) from South America, Ana Paula Prata M., Gabriela López & David A. Simpson 1007

New Guinea: Elaeocarpus in New Guinea — new taxa in the Debruynii subgroup of the Monocera group, M. J. E. Coode 449

New Guinea: A new species of Medusanthera Seem. (Icacinaceae) from New Guinea: Medusanthera inaequalis Utteridge. Contributions to the Flora of Mt Jaya, IV, T. M. A. Utteridge 233

New Guinea: Two new species of Maesa (Maesaceae) from New Guinea, T. M. A. Utteridge 677

New Guinea: An unusual new species of Steganthera (Monimiaceae) from Papua New Guinea, W. Takeuchi 995

New records of Lotus (Leguminosae: Papilionoideae: Loteae) from Africa and southwest Asia, D. D. Sokoloff 715

A new rheophytic species of Plectranthus L'Hér. (Labiatae) from the Gulf of Guinea, B. J. Pollard & A. Paton 975

A new species of Barnadesia (Compositae: Barnadesieae) from Bolivia, D. J. N. Hind 705

A new species of Calamus (Arecaceae: Calamoideae) from Vietnam, T. D. Evans & T. P. Anh 731

A new species of Medusanthera Seem. (Icacinaceae) from New Guinea: Medusanthera inaequalis Utteridge. Contributions to the Flora of Mt Jaya, IV, T. M. A. Utteridge 233

New species

A new species of Polyalthia (Annonaceae) from Peninsular India, M. B. Viswanathan & U. Manikandan 217

A new species of Strombosiopsis (Olacaceae) from Liberia, F. J. Breteler 751

A new species of Stylosanthes Sw. (Leguminosae-Papilionoideae) from Guerrero, Mexico, Nuno M. Sousa Costa & Cassio van den Berg 239

A new species of Tibouchina Aubl. (Melastomataceae) from Espírito Santo, Brazil, Paulo José Fernandes Guimarães & Renato Goldenberg 903

A new species of Vigna (Leguminosae-Papilionoideae) from Bolivia, B. Verdcourt 229

Newtonia 584, 590

Nicholas, A. & Goyder, D. J.: A revision of Gomphocarpus R. Br. (Apocynaceae: Asclepiadeae) 769

Nitraria 12

Nitschkia grevillei (Rehm.) Nannf. 179

Noltea africana (L.) Reichb. 671, 673

Nomenclature of Miscanthus × giganteus (Poaceae), T. Hodkinson & S. Renvoize 759

Notes on the genus Vigna (Leguminosae-Papilionoideae), R. S. Pasquet 223

Nunes, T. S., Zappi, D. C. & Queiroz, L. P. de: Lectotypification of two species of Passiflora (Passifloraceae) 245

The occurrence of Endostemon viscosus (Lamiaceae) in Sri Lanka confirmed, Erik Emanuelson & Jens Klackenberg 999

Ocimum 692, 693

—— *aegyptiacum* Forssk. 693 – 695

—— *basilicum* L. 694

—— *diffusum* Benth. 999

—— *hadiense* Forssk. 692, 694

—— *monostachyum* P. Beauv. 980

—— *tenuiflorum* L. 694

—— *vaalae* 692, 693

—— *villosum* 693, 694

—— α *Zatarhendi* Forssk. 691 – 695

—— a *Zatarhendi* 693

—— β *Zatarhendi* Forssk. 693, 694

Oeceoclades decaryana (H. Perrier) Garay & P. Taylor 501

—— *pandurata* (Rolfe) Garay & P. Taylor 501

—— *quadriloba* (Schltr.) Garay & P. Taylor 501

Olacaceae: A new species of Strombosiopsis (Olacaceae) from Liberia, F. J. Breteler 751

Olacaceae 751

Olinia 571

Operculina kentrocaulos Steud. ex Hallier f. 941

Opuntia 102

—— *bonnieae* (D. J. Ferguson & R. Kiesling) Halda & Janeba 1005

Orchidaceae: Goodyera R. Br. (Orchidaceae): a new generic record for tropical Africa, P. J. Cribb & P. Ormerod 501

Orchidaceae 968, 970, 971

—— subfam. *Spiranthoideae* 501

—— subfam. —— tribe *Erythrodeae* subtribe *Goodyerinae* 501

Orchis 613

Oreobolus

Oreobolus R. Br. 329
—— *pectinatus* Hook. f. †329
Ormerod, P. & Cribb, P. J.: Goodyera R. Br. (Orchidaceae): a new generic record for tropical Africa 501
Ornithogalum 604, 606, 608, 610, 612, 614, 616
—— *ixioides* W. T. Ait. 603
—— *longebracteatum* 605
Osbaldson, T. A. & Wood, R. P. A.: Dioscorides, De Materia Medica. A new indexed version in modern English (Rev.) 763
Owens, S. J. & Rudall, P. J. (eds.): Reproductive Biology in systematics, conservation and economic botany (Rev.) 255
Oxycarum Nees 329
—— *cubensis* (Poepp. & Kunth) Lye †329
Oxypetalum R. Br. 162
—— *scalae* Hicken 162
Oxystigma 28
Özhatay, N., Davis, A. P., Byfield, A. & Taylor, K.: Galanthus × valentinei nothosubsp. subplicatus (Amaryllidaceae): a new Galanthus hybrid from north-western Turkey 639
Ozothamnus R. Br. 1013

Pachycarpus E. Mey. 130, 131, 770, 771
—— *graminifolius* Wild 141
—— *grantii* 150
—— *lineolatus* (Decne.) Bullock 144
Padoch, Christine, Ayres, José Marcio, Pinedo-Vasquez, Miquel & Henderson, Andrew (eds.): Várzea. Diversity, development and conservation of Amazonia's whitewater floodplains. Advances in Economic Botany Vol. 13 (Also received) 767
Palaquium 853
Paliurus spina-christi Mill. 671, 673
Pandanaceae 343
Pandanales 971
Pandanophyllum palustre Hassk. ex Steud. 328
Pandanus Parkinson 343, 582
Parapodium E. Mey. 770
Parasorus 869
Parinari 573
—— *excelsa* 571, 581
Parkia filicoidea 584
Pasquet, R. S.: Notes on the genus Vigna (Leguminosae-Papilionoideae) 223
Passiflora alata Curtis †245
—— *galbana* Mast. †245, 246
Passifloraceae: Lectotypification of two species of Passiflora (Passifloraceae), T. S. Nunes, D. C. Zappi & L. P. de Queiroz 245
Paton, A. & Balkwill, K.: Hemizygia stalmansii (Labiatae), a new species from Mpumalanga, South Africa and Swaziland 491
Paton, A. & Pollard, B. J.: A new rheophytic species of Plectranthus L'Hér. (Labiatae) from the Gulf of Guinea 975
Paton, A. & Ryding, O.: Plectranthus aegyptiacus, the correct name for P. tenuiflorus and Forsskål's Ocimum α Zatarhendi (Labiatae) 691

Paton

Paton, Alan & Harley, Ray: Leonurus japonicus Houtt. (Labiatae): the correct name for a common tropical weed 243
Patouillardina Bres. 177
—— *cinerea* Bres. †177
Pavetta 567, 569, 573, 582, 585
—— subgen. *Baconia* 567 – 569, 571, 573, 574
—— subgen. *Dizygoon* 573
—— subgen. *Pavetta* 568, 569, 571, 573 – 575
—— ser. *Verticilliflorae* Bremek. 599
—— *abyssinica* Fresen. 567, 588, 590
—— —— Hochst. 590
—— —— *sensu* Bremek. 588
—— —— subsp. *abyssinica* 585
—— —— subsp. —— var. *abyssinica* 586
—— —— subsp. *viridiflora* Bridson 567, 569, †585, 586
—— *angolensis* Hiern 585
—— *ankolensis* Bridson 573
—— *appendiculata* De Wild. 567, 569, 599
—— *arenicola* K. Schum. 568, 569, †598, 599
—— *bagshawei* S. Moore 584, 585
—— *bidgoodiae* Bridson 567, 569, †577, 578
—— *canescens* DC. 574, 598
—— *cataractarum* S. Moore 577, 578
—— *chapmanii* Bridson 567, 569, †588, *589, 590, 592
—— *crebrifolia* Hiern 579, 580
—— *delicatifolia* Bridson 569, †580
—— *diversipunctata* Bridson 569, †579
—— *gardeniifolia* A. Rich 567, 569, 590, 592
—— —— var. *appendiculata* (De Wild.) Bridson 569, †599
—— —— var. *gardeniifolia* 599
—— *garueensis* Bridson 567, 569, †592, *593
—— *gracilis* Klotzsch 578, 579
—— —— *sensu* Hiern 578
—— *hymenophylla* Bremek. 573
—— *incana* Klotzsch 567, 569, †578, 579
—— *indigotica* Bridson 567, 569, †584, 585
—— *intermedia* Bremek. 573
—— *klotzschiana* K. Schum. 567, 569, †578
—— —— *sensu* Bridson 578, 579
—— —— var. *incana* (Klotzsch) K. Schum. 578
—— —— var. —— Hiern 578
—— *kyimbilensis* Bremek. 567, 569, †594, 595
—— sp. aff. —— Bremek. 569, †594
—— —— var. *iringensis* (Bremek.) Bridson 568, 594, 595
—— —— var. *kyimbilensis* 567, †594
—— *lasiobractea* K. Schum. 594, 595
—— *lindina* Bremek. 568, 569, †575, 577
—— *loandensis* (S. Moore) Bremek. 599
—— *lulandoensis* Bridson 569, †595, *597
—— *lutambensis* Bremek. 590, 592
—— *lynesii* Bridson 595
—— *manyanguensis* Bridson 581, 582
—— *marlothii* Bremek. 599
—— *matumbiensis* Bridson 569, †575, *576
—— *micropunctata* Bridson 567, 569, †590, *591, 592
—— *mufindiensis* Bridson 580, 581
—— *mulleri* Bridson 567, 569, †586, 587, 588

Pavetta

Pavetta nitidula Hiern 568, 571
—— *paupercula* K. Schum. 599
—— *pierlotii* Bridson 567, 569, †585
—— *pocsii* Bridson 567, 569, †581, 582
—— *roseostellata* Bridson 567 – 569, †571, *572, 573, 574
—— *schumanniana* F. Hoffm. ex K. Schum. 568, 596, 598, 599
—— —— *sensu* Garcia 596
—— *seretii* De Wild. 584, 585
—— *stenosepala* K. Schum. 592
—— *stipulopallium* K. Schum. 568, 569, †599
—— *subumbellata* Bremek. 588, 590
—— —— var. *subcoriacea* Bridson 590
—— *tendagurensis* Bremek. 568, 569, 579, †580
—— —— var. *glabrescens* Bridson 580
—— *umtalensis* Bremek. 586 – 588, 590, 592
—— *urophylla* Bremek. 574
—— *vanwykiana* Bridson 567, 569, †596, *597, 598
—— *whiteana* Bridson 567, †568, 569, *570
—— sp. 1 White 568, 569
—— sp. A Bridson 567 – 569, *572, †573
—— sp. B Bridson 578
—— sp. C Bridson 567, 569, 577, 578
—— sp. D Bridson 567, 569, 582
—— sp. E Bridson 567, 569, 584
—— sp. F Bridson 567, 569, 585
Peniophora Cooke 175, 180
Perdicium 711
Petronymphe H. E. Moore 602, 603, 617, 620
Petrosavia 971
Phaseolus glycinaeformis Weinm. 225
—— *helvolus sensu* Michx. 225
—— *humifusus* Savi 226
—— *peduncularis* Barton 232
—— —— Kunth 232
Philesiaceae 971
Philippines: Elaeocarpus for Flora Malesiana — the Verticellatae subgroup of the Monocera group and a new Philippine species, M. J. E. Coode 885
Phoenix reclinata 38
Phormium 967
—— *tenax* J. R. Forst. & G. Forst. 311, 966, *968
Phylica polifolia (Vahl) Pillans 671, 673
Pinus 171
—— *pinea* 761
Pires, J. C., Fay, M. F., Davis, W. S., Hufford, L., Rova, J., Chase, M. W. & Sytsma, K. J.: Molecular and morphological phylogenetic analyses of Themidaceae (Asparagales) 601
Planchonella 853
Plasmodium falciparum 306
Platanthera 613
Platylepis 501, 502
—— *capensis* 259
—— *glandulosa* 501
Plectranthus aegyptiacus, the correct name for P. tenuiflorus and Forsskål's Ocimum α Zatarhendi (Labiatae), O. Ryding & A. Paton 691
Plectranthus: A new rheophytic species of Plectranthus L'Hér. (Labiatae) from the Gulf of Guinea, B. J. Pollard & A. Paton 975

Plectranthus

Plectranthus L'Hér. 692, 975, 976, 979, 980
—— *aegyptiacus* (Forssk.) C. Chr. 691, 693, †694, 695
—— *amboinicus* (Lour.) Spreng. 692
—— *arabicus* E. A. Bruce 692 – 694
—— *barbatus* Andrews 692
—— *burorum* (Chiov.) J. K. Morton 692
—— *cataractarum* B. J. Pollard 975, †976, *978, 979
—— *crassifolius* Vahl 692 – 695
—— *cylindraceus* Hochst. ex Benth. 692
—— *decumbens* Hook. f. 979, 980
—— *edulis* (Vatke) Agnew 692
—— *esculentus* N. E. Br. 692
—— *hadiensis* (Forssk.) Schweinf. ex Sprenger 691, 692, 694, 695
—— *igniarius* (Schweinf.) Agnew 692
—— *monostachyus* (P. Beauv.) B. J. Pollard 976, 979, †980
—— —— subsp. *lateriticola* (A. Chev.) B. J. Pollard †980
—— —— subsp. *marrubiifolius* (Brenan) B. J. Pollard †980
—— —— subsp. *monostachyus* †980
—— —— subsp. *perennis* (J. K. Morton) B. J. Pollard †981
—— *palisotii* Benth. 980
—— *tenuiflorus* (Vatke) Agnew 692 – 695
—— *villosus* T. Cooke 694
—— *wightii* 218
—— *zatarhendi* E. A. Bruce 691, 693, 695
Pleuranthodes hillebrandii (Oliv.) Weberb. 671, 673
Plotnicov, Leonard & Scaglion, Richard (eds.): Consequences of cultivar diffusion. Ethnology Monographs No. 17 (Notice) 511
Poaceae: Merostachys Spreng. (Poaceae, Bambusoideae, Bambuseae): a new species from Brazil and critical notes on "group speciosa", T. Sendulsky 627
Poaceae: Nomenclature of Miscanthus ×giganteus (Poaceae), T. Hodkinson & S. Renvoize 759
Poaceae 965, 967
Poales 967
Podocarpus 585
Podolotus Royle 721, 722
Podostemaceae 999
Polemoniaceae 728
Pollard, B. J. & Paton, A.: A new rheophytic species of Plectranthus L'Hér. (Labiatae) from the Gulf of Guinea 975
Polyalthia 217
—— sect. *Monoon* 217
—— sect. *Polyalthia* 217
—— group *Korinti* Huber 217
—— group *Longifolia* Huber 217
—— group *Suberosa* Huber 217
—— *coffeoides* (Hook. f. & Thoms.) Thwaites 217, 220
—— *shendurunii* Basha & Sasidh. 217, 220
—— *tirunelveliensis* M. B. Viswan. & Manikandan †217, *219, 220
Polypetaleae Disciflorae 13
Polyscias fulva 594
Polystachya concreta 218
Pomaderris L. 669
—— *intangenda* F. Muell. ex F. Muell. 669

Pomaderris

Pomaderris rugosa Cheeseman 671, 673
Pompilidae 778
Populus sp. 646
Prata M., Ana Paula, López, Gabriela & Simpson, David A.: New combinations in Bulbostylis (Cyperaceae) from South America 1007
Prendergast, Hew D. V. *Reviewer*: Madder red. A history of luxury and trade, by R. Chenciner 765
Pridgeon, Alec M. *Reviewer*: Icones Pleurothallidinarum XX. Systematics of Jostia, Andinia, Barbosella, Barbrodria, Pleurothallis subgen. Antilla, subgen. Effusia, subg. Restrepiodia. Addenda to Lepanthes, Masdevallia, Platystele, Pleurothallis, Restrepiopsis, Scaphosepalum and Teagueia. Monogr. Syst. Bot. Missouri Bot. Gard. 79, by Carlyle Luer A. 507
Primulaceae 728
Protea 492, 811
Prunus 594
Pseudolotus: A new combination in Pseudolotus Rech. f. (Leguminosae: Loteae), S. I. Ali & D. D. Sokoloff 721
Pseudolotus Rech. f. 721, 722
—— *makranicus* (Rech. f. & Esfand) Rech. f. 721, 722
—— *villosus* (Blatt. & Hallb.) Ali & D. D. Sokoloff †722
Pseudomantalania J.-F. Leroy 945, 948
Pseudoschoenus Oteng-Yeb. 329
—— *inanis* (Thunb.) Oteng-Yeb. †329
Pseudospondias 584
Pteleopsis 579
Pterocarpus 934
—— *antunesii* 36, 81
Pterolepis scirpoides Schrad. 337
Pterolobium hexapetalum 213
Pterygota 584
Ptilinopus melanospila 864
Puna 1003
—— *bonnieae* D. J. Ferguson & R. Kiesling 1003, 1005
—— *clavarioides* (Pfeiff.) R. Kiesling 1003, *1004
—— *subterranea* (R. E. Fr.) R. Kiesling 1003
Pycnanthus angolensis 584
Pycreus P. Beauv. 329
—— *elegantulus* (Steud.) C. B. Clarke in T. Durand & Schinz †329
—— *filicinus* (Vahl) T. Koyama †330
—— *flavidus* (Retz.) T. Koyama †330
—— *macrostachyos* (Lam.) J. Raynal †330
—— *mundtii* Nees †330
—— *muricatus* (Kük.) Napper †330
—— *nitidus* (Lam.) J. Raynal †330
—— *polystachyos* (Rottb.) P. Beauv. †331
—— —— var. *laxiflorus* (Benth.) C. B. Clarke †331
—— *sanguinolentus* (Vahl) Nees †331

Queenslandiella Domin 331
—— *hyalina* (Vahl) Ballard †331
Queiroz, L. P. de, Nunes, T. S. & Zappi, D. C.: Lectotypification of two species of Passiflora (Passifloraceae) 245
Quercus 646
—— *coccifera* 646

Rajania

Rajania L. 361
Rakotonasolo, Franck & Davis, Aaron P.: Hyperacanthus ambovombensis (Rubiaceae): a new species and new generic record for Madagascar 945
Randia dumetorum 213
Rapanea ferruginea Mez 727, 728
Rapania 573
Rehderodendron macrocarpum Hu 727, 728
Reissekia smilacina Endl. 671, 673
Remirea Aubl. 331
—— *maritima* Aubl. †331
Renvoize, S. & Hodkinson, T.: Nomenclature of Miscanthus ×giganteus (Poaceae) 759
Restio articulatus Retz. 326
Restionaceae: Two new species of Ceratocaryum (Restionaceae), H. P. Linder 465
Restionaceae 465, 466, 469
Revision of Elaeocarpus (Elaeocarpaceae) section Elaeocarpus in Southern India and Sri Lanka, Sue Zmarzty 405
A revision of Gomphocarpus R. Br. (Apocynaceae: Asclepiadeae), D. J. Goyder & A. Nicholas 769
A revision of the tropical African genus Trachycalymma (K. Schum.) Bullock (Apocynaceae: Asclepiadoideae), D. J. Goyder 129
Rhamnaceae: Molecular data confirm the affinities of the south-west Australian endemic Granitites with Alphitonia (Rhamnaceae), M. F. Fay, M. D. Lledó, J. E. Richardson, B. L. Rye & S. D. Hopper 669
Rhamnaceae 669
—— tribe *Pomaderreae* Reissek ex Endl. 669, 670, 672
Rhynchospora Vahl 332
—— *barbata* (Vahl) Kunth †332
—— *cephalotes* (L.) Vahl †332
—— *colorata* (L.) Pfeiff. †332
—— *corymbosa* (L.) Britton †332
—— *hirsuta* (Vahl) Vahl †332
—— *holoschoenoides* (Rich.) Herter †332
—— *nervosa* (Vahl) Boeck. †333
—— —— subsp. *ciliata* (Vahl) T. Koyama †333
—— *rubra* (Lour.) Makino †333
—— *tenerrima* Nees ex Spreng. †333
Richardson, J. E., Fay, M. F., Lledó, M. D., Rye, B. L. & Hopper, S. D.: Molecular data confirm the affinities of the south-west Australian endemic Granitites with Alphitonia (Rhamnaceae) 669
Richterago: Two new species of Richterago Kuntze emend. Roque (Compositae, Mutisieae) from Minas Gerais and Goiás, Brazil, N. Roque & J. N. Nakajima 697
Richterago Kuntze 697
—— *amplexifolia* (Gardner) Roque 697
—— *angustifolia* (Gardner) Roque 698, 700
—— *campestris* Roque & J. N. Nakajima 697, †698, *699, 700 – 702
—— *discoidea* (Less.) Roque 697
—— *petiolata* Roque & J. N. Nakajima 697, *699, †700, 701, 702
—— *polymorpha* (Less.) Roque 697, 700, 702
—— *radiata* (Vell.) Roque 697

Richterago

Richterago riparia Roque 698, 700
—— *suffrutescens* (Cabrera) Roque 697
Rico-Arce, Lourdes & Zappi, Daniela. *Reviewers*: Botanical results of the Sessé & Moçino expedition (1787 – 1803). VII. A Guide to Relevant Scientific Names of Plants, by Rogers McVaugh 508
Riocreuxia 209
Roberts, P.: Amphinema angustispora: a new corticoid fungus from the Conservation Area at Kew 761
Roberts, Peter: Heterobasidiomycetes from Korup National Park, Cameroon 163
Roque, N. & Nakajima, J. N.: Two new species of Richterago Kuntze emend. Roque (Compositae, Mutisieae) from Minas Gerais and Goiás, Brazil 697
Rosidae Rutanae Rutales 13
Rothmannia Thunb. 945, 948
Rova, J., Pires, J. C., Fay, M. F., Davis, W. S., Hufford, L., Chase, M. W. & Sytsma, K. J.: Molecular and morphological phylogenetic analyses of Themidaceae (Asparagales) 601
Royena 729
Rubiaceae: Additional notes on Pavetta (Rubiaceae: Pavetteae) from Tropical Eastern and Southern Africa, D. M. Bridson 567
Rubiaceae: Hyperacanthus ambovombensis (Rubiaceae): a new species and new generic record for Madagascar, Franck Rakotonasolo & Aaron P. Davis 945
Rubiaceae: Rudgea crassifolia (Rubiaceae) — a new species from the coast of Eastern Brazil, D. C. Zappi & E. Lucas 745
Rubiaceae: Two new species of Coffea L. (Rubiaceae) from eastern Madagascar, Aaron P. Davis 479
Rubiaceae 299, 317, 488, 595, 999
—— tribe *Gardenieae* DC. 945
—— tribe —— DC. subtribe *Gardeniinae* DC. 945
—— tribe *Octotropideae* Bedd. 945
Rudall, Paula J.: Centrifixed anther attachment in monocotyledons 965
Rudgea crassifolia (Rubiaceae) — a new species from the coast of Eastern Brazil, D. C. Zappi & E. Lucas 745
Rudgea 745, 749
—— *coronata* (Vell.) Müll. Arg. 748
—— *crassifolia* Zappi & E. Lucas †745, 746, *747, 748
—— *insignis* Müll. Arg. 749
—— *marginata* Standl. 748
—— *ochroleuca* Müll. Arg. 748
—— *recurva* Müll. Arg. 749
Rumball, Naomi. *Reviewer*: Sea Beans and Nickar Nuts. BSBI Handbook No. 10. A handbook of exotic seeds and fruits stranded on beaches in north-western Europe, by E. Charles Nelson 254
Rutaceae 725
Rutales Rutineae 13
Rutiflorae Geraniales 13
Ryding, O. & Paton, A.: Plectranthus aegyptiacus, the correct name for P. tenuiflorus and Forsskål's Ocimum α Zatarhendi (Labiatae) 691

Rye

Rye, B. L., Fay, M. F., Lledó, M. D., Richardson, J. E. & Hopper, S. D.: Molecular data confirm the affinities of the south-west Australian endemic Granitites with Alphitonia (Rhamnaceae) 669

Sales, Fátima: A synopsis of Vitex L. in the Flora Zambesiaca area 189
Salix phylicifolia 179
Sands, Martin J. S.: The Desert Date and its relatives: a revision of the genus Balanites 1
Sanrafaelia: The fruit of Sanrafaelia rufonammari Verdc. (Annonaceae), B. Verdcourt 755
Sanrafaelia Verdc. 755
—— *rufonummari* Verdc. *756
Sanseveria 102
Sapindales 725
—— *Rosidae* 13
Sapium Jacq. 1017
—— *aubrevillei* Leandri 1018
—— *ellipticum* (Hochst.) Pax in Engl. 1018
—— *triloculare* Pax & K. Hoffm. 1018
Sapotaceae 726, 853
Saprosma corymbosum 218
Saralamp, P. & Chuakul, W.: Aristolochia phetchaburiensis (Aristolochiaceae), a new species from Thailand 741
Sauropus: Two new Mallotus species and two new Sauropus species (Euphorbiaceae) endemic to Thailand, P. C. van Welzen & K. Chayamarit 649
Sauropus 650
—— sect. *Hemisauropus* 650, 654
—— sect. *Schizanthi* 650, 652
—— *granulosus* Airy Shaw 654
—— *poomae* Welzen & Chayamarit 650, †652, *655
—— *temii* Welzen & Chayamarit 650, †654
Savolainen, V., Berry, P. E., Sytsma, K. J., Hall, J. C. & Chase, M. W.: Lissocarpa is sister to Diospyros (Ebenaceae) 725
Scape anatomy in Stylidium (Stylidiaceae), J. A. Wege 955
Schistocarpa johnsonii F. Muell. 671, 673
Schizoglossum E. Mey. 770 – 772
—— *uollegaense* Chiov. 148
Schoenia Steetz 1013
Schoenoplectus (Rchb.) Palla 333
—— *americanus* (Pers.) Volkart in Schinz & R. Keller 333
—— *articulatus* (L.) Palla †333
—— *brachyceras* (A. Rich.) Lye 334
—— *californicus* (C. A. Mey.) Soják *265, †334
—— *corymbosus* (Roem. & Schult.) J. Raynal †334
—— —— var. *brachyceras* (A. Rich.) Lye †334
—— *dissachanthus* (S. T. Blake) J. Raynal †334
—— *erectus* (Poir.) J. Raynal 336
—— *junceus* (Willd.) J. Raynal †335
—— *juncoides* (Roxb.) Palla †335
—— *lacustris* (L.) Palla *275, †335
—— —— subsp. *validus* (Vahl) T. Koyama †335
—— *lateriflorus* (J. F. Gmel.) Lye *275, 335
—— *littoralis* (Schrad.) Palla †336
—— —— subsp. *subulatus* (Vahl) T. Koyama in Dassan. & Fosberg 336

Schoenoplectus

Schoenoplectus mucronatus (L.) Palla †336
—— *muricinux* (C. B. Clarke) J. Raynal †336
—— *paludicola* (Kunth) Palla ex J. Raynal †336
—— *pungens* (Vahl) Palla †337
—— *riparius* (C. Presl) Palla †337
—— *roylei* (Nees) Ovcz. & Czukav. †337
—— *scirpoideus* (Schrad.) J. Browning †337
—— *senegalensis* (Hochst. ex Steud.) Palla ex J. Raynal †337
—— *subulatus* (Vahl) Lye 336
—— *supinus* (L.) Palla †337
—— *tabernaemontana* (C. C. Gmel.) Palla †337
—— *tatora* (Kunyh) Palla †338
—— *triqueter* (L.) Palla †338
—— *wallichii* (Nees) T. Koyama †338
Schoenus L. 338
—— *barbatus* Vahl 332
—— *coloratus* L. 332
—— *hirsutus* Vahl 332
—— *holoschoenoides* Rich. 332
—— *junceus* Willd. 335
—— *mariscus* L. 280
—— *melanostachys* R. Br. *265, †338
—— *nigricans* L. *275, †338
—— *pauciflorus* (Hook. f.) Hook. f. †338
—— *pilosus* Willd. 261
—— *ruber* Lour. 333
—— *secans* L. 343
Scirpodendron Zipp. ex Kurz 338
—— *ghaeri* (Gaertn.) Merr. †338
Scirpoides Ség. 339
—— *dioecus* (Kunth) J. Browning †339
—— *holoschoenus* (L.) Soják †339
—— —— subsp. *australis* (Murray) Soják †339
Scirpus: Typification of Scirpus fluitans and Scirpus setaceus (Cyperaceae), David A. Simpson, A. Muthama Muasya & Steve Cafferty 1011
Scirpus L. 339, 1007, 1011
—— *acicularis* L. 311
—— *acutangulus* Roxb. 311
—— *aestivalis* Retz. 316
—— *americanus* Pers. 333
—— *articulatus* L. 334
—— *australis* Murray 339
—— *autumnalis* L. 316
—— *barbatus* Rottb. 260
—— *bisumbellatus* Forssk. 316
—— *brachyceras* Hochst. ex A. Rich. 334
—— *caespitosus* L. 343
—— *caldwellii* V. J. Cook 259
—— *californicus* (C. A. Mey.) Steud. 334
—— *capillaris* L. 260
—— *cephalotes* L. 332
—— *cernuus* Vahl 321, 1012
—— *chinensis* Osbeck 326
—— *ciliaris* L. 319
—— *complanatus* Retz. 316
—— *corymbosus* L. 332
—— *cubensis* Poepp. & Kunth in Kunth 329
—— *cyperinus* (L.) Kunth †339
—— *cyperoides* L. 289
—— *densus* Wall. 260

Scirpus

Scirpus dichotomus L. 317
—— *dioecus* Boeck. 339
—— *dissachanthus* S. T. Blake 334
—— *edwallianus* Boeck. 1007
—— *elegans* Kunth in Humb., Bonpl. & Kunth 312
—— *falcatus* Vahl 317
—— *ferrugineus* L. 317
—— *flavescens* Poir. in Lam. 313
—— *fluitans* L. †1011
—— *geniculatus* L. 313
—— *grossus* L. f. 258
—— *hispidulus* Vahl 261
—— *holoschoenus* L. 339
—— *hudsonianus* Fernald 344
—— *inanis* Thunb. 329
—— *interstinctus* Vahl 313
—— *juncoides* Roxb. 335
—— *kernii* Raymond 327
—— *kysoor* Roxb. 258
—— *lacustris* L. 335
—— *lagoensis* Boeck. 1008
—— *lateriflorus* J. F. Gmel. 335
—— *lithospermus* L. 341
—— *litoralis* Schrad. 336
—— *loefgrenii* Boeck. 1008
—— *luzulae* L. 299
—— *maritimus* L. 259
—— —— var. *fluviatilis* Torr. 259
—— *miliaceus* L. 317
—— *mucronatus* L. 336
—— *muricinux* C. B. Clarke 336
—— *mutatus* L. 313
—— *nodosus* Rottb. 316
—— *nutans* Retz. 318
—— *paludicola* Kunth 337
—— *paludosus* A. Nelson 260
—— *palustris* L. 313
—— *parvulus* Roem. & Schult. 314
—— *prolifer* Rottb. 321
—— *puberulus* Poir. 261
—— *pungens* Vahl 337
—— *retroflexus* Poir. in Lam. 314
—— *riparius* C. Presl in J. Presl & C. Presl 337
—— *schoenoides* Retz. 318
—— *setaceus* L. 321, †1011
—— *spiralis* Rottb. 314
—— *squarrosus* L. 327
—— *subulatus* Vahl 336
—— *supinus* L. 337
—— *sylvaticus* L. †339
—— *tabernaemontani* C. C. Gmel. 338
—— *tatora* Kunth 338
—— *triqueter* L. 338
—— *umbellaris* Lam. 319
—— *validus* Vahl 335
—— *wallichii* Nees in Wight 338
—— *yagara* Ohwi 260
Scleria Bergius 339
—— *biflora* Roxb. 339
—— *boivinii* Steud. †340, 341, 342
—— *caricina* (R. Br.) Benth. 311
—— *depressa* (C. B. Clarke) Nelmes †340, 342

Scleria

Scleria foliosa Hochst. ex A. Rich. †341
—— *grandis* Labill. 320
—— *hirtella* Sw. †341
—— *isostephana* Nelmes †341
—— *levis* Retz. †341
—— *lithosperma* (L.) Sw. †341
—— *melanomphala* Kunth †342
—— *mitis* Bergius †342
—— *naumanniana* Boeck. 340, 341, †342
—— *pergracilis* (Nees) Kunth †342
—— *poaeformis* Retz. †342
—— *polycarpa* Boeck. †342
—— *pterota* C. Presl 342
—— *purdiei* C. B. Clarke †343
—— *racemosa* Poir. var. *depressa* C. B. Clarke 340
—— *secans* (L.) Urb. †343
—— *sumatrensis* Retz. †343
—— *sylvestris* Poepp. & Kunth in Kunth †343
—— *tesselata* Willd. †343
—— —— var. *sphaerocarpa* E. A. Rob. †343
Sclerocarya 596
—— *birrea* 62
Sclerocroton ellipticus Hochst. 1018
Scopuloides sp. 167
Scorodophloeus fischeri 757
Sebacina 174
—— *eyrei* Wakef. 169
—— *farinacea* D. P. Rogers 169, 170
—— *opalea* Bourdot & Galzin 174
—— *shearii* Burt 175
—— *spinosa* L. S. Olive 171
—— *subfarinacea* Hauerslev 171
Sebsebe Demissew: A synopsis of the genus Merremia (Convolvulaceae) in the Flora of Ethiopia and Eritrea 931
Sendulsky, T.: Merostachys Spreng. (Poaceae, Bambusoideae, Bambuseae): a new species from Brazil and critical notes on "group speciosa" 627
Sengdala, K., Evans, T., Viengkham, O. V., Thammavong, B. & Dransfield, J.: Calamus pauciflorus T. Evans *et al.* non Ridl. renamed Calamus oligostachys T. Evans *et al.* 242
Sesamothamnus bussei 940
Setaria welwitschii 88
Shirakia Hurus. 1017
—— *sensu* Kruijt 1017
—— *aubrevillei* (Leandri) Kruijt 1018
—— *elliptica* (Hochst.) Kruijt 1018
—— *trilocularis* (Leandri) Kruijt 1018
Shirakiopsis: New combinations in African Shirakiopsis (Euphorbiaceae), H.-J. Esser 1017
Shirakiopsis Esser †1017
—— *aubrevillei* (Leandri) Esser 1017, †1018
—— *elliptica* (Hochst.) Esser 1017, †1018
—— *indica* (Willd.) Esser 1017
—— *trilocularis* (Pax & K. Hoffm.) Esser 1017, †1018
Siegfriedia C. A. Gardner 669
—— *darwinioides* C. A. Gardner 671, 673
Silberhorn, Gene M. (author), Warinner, Mary & Forrest, Kent (illustrators): Common plants of the mid-Atlantic coast. A field Guide. Revised edition (Also received) 767

Simaroubaceae

Simaroubaceae 13
Simarubeae 13
Simpson, David A. & Inglis, Cecilia A.: Cyperaceae of economic, ethnobotanical and horticultural importance: a checklist 257
Simpson, David A., Muasya, A. Muthama & Cafferty, Steve: Typification of Scirpus fluitans and Scirpus setaceus (Cyperaceae) 1011
Simpson, David A., Prata M., Ana Paula & López, Gabriela: New combinations in Bulbostylis (Cyperaceae) from South America 1007
Singh, Gurchuran: Plant Systematics (Rev.) 648
Sinojackia rehderiana Hu 727, 728
Slageren, Michiel van. *Reviewer*: Wildflowers of Saudi Arabia, by Sheila Collenette 1021
Sloanea 455, 457
—— sect. *Anoniodes* (Schltr.) A. C. Sm. 457
—— *pentagona* Donn. Sm. 498
Smilacaceae 971
Socotra: Two new species of frankincense trees (Boswellia, Burseraceae) from Socotra, Mats Thulin 983
Sokoloff, D. D.: New records of Lotus (Leguminosae: Papilionoideae: Loteae) from Africa and southwest Asia 715
Sokoloff, D. D. & Ali, S. I.: A new combination in Pseudolotus Rech. f. (Leguminosae: Loteae) 721
Solanum 971
Solenostemon 976, 979
—— *africanus* (Benth.) Engl. 980
—— *decumbens* (Hook. f.) Baker 979
—— —— *sensu* Morales 976
—— *gouanensis* A. Chev. 981
—— *lateriticola* A. Chev. 980
—— *monostachyus* (P. Beauv.) Briq. 976, 979, 980
—— —— subsp. *lateriticola* (A. Chev.) J. K. Morton 980
—— —— subsp. *marrubiifolius* (Brenan) J. K. Morton 981
—— —— subsp. *perennis* J. K. Morton 979, 981
—— —— var. *marrubiifolius* Brenan 981
—— *ocymoides* Schum. & Thonn. in Schum. 980
—— —— var. *monostachyus* (P. Beauv.) Baker in Thisleton Dyer 980
—— sp. nov. 976
Soltis, D. S. *Reviewer*: Investigations into the systematic botany and phylogenetic relationships of Takhtajania perrieri (Capuron) Baranova & J.-F. Leroy (Winteraceae), The "Takhtajania issue", Ann. Missouri Bot. Gard. 87 (3), Anon. 764
Sopubia candei A. Terracc. 936
Sousa Costa, Nuno M. & van den Berg, Cassio: A new species of Stylosanthes Sw. (Leguminosae-Papilionoideae) from Guerrero, Mexico 239
South Africa: Hemizygia stalmansii (Labiatae), a new species from Mpumalanga, South Africa and Swaziland, A. Paton & K. Balkwill 491
Spathodea campanulata 577
Spirostachys venenifera 580
Spyridium Fenzl 669, 670
—— *sensu lato* 672
—— *sensu* Rye 670
—— *sensu stricto* 672

Spyridium

Spyridium complicatum F. Muell. 670
—— *globulosum* (Labill.) Benth. 670, 671, 673
Sri Lanka: The occurrence of Endostemon viscosus (Lamiaceae) in Sri Lanka confirmed, Erik Emanuelson & Jens Klackenberg 999
Srivastava, H. S. & Singh, Rana P. (eds.): Nitrogen nutrition and plant growth (Also received) 767
Stapelieae 132
Stathmostelma 771
Staudtia stipitata Warb. 340
Stearn, William T. *Reviewer*: Dioscorides, De Materia Medica. A new indexed version in modern English, by T. A. Osbaldson & R. P. A. Wood 763
Steganthera: An unusual new species of Steganthera (Monimiaceae) from Papua New Guinea, W. Takeuchi 995
Steganthera 996
—— *hospitans* (Becc.) Kaneh. & Hatus. 996, 998
—— *moskowskii* (Perkins) Kaneh. & Hatus. 996
—— *stevensii* W. N. Takeuchi †995, 996, *997, 998
Stenanthemum Reissek 669, 670, 672
—— *complicatum* (F. Muell.) Rye 671, 673
—— sp. aff. *forrestianum* 670
—— *pomaderroides* (Reissek) Reissek 670, 671, 673
Stenomeris Planch. 361
Sterculia 88, 934
Strombosia glaucescens Engl. 751
—— *scheffleri* 571, 581
Strombosiopsis Engl. 751
—— *nana* Breteler †751, *752, 753
—— *tetrandra* Engl. 751, 753
—— ? —— Engl. 751
Studies in the genus Jasminum, XVII: sections Trifoliolata and Primulina, P. S. Green 903
Stuppy, Wolfgang: A new combination in Tephrocactus Lam. (Cactaceae) 1003
Stuppy, Wolfgang. *Reviewer*: Biodiversity and sustainable conservation, by Har Darshan Kumar 252
Stylidiaceae 956
Stylidium: Scape anatomy in Stylidium (Stylidiaceae), J. A. Wege 955
Stylidium Willd. ex Sw. 955, 956, *957, *958, 960 – 962
—— subgen. *Andersonia* (R. Br.) Mildbr. 962
—— subgen. *Centridium* (Lindl.) Mildbr. 962
—— subgen. *Nitrangium* (Endl.) Mildbr. 963
—— subgen. —— sect. *Rhynchangium* Benth. 963
—— subgen. —— sect. *Sonderella* Mildbr. 963
—— subgen. —— sect. *Thyrsiformae* Mildbr. 963
—— subgen. *Tolypangium* (Endl.) Mildbr. 962
—— subgen. —— sect. *Despectae* Mildbr. 962
—— subgen. —— sect. *Floodia* Mildbr. 962
—— subgen. —— sect. *Guttatae* Mildbr. 962
—— subgen. —— sect. *Junceae* Mildbr. 956, 960, 962
—— subgen. —— sect. *Lineares* (Benth.) Mildbr. 963
—— subgen. —— sect. *Saxifragoideae* Mildbr. 962
—— subgen. —— sect. *Squamosae* (Benth.) Mildbr. 963
—— subgen. —— sect. *Verticillatae* (Benth.) Mildbr. 959, 960, 962
—— *adnatum* R. Br. 956, 963
—— *aeonioides* Carlquist 962

Stylidium

Stylidium barleei F. Muell. 958, 959, 962
—— *bulbiferum* Benth. 963
—— *burbidgeanum* Lowrie & Kenneally 963
—— *caespitosum* *957
—— *calcaratum* R. Br. 962
—— *carlquistii* Lowrie 962
—— *carnosum* Benth. 962
—— *crossocephalum* F. Muell. *958, 959, 963
—— *dichotomum* DC. 963
—— *divaricatum* Sond. 963
—— *drummondianum* Lowrie & Carlquist *958, 963
—— *elongatum* Benth. *958, 959, 963
—— *ensatum* A. R. Bean 962
—— *fasciculatum* R. Br. 956, *957, 963
—— *galioides* C. A. Gardner 962
—— *glabrifolium* Lowrie & Kenneally 963
—— *glaucum* Labill. 963
—— *guttatum* R. Br. 962
—— *hirsutum* R. Br. 963
—— *induratum* M. B. Scott 963
—— *junceum* R. Br. 960 – 962
—— *kalberriense* Lowrie & Kenneally 963
—— *laciniatum* C. A. Gardner *957, 959, 960, 962
—— *lateriticola* Kenneally 956, *957, 959, 963
—— *leptocalyx* Sond. *958, 963
—— *lobuliflorum* F. Muell. 962
—— *longitubum* Benth. 959, 962
—— *lowrieanum* Carlquist 959, 963
—— *maitlandianum* E. Pritz. 963
—— *merrallii* (F. Muell.) T. Durand & B. D. Jacks. *957, 963
—— *nonscandens* Carlquist 962
—— *nungarinense* S. Moore 963
—— *obtusatum* Sond. 962
—— *perpusillum* Hook. f. 962
—— *piliferum* R. Br. 963
—— *preissii* 955
—— *pseudohirsutum* Mildbr. 963
—— *repens* 955
—— *ricae* Carlquist 963
—— *roseoalatum* F. L. Erickson & J. H. Willis 959, 962
—— *rupestre* Sond. 963
—— *scandens* R. Br. *957, *958, 959, 960, 962
—— *scariosum* DC. 960
—— *schoenoides* DC. 963
—— *spinulosum* R. Br. 956, 963
—— *squamosotuberosum* Carlquist 956, *957, 962
—— *tenuicarpum* Carlquist 956, 963
—— *torticarpum* Lowrie & Kenneally 963
—— *turbinatum* Lowrie & Kenneally 962
—— *udusicola* Lowrie & Kenneally 962
—— *violaceum* R. Br. 963
Stylosanthes Sw. 239
—— *calcicola* Small 240
—— *dissitiflora* B. L. Rob. & Seaton 239
—— *erecta* P. Beauv. 239, 240
—— *humilis* Kunth 239
—— *macrocarpa* S. F. Blake 239
—— *salina* Sousa Costa & Van den Berg †239, 240, *241
—— *scabra* Vogel 240
—— *subsericea* S. F. Blake 239

Stylosanthes

Stylosanthes viscosa Sw. 239, 240
Stypandra 971
Stypella dubia (Bourdot & Galzin) P. Roberts †177
—— *grilletii* (Boud.) P. Roberts †178
Styracaceae 726, 728
Styrax americana Lam. 727, 728
—— *japonica* Sieb. & Zucc. 727, 728
Sulawesi: Elaeocarpus for Flora Malesiana: the Coilopetalum group in Sulawesi & Maluku, M. J. E. Coode 837
Swartzia Schreb. (Leguminosae: Papilionoideae: Swartzieae): a taxonomic study of the Swartzia acutifolia complex including a new name and a new species from southeastern Brazil, Vidal de Freitas Mansano & Ana Maria Goulart de Azevedo Tozzi 917
Swartzia Schreb. 917
—— sect. *Swartzia* 921
—— sect. —— subsect. *Swartzia* 923
—— sect. —— subsect. —— ser. *Acutifoliae* 921, 923
—— sect. —— subsect. —— ser. *Tounateae* 921, 923
—— *acutifolia* Vogel 917, †919, *920, 921, 923 – 925
—— —— var. *acutifolia* 921
—— —— var. *leiogyna* Benth. 917, 921, 925, 927
—— —— var. *parvipetala* Benth. 917, 921, 924
—— —— var. *submarginata* Benth. 917, 921, 924, 925
—— —— var. *ynesiana* R. S. Cowan 917, 921, 923
—— *alternifoliolata* Mansano 918
—— *apetala* Raddi var. *apetala* 918
—— —— var. *glabra* (Vogel) R. S. Cowan 918
—— *benthamii* 924
—— *capixabensis* Mansano 918
—— *flaemingii* Raddi 923
—— —— var. *flaemingii* 919
—— *glazioviana* (Taub.) Glaz. 918
—— *langsdorffii* Raddi 918
—— *linharensis* Mansano 917, 918, †921, *922, 923
—— *macrostachya* Benth. 923
—— —— var. *macrostachya* 919
—— *multijuga* Vogel 918
—— *myrtifolia* var. *elegans* (Schott) R. S. Cowan 918
—— *oblata* R. S. Cowan 917, 919, 921, †923
—— *parvipetala* (R. S. Cowan) Mansano 917, 921, †924
—— *pilulifera* Benth. 918
—— *simplex* var. *grandiflora* (Raddi) R. S. Cowan 918
—— —— var. *ochnacea* (DC.) R. S. Cowan 918
—— *submarginata* (Benth.) Mansano †924, 925
—— —— var. *leiogyna* (Benth.) Mansano 917, 918, 921, 925, †927, *928
—— —— var. *submarginata* 917, 918, 921, †925, *926
Symplocaceae 726
Symplocos 726
Syncolostemon 495
—— *macranthus* (Gürke) Ashby 495
A synopsis of the genus Merremia (Convolvulaceae) in the Flora of Ethiopia and Eritrea, Sebsebe Demissew 931
A synopsis of Vitex L. in the Flora Zambesiaca area, Fátima Sales 189
Syrmatium Vogel 722
Sytin, Andreas: Petrus Simon Pallas. Botanicus. (Also received) 511

Sytsma

Sytsma, K. J., Berry, P. E., Savolainen, V., Hall, J. C. & Chase, M. W.: Lissocarpa is sister to Diospyros (Ebenaceae) 725
Sytsma, K. J., Pires, J. C., Fay, M. F., Davis, W. S., Hufford, L., Rova, J. & Chase, M. W.: Molecular and morphological phylogenetic analyses of Themidaceae (Asparagales) 601
Syzygium 853
—— *guineense* 571, 581

Tabernaemontana 571
Tabernanthe iboga Baill. 340
Takeuchi, W.: An unusual new species of Steganthera (Monimiaceae) from Papua New Guinea 995
Tamarindus 933
Tamus L. 361
—— *communis* L. 361
Taylor, K., Davis, A. P., Byfield, A. & Özhatay, N.: Galanthus ×valentinei nothosubsp. subplicatus (Amaryllidaceae): a new Galanthus hybrid from north-western Turkey 639
Tecophilaeaceae 967, 971
Tenaris 209
Tephrocactus: A new combination in Tephrocactus Lam. (Cactaceae), Wolfgang Stuppy 1003
Tephrocactus Lem. 1003
—— *bonnieae* (D. J. Ferguson & R. Kiesling) Stuppy *1004, †1005
—— *geometricus* (A. Cast.) Backeb. 1003
Terminalia 99, 596, 933 – 935, 942
—— *catappa* L. 871
—— *hildebrandtii* 38
Ternstroemia 853
Tessmannia burtii 584
Testudinaria Salisb. ex Burch. 361
—— *elephantipes* Lindl. 402
—— *montana* Ecklon & Zeyher 400, 402
—— —— *sensu* T. Durand & Schinz 400
—— *multiflora* Marloth 400
—— *paniculata* Dümmer 400
—— *sylvatica* Hort. Berol. ex Kunth 400
—— *sylvestris* Hort. Berol. ex Kunth 400
Thailand: Aristolochia phetchaburiensis (Aristolochiaceae), a new species from Thailand, W. Chuakul & P. Saralamp 741
Thailand: Two new Mallotus species and two new Sauropus species (Euphorbiaceae) endemic to Thailand, P. C. van Welzen & K. Chayamarit 649
Thammavong, B., Evans, T., Sengdala, K., Viengkham, O. V. & Dransfield, J.: Calamus pauciflorus T. Evans *et al.* non Ridl. renamed Calamus oligostachys T. Evans *et al.* 242
Thamnomyces camerunensis (Henn.) Henn. 179
Thanetophorus sp. aff. *obscurus* (D. P. Rogers) P. Roberts †166, 167
Theaceae 853
Themeda triandra 493
Themidaceae: Molecular and morphological phylogenetic analyses of Themidaceae (Asparagales), J. C. Pires, M. F. Fay, W. S. Davis, L. Hufford, J. Rova, M. W. Chase & K. J. Sytsma 601

Themidaceae

Themidaceae Salisb. 601 – 604, 609, 611, 613, 615, 617, 620, 971
Themis ixioides (W. T. Ait.) Salisb. 602, 603
Theophrastaceae 728
Thoracostachyum bancanum (Miq.) Kyrz 328
—— *sumatranum* (Miq.) Kurz 328
Thryocephalon nemoralis J. R. Forst. & G. Forst. 323
Thulin, Mats: Two new species of frankincense trees (Boswellia, Burseraceae) from Socotra 983
Tibouchina: A new species of Tibouchina Aubl. (Melastomataceae) from Espírito Santo, Brazil, Paulo José Fernandes Guimarães & Renato Goldenberg 903
Tibouchina Aubl. 989, 990, 992
—— sect. *Pleroma* (D. Don) Cogn. 989, 990
—— *bahiensis* Wurdack 990
—— *boudetii* P. J. F. Guim. & R. Goldenb. †989, 990, *991, *992
—— *morii* Wurdack 990
—— *schwackei* Cogn. 989, 990
—— *stellipilis* Wurdack 990
Tiliaceae: The identity of Westphalina A. Robyns & Bamps (Tiliaceae), L. J. Dorr 497
Torulinium odoratum (L.) S. S. Hooper 301
Tozzi, Ana Maria Goulart de Azevedo & Mansano, Vidal de Freitas: Swartzia Schreb. (Leguminosae: Papilionoideae: Swartzieae): a taxonomic study of the Swartzia acutifolia complex including a new name and a new species from southeastern Brazil 917
Trachycalymma: A revision of the tropical African genus Trachycalymma (K. Schum.) Bullock (Apocynaceae: Asclepiadoideae), D. J. Goyder 129
Trachycalymma (K. Schum.) Bullock 129 – 131, †132, 148, 150, 155, 770
—— *amoenum* (K. Schum.) Goyder 132, 134, 151, †152, 153, 160
—— *buchwaldii* (Schltr. & K. Schum.) Goyder 130, 131, 134, 142, 144, †146, *147
—— *cristatum* (Decne.) Bullock 129 – 133, †134, 136, *137, 144, 150
—— *cucullata sensu* Bullock 130
—— *cucullatum* (Schltr.) Bullock 157, 159
—— *fimbriatum* (H. Weim.) Bullock 130, 131, 134, †137, 138, 139, 141, 150
—— *foliosum* (K. Schum.) Goyder 130, 134, 152, †153, 154, *157, 160
—— *graminifolium* (Wild) Goyder 130, 131, 133, †141, 142, *143, 144
—— *minutiflorum* Goyder 130 – 133, 138, †148, *149
—— *pseudofimbriatum* Goyder 130, 131, 133, 138, †139, *140
—— *pulchellum* (Decne.) Bullock 130, 134, †150, 151 – 153, 155, 160
—— —— *sensu* Bullock 130, 155
—— *pulchellum* group 131, 132
—— *shabaense* Goyder 130 – 133, 142, †144, *145
Trachylobium 37
—— *moçambicensis* 35
—— *mossambicensis sensu* Sim 35, 37
—— *verrucosum* 38

Tremella

Tremella indecorata group 179
—— *dysenterica* Møller †178
—— *fibulifera* Møller 182
—— *foliacea* Pers. 183
—— *fuciformis* Berk. 164, †178, 179
—— *grilletii* Boud. 178
—— cf. *indecorata* Sommerf. †179, *180
—— *mesenterica* Retz. †180, *181
—— *olens* Berk. †181, *182
—— *wrightii* Berk. & M. A. Curtis †183
Tremellales 164, 178
Tremellochaete japonica (Lloyd) Raitv. 172
Trianthema 433
Tribulus 12
Tricalysia sphaerocarpa 218
Trichocline Cass. 711, 712
—— *sensu stricto* 711, 712
—— sect. *Amblysperma* (Benth.) Zardini 713
—— *nervosa* Less. 711
—— *scapigera* (Benth.) F. Muell. 712
—— *spathulata* (A. Cunn. ex DC.) J. H. Willis 711, 713
Tricholcline sect. *Nervifolium* Zardini 711
Trichophorum Pers. 343
—— *caespitosum* (L.) Hartm. †343
—— *hudsonianum* (Michx.) Pers. 343
Trichopodaceae 361
Trichopus Gaertn. 361
Trilepis pilosa Boeck. 259
Triteleia Douglas ex Lindl. 602, 607, 609, 611, 613 – 615, 617 – 620
—— *bridgesii* 605, 606, 608, 610, 612, 614, 616
—— *hyacinthina* 605, 606, 608, 610, 612, 614, 616
—— *ixioides* (W. T. Ait.) Greene 602 – 606, 608, 610, 612, 614, 616, 619
—— *lemmonae* 605, 606, 608, 610, 612, 614, 616
—— *peduncularis* 605, 606, 608, 610, 612, 614, 616
Triteleiopsis Hoover 602, 603, 613, 617, 620
Trymalium Fenzl 669
—— *floribundum* Steud. 673
—— —— subsp. *trifidum* Rye 671
—— *ledifolium* Fenzl 671, 673
Tulasnella albida Bourdot & Galzin †183
—— *irregularis* 184
—— cf. —— Warcup & P. H. B. Talbot †183, *184
—— *pinicola* Bres. 183
—— *tomaculum* P. Roberts †184
—— sp. 183
Tulasnellales 164, 183
Tulipa 967
Two new Mallotus species and two new Sauropus species (Euphorbiaceae) endemic to Thailand, P. C. van Welzen & K. Chayamarit 649
Two new species of Ceratocaryum (Restionaceae), H. P. Linder 465
Two new species of Coffea L. (Rubiaceae) from eastern Madagascar, Aaron P. Davis 479
Two new species of Daemonorops (Arecaceae) from Vietnam, J. Dransfield 661
Two new species of frankincense trees (Boswellia, Burseraceae) from Socotra, Mats Thulin 983

Two new species

Two new species of Maesa (Maesaceae) from New Guinea, T. M. A. Utteridge 677
Two new species of Richterago Kuntze emend. Roque (Compositae, Mutisieae) from Minas Gerais and Goiás, Brazil, N. Roque & J. N. Nakajima 697
Typification of Scirpus fluitans and Scirpus setaceus (Cyperaceae), David A. Simpson, A. Muthama Muasya & Steve Cafferty 1011

Uapaca 378, 816
Uncinia Pers. 344
—— *divaricata* Boott in Hook. f. 344
—— *egmontiana* Hamlin †344
—— *rubra* Boot in Hook. f. †344
—— *uncinata* (L. f.) Kük. in Engl. †344
An unusual new species of Steganthera (Monimiaceae) from Papua New Guinea, W. Takeuchi 995
Urediniomycetes 164
Urticaceae 999
Ustilaginaceae 284, 303
Utteridge, T. M. A.: A new species of Medusanthera Seem. (Icacinaceae) from New Guinea: Medusanthera inaequalis Utteridge. Contributions to the Flora of Mt Jaya, IV 233
Utteridge, T. M. A.: Two new species of Maesa (Maesaceae) from New Guinea 677

Valsaceae 179
van den Berg, Cassio & Sousa Costa, Nuno M.: A new species of Stylosanthes Sw. (Leguminosae-Papilionoideae) from Guerrero, Mexico 239
Vepris 38
Verbenaceae 193
Verdcourt, B.: The fruit of Sanrafaelia rufonammari Verdc. (Annonaceae) 755
Verdcourt, B.: A new species of Vigna (Leguminosae-Papilionoideae) from Bolivia 229
Verdcourt, B. *Reviewer*: Nature's Government. Science, Imperial Britain and the 'Improvement' of the World, by Richard Drayton 249
Vermifrux J. B. Gillett 722
—— *abyssinica* 722
Vespidae 778
Viengkham, O. V., Evans, T., Sengdala, K., Thammavong, B. & Dransfield, J.: Calamus pauciflorus T. Evans *et al.* non Ridl. renamed Calamus oligostachys T. Evans *et al.* 242
Vietnam: A new species of Calamus (Arecaceae: Calamoideae) from Vietnam, T. D. Evans & T. P. Anh 731
Vietnam: Two new species of Daemonorops (Arecaceae) from Vietnam, J. Dransfield 661
Vigna Savi 223 – 225, 229
—— subgen. *Sigmoidotropida* 229
—— *antunesii* Harms †226
—— —— *sensu* Torre 225
—— *brasiliensis* Mart. ex Benth. 224
—— *dinteri* Harms 226
—— *dolomitica* R. Wilczek 224
—— *fischeri* Harms 224
—— *frutescens* 226
—— *galpinii* Burtt Davy 225

Vigna

Vigna hundtii Rossberg 226
—— *jaegeri* Harms 224
—— *juncea* Milne-Redh. †226
—— —— var. *corbyi* Pasquet †226
—— *kassneri* R. Wilczek 224
—— *lobatifolia* Baker 226
—— *luteola* (Jacq.) Benth. †223, 224
—— *marchali* A. Chev. 226
—— *marina* 224
—— —— subsp. *oblonga sensu* Padulosi 224
—— *nervosa* Markötter 225
—— *nuda* N. E. Br. 226
—— *o-wahuensis* Vogel 223
—— *oblonga* Benth. 223
—— —— *sensu* Hook. f. in Hook. 223, 224
—— *oblongifolia* 224
—— *oubanguensis* Pellegr. 224
—— *peduncularis* Fawc. & Rendle 229, 232
—— *radicans* Welw. ex Baker in Oliv. †224
—— *reticulata* Hook. f. in Hook. 224, 225
—— *schimperi* 224
—— *schlecteri* Harms †225
—— *sinensis* var. *catiang sensu* Chiov. 225
—— *stenodactyla* Harms 224
—— *subhastata* Verdc. †229, *230, *231
—— *unguiculata* (L.) Walp. 225
—— —— subsp. *dekindtiana sensu stricto* 226
—— —— subsp. *stenophylla* (Harv.) Maréchal, Mascherpa & Stainier †225
—— —— subsp. *unguiculata* var. *spontanea* (Schweinf.) Pasquet †224
—— *venulosa* Baker †226
—— *vexillata* (L.) A. Rich. †225, 226
—— —— var. *lobatifolia* (Baker) Pasquet †226
—— —— var. *vexillata* †225
—— *villosa* Savi 223
—— *wittei* Baker f. 224
Vincentia angustifolia Gaudich. in Freyc. 327
Viswanathan, M. B. & Manikandan, U.: A new species of Polyalthia (Annonaceae) from Peninsular India 217
Vitex: A synopsis of Vitex L. in the Flora Zambesiaca area, Fátima Sales 189
Vitex L. 189, 190
—— subgen. *Chrysomallum* (A. Thouars) W. Piep. 198
—— subgen. *Holmskioldiopsis* W. Piep. 189, 193, 202
—— subgen. *Vitex* 189, 191, 195, 198
—— sect. *Chrysomallum* A. Thouars 195, 198
—— *agnus-castus* L. 191, †204
—— *amboniensis* Gürke 193, 194
—— —— var. *amaniensis* W. Piep. 193
—— —— var. *schlechteri* W. Piep. 193
—— *andongensis* Baker 195
—— *bequaertii* De Wild. 195
—— *bicolor* Willd. 204
—— *buchananii* Baker ex Gürke †191, 192, 202
—— —— var. *quadrangula* (Gürke) W. Piep. 191
—— *carvalhi* Gürke 199
—— *cienkowskii* Kotschy & Peyr. 192
—— *cuneata* Thonn. in Schumach. & Thonn. 192
—— *dentata* Klotzsch †204

Vitex

—— *doniana* Sweet 191, †192, 193, 197, 205
—— *dryadum* S. Moore 193, 194
—— *epidictyodes* Mildbr. ex W. Piep. 196, 197
—— *eylesii* S. Moore 200, 201
—— *ferruginea* Schumach. & Thonn. 191, †193, 194, 195, 198, 205
—— —— subsp. *amboniensis* (Gürke) Verdc. 193, 194
—— —— subsp. —— var. *amaniensis* (W. Piep.) Verdc. 193, 194
—— —— subsp. —— var. *amboniensis* 194
—— *fischeri* Gürke 191, †195, 206
—— *flavescens* Rolfe 197, 198
—— —— var. *parviflora* Gibbs 197
—— *goetzei* Gürke 197
—— *guerkeana* Engl. ex Eyles 201
—— —— H. Pearson in Dyer 193, 201
—— —— Hiern 193, 201
—— *harveyana* H. Pearson 191, †195, 205
—— *hildebrandtii* Vatke 198, 200, 201
—— —— var. *glabrescens* W. Piep. 200
—— —— var. *zambesiaca* (Baker) W. Piep. 200
—— *hockii* De Wild. 196
—— *iringensis* Gürke 200
—— *isotjensis* Gibbs 200, 201, 204
—— —— *sensu* K. Coates Palgrave 199
—— —— *sensu* S. Moore 200
—— *madiensis* Oliv. 191, 195, †196, 205
—— —— subsp. *epidictyodes* (W. Piep.) Verdc. 197
—— —— subsp. *madiensis* †196
—— —— subsp. *milanjiensis* (Britten) F. White 195, †197
—— —— var. *gossweileri* W. Piep. 197
—— —— var. *milanjiensis* (Britten) W. Piep. 197
—— *milanjiensis* Britten 196, 197
—— *mombassae* Vatke 190, 191, 194, 195, †197, 198, 200, 201, 204, 205
—— —— var. *erythrocarpa* Gürke ex W. Piep. 197
—— —— var. *parviflora* (Gibbs) W. Piep. 197
—— *mossambicensis* Gürke 191, †198, 199, 202
—— —— var. *oligantha* (Baker) W. Piep. 199
—— *negundo* auctt. non L. 204
—— *obovata* E. Mey. 191, †202, 203
—— —— subsp. *wilmsii* (Gürke) C. L. Bredenkamp & D. J. Botha 203
—— *oligantha* Baker 199
—— *oxycuspis* Baker var. *mossambicensis* Moldenke 193, 194
—— *paludosa* Vatke 192
—— *patula* E. A. Bruce 191, 198, †199, 200, 201, 205, 206
—— *payos* (Lour.) Merr. 190, 198, †200, 201, 204, 205
—— —— var. *glabrescens* (W. Piep.) Moldenke 200, 201
—— —— var. *payos* 201
—— *pearsonii* W. Piep. 193
—— *petersiana* Klotzsch 191, 199, †201, 202
—— *polyantha* Baker in Baker & Stapf 193
—— *pooara* Corbishley †204
—— *quadrangula* Gürke 191
—— *radula* W. Piep 191
—— *reflexa* H. Pearson in Dyer 202
—— *rufescens* A. Juss. 201

Vitex

Vitex rufescens Gürke 193, 201
—— *schlechteri* Gürke 195
—— *schliebenii* 190, †202
—— *schweinfurthii* Gürke 199
—— *shirensis* Baker 197, 200, 201
—— *simplicifolia* Oliv. 196
—— *swynnertonii* S. Moore 193
—— *tangensis* Gürke 193
—— *thyrsiflora* Baker 193
—— —— *sensu* Moldenke 191
—— *trifolia* 191
—— —— L. var. *bicolor* (Willd.) Moldenke †204
—— *umbrosa* G. Don ex Sabine 192
—— —— Sw. 192
—— *villosa* Sim †205
—— *volkensii* Gürke 191
—— *welwitschii* Gürke 193, †205, 206
—— *wilmsii* Gürke 202, 203
—— —— var. *reflexa* (H. Pearson) W. Piep. 203
—— *zambesiaca* Baker 200
—— *zanzibarensis* Vatke †205
—— *zeyheri* Sond. ex Schauer in DC. 189, 190, †203, 205

Walleria 971
Wege, J. A.: Scape anatomy in Stylidium (Stylidiaceae) 955
Welzen, P. C. van & Chayamarit, K.: Two new Mallotus species and two new Sauropus species (Euphorbiaceae) endemic to Thailand 649
Welzen, P. C. van & Esser, H. J.: Colobocarpos, a new genus of South-East Asian Euphorbiaceae 657
Westphalina A. Robyns & Bamps 497, 498
—— *macrocarpa* A. Robyns & Bamps 497, 498
White, James J. (compiler) with the assistance of Elizabeth R. Smith: Catalogue of the Botanical Art Collection at the Hunt Institute Part 7 Decorative, Horticultural and Non-Botanical Subjects. Supplement to Parts 1 – 6, Plant Portraits (Also received) 511
Widdringtonia 590
Wilkin, Paul: Dioscoreaceae of South-Central Africa 361
Willdenowia 465, 468 – 471
—— *argentea* (Kunth) Hieron. 474

Xanthorrhoeaceae 971
Xeranthemum L. 1014
—— *annuum* L. 1014
—— *bracteatum* Vent. 1014
Xerochrysum Tsevelev, a pre-existing generic name for Bracteantha Anderb. & Haegi, Randall J. Bayer 1013
Xerochrysum Tzevelev †1014
—— *bicolor* (Lindl.) R. J. Bayer †1014
—— *bracteatum* (Vent.) Tzvelev †1014
—— *palustre* (Flann) R. J. Bayer †1014
—— *papillosum* (Labill.) R. J. Bayer †1015
—— *subundulatum* (Sch. Bip.) R. J. Bayer †1015
—— *viscosum* (DC.) R. J. Bayer †1015
Xeronema 967, 972
—— *callistemon* W. R. B. Oliv. 966, *969

Xeronemataceae

Xeronemataceae 971
Ximenia aegyptiaca L. 2, 49, 50, 55, 56, 68
—— —— *sensu* Roxb. 46
—— *arborea* Aitch. 47
—— *ferox* Poir. in Lam. 63, 64, 66
—— *rigida* Aitch. 47
Xysmalobium R. Br. 770, 771

Yucca filamentosa 970

Zanthoxylum chalybeum 70
Zappi, D. C. & Lucas, E.: Rudgea crassifolia (Rubiaceae) — a new species from the coast of Eastern Brazil 745
Zappi, D. C., Nunes, T. S. & Queiroz, L. P. de: Lectotypification of two species of Passiflora (Passifloraceae) 245
Zappi, Daniela & Rico-Arce, Lourdes. *Reviewers*: Botanical results of the Sessé & Moçino expedition (1787 – 1803). VII. A Guide to Relevant Scientific Names of Plants, by Rogers McVaugh 508

Zatarhendi

Zatarhendi 693
—— *aegyptiacum* 693
Zephyra 967
—— *elegans* D. Don 966, *969
Zeuxine 501, 502
Zingiberaceae 169, 171, 284
Ziziphus 42, 48, 68, 96
—— *glabrata* Heyne ex Roth 671, 673
—— *hamur* 98
—— *mauritiana* 62, 106
—— *mucronata* 106
—— *oeniplia* 213
Zmarzty, Sue: Revision of Elaeocarpus (Elaeocarpaceae) section Elaeocarpus in Southern India and Sri Lanka 405
Zygophyllaceae 12, 13
Zygophyllales 12
Zygophyllum 12, 50
—— *arboreum* B. D. Jacks. 47
—— *rigidum* B. D. Jacks. 46, 50